

# DRINKING WATER SAMPLING REPORT

# **Middle Township Middle School**

300 East Pacific Avenue Cape May Court House, New Jersey 08210

June 7, 2022 Partner Project No. 21-344054.1



Prepared for

# **Middle Township Board of Education**

216 South Main Street Middle Township, New Jersey 08210



June 7, 2022

Mr. Thomas Adelsberger Middle Township Board of Education 216 South Main Street Middle Township, New Jersey 08210

Subject: Drinking Water Sampling Report

Middle Township Middle School

300 East Pacific Avenue Partner Project 21-344054.1

Dear Mr. Adelsberger:

Partner Engineering and Science, Inc. (Partner) is pleased to provide the results of the *Drinking Water Sampling* conducted at the abovementioned address (the "subject property"). This sampling event was performed in general conformance with the scope and limitations as detailed in our fee proposal. This inspection included a site reconnaissance as well as sampling and analysis. An assessment was made, conclusions stated, and recommendations outlined, as required.

We appreciate the opportunity to provide environmental services to the Middle Township Board of Education. If you have any questions concerning this report, or if we can assist you in any other matter, please contact me at (908) 497-8904 or via e-mail at dbracey@partneresi.com.

Sincerely,

Dan Bracey, CSP, CHMM Senior Project Manager

Deed Fine

Industrial Hygiene & Health and Safety Services

# **TABLE OF CONTENTS**

Execu	utive Summary	2
	INTRODUCTIÓN	
1.1	Property Description	3
1.2	Purpose and Scope	3
	METHODOLOGY	
3.0	BACKGROUND	5
4.0	ANALYTICAL RESULTS	6
5.0	CONCLUSION	8
6.0	RECOMMENDATIONS	9
7.0	LIMITATIONS	10
8.0	SIGNATURES OF PROFESSIONALS	.11

# **APPENDICES**

**Appendix A** Laboratory Analysis and Chain-of-Custody

**Appendix B** Sampling Plan

**Appendix C** Quality Assurance Project Plan



# **Executive Summary**

Partner Engineering and Science, Inc. (Partner) collected drinking water samples for Middle Township Board of Education at Middle School on April 19, 2022. Samples were collected according to the "New Jersey Department of Education N.J.A.C. 6A:26" requirements for testing of lead in New Jersey Schools and the "USEPA 3Ts for Reducing Lead in Drinking Water in Schools" recommendations, as well as the Safe Drinking Water Act of 1974.

The first sample at each fixture was a "first draw" which was collected directly from the fixture without letting the water run or flush. The second sample was collected after letting the water run (flush) for thirty seconds. This sample evaluates the lead in water from the water purveyor and the pipes outside the building. The samples collected were analyzed by Alpha Analytical Labs located in Mahwah, New Jersey for analysis of lead content using USEPA Method 200.8 for lead in drinking water. The action level for lead has been set at 15 parts per billion (ppb). According to the USEPA, given present technology and resources, this level is the lowest level to which water systems can reasonably be required to control this contaminant should it be present in drinking water.

Sample analysis indicated that measured lead concentrations did exceed the USEPA Action Level of 15 ppb for lead at Middle School. Specifically, water from the following outlets had exceedance:

- MTMS-WF-05, initial draw, 30.58 ppb
- MTMS-S-10, initial draw, 18.75 ppb
- MTMS-WF-22, initial draw, 2048 ppb
- MTMS-WF-22-F, second draw, 160.7 ppb
- MTMS-WF-23, initial draw, 75.58 ppb
- MTMS-WF-24, initial draw, 21.74 ppb
- MTMS-WF-24-F, second draw, 19.71 ppb
- MTMS-WF-25, initial draw, 21.74 ppb
- MTMS-WF-25-F, initial draw, 19.71 ppb
- MTMS-WF-27, initial draw, 20.67 ppb
- MTMS-WF-30, initial draw, 44.17ppb

Based on the above referenced sample analytical results, Partner recommends the following actions:

- For sink outlets exceeding the USEPA Action Level, these outlets should be labelled as "Do Not Drink Safe for Handwashing Only".
- Remove drinking water outlets of concern from service.
- Conduct an investigation into the drinking water outlet of concern and replace any potential leadleaching fixtures or equipment, such as fixtures and associated piping, that may be contributing to dissolved lead in drinking water.



# 1.0 INTRODUCTION

# 1.1 Property Description

Address(s):	Middle School– 300 East Pacific Avenue, Cape May Court House
Nature of Use:	School
Walk-Through Inspector:	Angelica Rosaperez
Walk-Through Date:	December 14, 2021
Sampling Conducted By:	Dan Bracey
	Anthony Mercogliano
Sampling Date:	April 19, 2022

# 1.2 Purpose and Scope

The purpose of this drinking water sampling event was to sample and analyze drinking water for a determination of lead content for comparison with the USEPA Action Level as defined by the National Primary Drinking Water Regulations (NPDWR - 40 CFR Chapter I, Part 141), in addition to the "New Jersey Department of Education N.J.A.C. 6A:26" requirements for testing of lead in New Jersey Schools and the "USEPA 3Ts for Reducing Lead in Drinking Water in Schools". The NPDW set a Maximum Contaminant Level Goal (MCLG) for each listed contaminant, which identifies a level of that contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals. The MCLG for lead has been set at zero (0) ppb. Since lead contamination generally occurs from corrosion of onsite lead pipes, or lead-based solder on fittings and fixtures, it cannot be directly detected or removed by the municipal water system. Instead, the USEPA is requiring municipal water systems to control the corrosiveness of their water if the level of lead at the tap exceeds an Action Level.

The action level for lead has been set at 15 parts per billion (ppb). According to the NPDWR Lead and Copper Rule (LCR), given present technology and resources, this level is the lowest level to which water systems can reasonably be required to control this contaminant should it be present in drinking water.



# 2.0 METHODOLOGY

Select drinking water samples were collected according to the "New Jersey Department of Education N.J.A.C. 6A:26" requirements for testing of lead in New Jersey Schools and the "USEPA 3Ts for Reducing Lead in Drinking Water in Schools" recommendations, as well as the LCR Monitoring requirements for lead in tap water (40 CFR Part 141, Subpart I, § 141.86(b)). Sampling consisted of collecting a one liter (L) first draw sample from a drinking water outlet that had been stagnant for at least eight (8) hours in a bottle with an appropriate preservative. Partner made a reasonable effort to determine whether the stagnation preconditions were able to be met prior to conducting sampling. A second-draw sample was collected minutes after the first-draw, in order to determine whether lead was being provided via the service line. Second-draw samples were only analyzed if the first-draw sample exceeded the USEPA Action Level of 15 ppb. Sample bottles were provided by Alpha Analytical Labs located in Mahwah, New Jersey with an appropriate preservative lead in drinking water sampling. After collection, sample bottles were labeled with a unique identifier and transferred under chain of custody to by Alpha Analytical Labs located in Mahwah, New Jersey for analysis by USEPA Method 200.8. The laboratory results and chain of custody are contained in **Appendix A**.



# 3.0 BACKGROUND

Partner collected a total of 68 drinking water samples from the Middle School on May 2017. A total of 34 samples were analyzed. Following collection, samples were sent to SGS Accutest in Dayton, New Jersey for analysis of lead content using USEPA Method 200.8 for lead in drinking water. The results of the analytical data revealed that none exceeded the USEPA Action level of 15 ppb for lead.



# 4.0 ANALYTICAL RESULTS

During the course of this site visit, Partner collected water samples at 35 locations. Partner did not attempt to disassemble mechanical equipment, open plumbing pipe chases, or assess materials within wall voids.

Sample names and their respective locations were updated from the 2017 sampling event based on relevant known plumbing information as provided by the Middle Township Board of Education and the site guide.

A total of 68 drinking water samples were collected from Middle School on April 19, 2022. A total of 42 samples were analyzed. The results are listed in Table 1 below.

Table 1  Analytical Results Summary										
Middle School										
April 19, 2022										
Sample Name	Location	Results (ppb)								
MTMS-POE-01	Kitchen	ND								
MTMS-S-02	Kitchen	1.143								
MTMS-S-03	Kitchen	0.9527								
MTMS-IM-04	Kitchen	3.169								
MTMS-S-04	Kitchen	1.116								
MTMS-WF-05	Cafeteria	30.58								
MTMS-WF-05-F	Cafeteria	13.32								
MTMS-S-06	CR A-5	7.132								
MTMS-S-07	CR A-5	2.988								
MTMS-S-08	CR A-5	2.562								
MTMS-S-09	CR A-5	3.343								
MTMS-S-10	CR A-5	19.75								
MTMS-S-10-F	CR A-5	3.944								
MTMS-BF-11	Next to CR A-5	4.840								
MTMS-BF-12	Next to CR A-5	9.173								
MTMS-WF-13	Between BR & GR	ND								
MTMS-WF-14	Between BR & GR	2.209								
MTMS-S-15	Main office	ND								
MTMS-S-16	Faculty Room	0.4119								
MTMS-S-17	Nurse's office-RM 2	2.125								



#### Table 1 **Analytical Results Summary Middle School** April 19, 2022 **Sample Name** Location Results (ppb) MTMS-IM-18 Nurse's office ND Across from B-2 MTMS-WF-19 2.964 MTMS-BF-20 Across from B-2 ND Across from B-2 MTMS-WF-21 4.226 MTMS-WF-22 **Across from Media Center** 2048 MTMS-WF-22-F **Across from Media Center** 160.7 MTMS-WF-23 **Across from Media Center** 75.58 MTMS-WF-23-F Across from Media Center 6.013 **Across from Media Center** MTMS-WF-24 21.74 MTMS-WF-24-F **Across from Media Center** 19.71 MTMS-WF-25 **Across from Media Center** 29.74 MTMS-WF-25-F **Across from Media Center** 29.91 MTMS-S-26 Media Center 10.08 MTMS-WF-27 Across D-4 20.67 MTMS-WF-27-F Across D-4 2.998 MTMS-WF-28 Across D-4 12.74 MTMS-S-29 Faculty RM 1.395 MTMS-WF-30 Gym 1 44.17 MTMS-WF-30-F Gym 1 8.834 MTMS-WF-31 Gym 1 9.580 MTMS-WF-32 Gym 2 8.972

Gym 2

#### **NOTES**

ND= Not detected. Lead levels not detected at the reporting limit (0.3430 ppb) 1 ppb = 1 ug/L

**BOLD** = Exceedances above USEPA Action Level 15 ppb

MTMS-WF-33



5.019

# 5.0 CONCLUSION

Sample analysis indicated that measured lead concentrations did exceed the USEPA Action Level of 15 ppb for lead at Middle School. Specifically, water from the following outlets had exceedances:

- MTMS-WF-05, initial draw, 30.58 ppb
- MTMS-S-10, initial draw, 18.75 ppb
- MTMS-WF-22, initial draw, 2048 ppb
- MTMS-WF-22-F, second draw, 160.7 ppb
- MTMS-WF-24, initial draw, 21.74 ppb
- MTMS-WF-24-F, second draw, 19.71 ppb
- MTMS-WF-23, initial draw, 75.58 ppb
- MTMS-WF-25, initial draw, 21.74 ppb
- MTMS-WF-25-F, initial draw, 19.71 ppb
- MTMS-WF-27, initial draw, 20.67 ppb
- MTMS-WF-30, initial draw, 44.17ppb



# 6.0 RECOMMENDATIONS

Based on the above referenced sample analytical results, Partner recommends the following actions:

- For sink outlets exceeding the USEPA Action Level, these outlets should be labelled as "Do Not Drink Safe for Handwashing Only".
- Remove drinking water outlets of concern from service.
- Conduct an investigation into the drinking water outlet of concern and replace any potential leadleaching fixtures or equipment, such as fixtures and associated piping, that may be contributing to dissolved lead in drinking water.

Additional control technologies may be utilized to reduce lead content in drinking water, including, but not limited to onsite water treatment and filtration. All response actions should be conducted in according with industry, local, state and federal guidelines and/or requirements

In the event the remedial action involves replacing the fixture/associated piping or installing a new fixture, Middle Township Board of Education should conduct sampling for lead in drinking water to ensure lead levels are below the action level prior to opening up the fixture for use. Additionally, sampling of all drinking water outlets must be conducted every third school year beginning with the 2021-2022 school year.

Flushing involves opening suspect taps every morning before the facility opens and letting the water run to remove water that has been standing in the interior pipes and/or the outlets. All flushing should be recorded in a log submitted daily to the head of maintenance/facilities. The faucet should be opened and the water should run for 30 seconds to one minute, or until cold.

A filtration device, or point-of-use (POU) device can be relatively inexpensive (\$65 to \$250) or expensive (ranging from \$250 to \$500), their effectiveness varies, and they may be vulnerable to vandalism. They also require a maintenance program for regular upkeep to ensure effectiveness. Cartridge filter units need to be replaced periodically to remain effective. NSF International, an independent, third-party certification organization, has a testing program to evaluate the performance of POU devices for lead removal (NSF Standard 53). Before purchasing any device, ask the manufacturer for proof of NSF approval and the Performance Data Sheet, or check by visiting the NSF Web site at: http://www.nsf.org/business/search\_listings/index/asp

Consult NSF Standard 61 (Sections 4, 8 and 9) before buying any replacement products. This standard will provide you with information on plumbing products that are designed to minimize lead leaching. Before you purchase any brass plumbing products, request information regarding compliance with this standard.



# 7.0 LIMITATIONS

Partner subcontracted with Alpha Analytical who performed the lead analysis. No warranties expressed or implied, are made by Partner or its subcontractor Alpha Analytical or their employees as to the use of any information, apparatus, product or process disclosed in this report. Every reasonable effort has been made to assure correctness.

State-of-the-art practices have been employed to perform this inspection. No demolition or product research was performed in attempts to reveal material compositions. The services consist of professional opinions and recommendations made in accordance with generally accepted engineering principles/practices. These services are designed to provide an analytical tool to assist the client. Partner and its subcontractors and their employees/representatives bear no responsibility for the actual condition of the structure or safety of this site pertaining to lead and/or lead contamination regardless of the actions taken by the inspection team or the client.



# 8.0 SIGNATURES OF PROFESSIONALS

Partner performed lead-in-drinking water sampling at the Middle Township Board of Education properties, Cape May County, New Jersey in general conformance with the scope and limitations of the protocol stated earlier in this report. Exceptions to or deletions from this protocol are discussed earlier in this report.

Prepared By:

Partner Engineering and Science, Inc.

Angelica Rosaperez

Assistant Project Manager

Angelico Rosague

Reviewed by:

Daniel Bracey, CSP, CHMM

Senior Project Manager



**APPENDIX A: LABORATORY ANALYSIS AND CHAIN OF CUSTODY** 



#### ANALYTICAL REPORT

Lab Number: L2220497

Client: Partner Engineering & Science, Inc.

611 Industrial Way West Eatontown, NJ 07724

ATTN: Angelica Rosaperez Phone: (732) 380-1200

Project Name: MIDDLE TWP-M.S.

Project Number: Not Specified Report Date: 06/06/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019 508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



**Project Name:** MIDDLE TWP-M.S.

Project Number: Not Specified

 Lab Number:
 L2220497

 Report Date:
 06/06/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2220497-01	MTMS-POE-01	DW	Not Specified	04/19/22 10:39	04/20/22
L2220497-02	MTMS-POE-01-F	DW	Not Specified	04/19/22 10:39	04/20/22
L2220497-03	MTMS-S-02	DW	Not Specified	04/19/22 10:45	04/20/22
L2220497-04	MTMS-S-02-F	DW	Not Specified	04/19/22 10:45	04/20/22
L2220497-05	MTMS-S-03	DW	Not Specified	04/19/22 10:46	04/20/22
L2220497-06	MTMS-S-03-F	DW	Not Specified	04/19/22 10:46	04/20/22
L2220497-07	MTMS-IM-04	DW	Not Specified	04/19/22 10:50	04/20/22
L2220497-08	MTMS-IM-04-F	DW	Not Specified	04/19/22 10:50	04/20/22
L2220497-09	MTMS-S-04	DW	Not Specified	04/19/22 10:50	04/20/22
L2220497-10	MTMS-S-04-F	DW	Not Specified	04/19/22 10:50	04/20/22
L2220497-11	MTMS-WF-05	DW	Not Specified	04/19/22 10:52	04/20/22
L2220497-12	MTMS-WF-05-F	DW	Not Specified	04/19/22 10:52	04/20/22
L2220497-13	MTMS-S-06	DW	Not Specified	04/19/22 10:56	04/20/22
L2220497-14	MTMS-S-06-F	DW	Not Specified	04/19/22 10:56	04/20/22
L2220497-15	MTMS-S-07	DW	Not Specified	04/19/22 10:56	04/20/22
L2220497-16	MTMS-S-07-F	DW	Not Specified	04/19/22 10:56	04/20/22
L2220497-17	MTMS-S-08	DW	Not Specified	04/19/22 10:57	04/20/22
L2220497-18	MTMS-S-08-F	DW	Not Specified	04/19/22 10:57	04/20/22
L2220497-19	MTMS-S-09	DW	Not Specified	04/19/22 10:57	04/20/22
L2220497-20	MTMS-S-09-F	DW	Not Specified	04/19/22 10:58	04/20/22
L2220497-21	MTMS-S-10	DW	Not Specified	04/19/22 10:58	04/20/22
L2220497-22	MTMS-S-10-F	DW	Not Specified	04/19/22 10:58	04/20/22
L2220497-23	MTMS-BF-11	DW	Not Specified	04/19/22 11:01	04/20/22
P2996497724	MTMS-BF-11-F	DW	Not Specified	04/19/22 11:01	04/20/22



Alpha	ha		Sample	Serial_No:06062215:59 Collection		
Sample ID	Client ID	Matrix	Sample Location	Date/Time	Receive Date	
L2220497-25	MTMS-BF-12	DW	Not Specified	04/19/22 11:01	04/20/22	
L2220497-26	MTMS-BF-12-F	DW	Not Specified	04/19/22 11:02	04/20/22	
L2220497-27	MTMS-WF-13	DW	Not Specified	04/19/22 11:03	04/20/22	
L2220497-28	MTMS-WF-13-F	DW	Not Specified	04/19/22 11:03	04/20/22	
L2220497-29	MTMS-WF-14	DW	Not Specified	04/19/22 11:05	04/20/22	
L2220497-30	MTMS-WF-14-F	DW	Not Specified	04/19/22 11:05	04/20/22	
L2220497-31	MTMS-S-15	DW	Not Specified	04/19/22 11:10	04/20/22	
L2220497-32	MTMS-S-15-F	DW	Not Specified	04/19/22 11:10	04/20/22	
L2220497-33	MTMS-S-16	DW	Not Specified	04/19/22 11:11	04/20/22	
L2220497-34	MTMS-S-16-F	DW	Not Specified	04/19/22 11:11	04/20/22	
L2220497-35	MTMS-S-17	DW	Not Specified	04/19/22 11:14	04/20/22	
L2220497-36	MTMS-S-17-F	DW	Not Specified	04/19/22 11:15	04/20/22	
L2220497-37	MTMS-IM-18	DW	Not Specified	04/19/22 11:16	04/20/22	
L2220497-38	MTMS-IM-18-F	DW	Not Specified	04/19/22 11:17	04/20/22	
L2220497-39	MTMS-WF-19	DW	Not Specified	04/19/22 11:18	04/20/22	
L2220497-40	MTMS-WF-19-F	DW	Not Specified	04/19/22 11:19	04/20/22	
L2220497-41	MTMS-BF-20	DW	Not Specified	04/19/22 11:20	04/20/22	
L2220497-42	MTMS-BF-20-F	DW	Not Specified	04/19/22 11:21	04/20/22	
L2220497-43	MTMS-WF-21	DW	Not Specified	04/19/22 11:22	04/20/22	
L2220497-44	MTMS-WF-21-F	DW	Not Specified	04/19/22 11:23	04/20/22	
L2220497-45	MTMS-WF-22	DW	Not Specified	04/19/22 11:24	04/20/22	
L2220497-46	MTMS-WF-22-F	DW	Not Specified	04/19/22 11:25	04/20/22	
L2220497-47	MTMS-WF-23	DW	Not Specified	04/19/22 11:26	04/20/22	
L2220497-48	MTMS-WF-23-F	DW	Not Specified	04/19/22 11:27	04/20/22	
L2220497-49	MTMS-WF-24	DW	Not Specified	04/19/22 11:28	04/20/22	
L2220497-50	MTMS-WF-24-F	DW	Not Specified	04/19/22 11:29	04/20/22	
L2220497-51	MTMS-WF-25	DW	Not Specified	04/19/22 11:30	04/20/22	
Page 3 of 70 L2220497-52	MTMS-WF-25-F	DW	Not Specified	04/19/22 11:31	04/20/22	

Alpha			Comple	Serial_No <b>Collection</b>	rial_No:06062215:59	
Sample ID	Client ID	Matrix	Sample Location	Date/Time	Receive Date	
L2220497-53	MTMS-S-26	DW	Not Specified	04/19/22 11:32	04/20/22	
L2220497-54	MTMS-S-26-F	DW	Not Specified	04/19/22 11:33	04/20/22	
L2220497-55	MTMS-WF-27	DW	Not Specified	04/19/22 11:34	04/20/22	
L2220497-56	MTMS-WF-27-F	DW	Not Specified	04/19/22 11:35	04/20/22	
L2220497-57	MTMS-WF-28	DW	Not Specified	04/19/22 11:36	04/20/22	
L2220497-58	MTMS-WF-28-F	DW	Not Specified	04/19/22 11:37	04/20/22	
L2220497-59	MTMS-S-29	DW	Not Specified	04/19/22 11:38	04/20/22	
L2220497-60	MTMS-S-29-F	DW	Not Specified	04/19/22 11:39	04/20/22	
L2220497-61	MTMS-WF-30	DW	Not Specified	04/19/22 11:40	04/20/22	
L2220497-62	MTMS-WF-30-F	DW	Not Specified	04/19/22 11:41	04/20/22	
L2220497-63	MTMS-WF-31	DW	Not Specified	04/19/22 11:42	04/20/22	
L2220497-64	MTMS-WF-31-F	DW	Not Specified	04/19/22 11:43	04/20/22	
L2220497-65	MTMS-WF-32	DW	Not Specified	04/19/22 11:44	04/20/22	
L2220497-66	MTMS-WF-32-F	DW	Not Specified	04/19/22 11:45	04/20/22	
L2220497-67	MTMS-WF-33	DW	Not Specified	04/19/22 11:46	04/20/22	
L2220497-68	MTMS-WF-33-F	DW	Not Specified	04/19/22 11:47	04/20/22	



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

# NJ DEP Data of Known Quality Protocols Conformance/Non-Conformance Summary Questionnaire

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	YES
1a	Were the method specified handling, preservation, and holding time requirements met?	YES
1b	EPH Method: Was the EPH Method conducted without significant modifications (see Section 11.3 of respective DKQ methods)?	N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	YES
3	Were all samples received at an appropriate temperature (4 ± 2° C)?	YES
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	YES
5a	Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt?	NO
5b	Were these reporting limits met?	N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	YES
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	NO

Note: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1, #1a or #1b is "No", the data package does not meet the requirements for "Data of Known Quality".



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

#### **Case Narrative**

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.	



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

#### **Case Narrative (continued)**

Report Revision

June 06, 2022: The Client IDs were amended on L2220497-23 through -28.

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

**DKQP Related Narratives** 

Report Submission

In reference to question 5a:

Reporting limits were not specified.

#### Sample Receipt

The analyses performed were specified by the client.

L2220497-31: The sample identified as "MTMS-S-15" on the chain of custody was identified as "MTMS-WF-15" on the container label. At the client's request, the sample is reported as "MTMS-S-15".

L2220497-32: The sample identified as "MTMS-S-15-F" on the chain of custody was identified as "MTMS-WF-15-F" on the container label. At the client's request, the sample is reported as "MTMS-S-15-F".

L2220497-33 and -34: The collection date and time on the chain of custody was 19-APR-22 11:11; however, the collection date/time on the container label was 12-APR-22 11:11. At the client's request, the collection date/time is reported as 19-APR-22 11:11.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Title: Technical Director/Representative Date: 06/06/22

Melissa Sturgis Melissa Sturgis

ANALYTICAL

# **METALS**



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-01Date Collected:04/19/22 10:39Client ID:MTMS-POE-01Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	ND		ug/l	1.000	0.3430	1	05/04/22 19:0	2 05/05/22 18:51	EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-03Date Collected:04/19/22 10:45Client ID:MTMS-S-02Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	1.143		ug/l	1.000	0.3430	1	05/04/22 19:0	2 05/05/22 19:03	EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-05Date Collected:04/19/22 10:46Client ID:MTMS-S-03Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mai	nsfield Lab										
Lead, Total	0.9527	J	ug/l	1.000	0.3430	1	05/04/22 19:0	2 05/05/22 19:20	EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-07Date Collected:04/19/22 10:50Client ID:MTMS-IM-04Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	3.169		ug/l	1.000	0.3430	1	05/04/22 19:0	2 05/05/22 19:24	EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-09Date Collected:04/19/22 10:50Client ID:MTMS-S-04Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mans	sfield Lab										
Lead, Total	1.116		ug/l	1.000	0.3430	1	05/04/22 19:0	2 05/05/22 19:28	EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-11Date Collected:04/19/22 10:52Client ID:MTMS-WF-05Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	30.58		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:14	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-12Date Collected:04/19/22 10:52Client ID:MTMS-WF-05-FDate Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	13.32		ug/l	1.000	0.3430	1	05/18/22 10:1	6 05/18/22 21:28	EPA 3005A	3,200.8	SV



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-13Date Collected:04/19/22 10:56Client ID:MTMS-S-06Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	7.132		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:20	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-15Date Collected:04/19/22 10:56Client ID:MTMS-S-07Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	2.988		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:25	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-17Date Collected:04/19/22 10:57Client ID:MTMS-S-08Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	2.562		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:30	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-19Date Collected:04/19/22 10:57Client ID:MTMS-S-09Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mans	sfield Lab										
Lead, Total	3.343		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:35	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-21Date Collected:04/19/22 10:58Client ID:MTMS-S-10Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	19.75		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:40	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-22Date Collected:04/19/22 10:58Client ID:MTMS-S-10-FDate Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	3.944		ug/l	1.000	0.3430	1	05/18/22 10:1	6 05/18/22 22:24	EPA 3005A	3,200.8	SV



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-23Date Collected:04/19/22 11:01Client ID:MTMS-BF-11Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	4.840		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:45	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-25Date Collected:04/19/22 11:01Client ID:MTMS-BF-12Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mans	sfield Lab										
Lead, Total	9.173		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:50	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-27Date Collected:04/19/22 11:03Client ID:MTMS-WF-13Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	anefield Lah										
Total Metals - Mi	ansheid Lab										
Lead, Total	ND		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 20:56	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-29Date Collected:04/19/22 11:05Client ID:MTMS-WF-14Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	2.209		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 22:09	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-31Date Collected:04/19/22 11:10Client ID:MTMS-S-15Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	ND		ug/l	1.000	0.3430	1	05/03/22 18:0	0 05/04/22 22:14	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-33Date Collected:04/19/22 11:11Client ID:MTMS-S-16Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	ansfield Lab										
Lead, Total	0.4119	J	ug/l	1.000	0.3430	1	05/04/22 18:1	9 05/05/22 21:14	4 EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-35Date Collected:04/19/22 11:14Client ID:MTMS-S-17Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	ansfield Lab										
Lead, Total	2.125		ug/l	1.000	0.3430	1	05/04/22 18:1	9 05/05/22 21:2	6 EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-37Date Collected:04/19/22 11:16Client ID:MTMS-IM-18Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	ND		ug/l	1.000	0.3430	1	05/04/22 18:1	9 05/05/22 20:40	EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-39Date Collected:04/19/22 11:18Client ID:MTMS-WF-19Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	ansfield Lab										
Lead, Total	2.964		ug/l	1.000	0.3430	1	05/04/22 18:1	9 05/05/22 20:44	EPA 3005A	3,200.8	WP



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-41Date Collected:04/19/22 11:20Client ID:MTMS-BF-20Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mai	nsfield Lab										
Lead, Total	ND		ug/l	1.000	0.3430	1	05/05/22 17:0	0 05/06/22 11:18	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-43Date Collected:04/19/22 11:22Client ID:MTMS-WF-21Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	4.226		ug/l	1.000	0.3430	1	05/05/22 17:0	0 05/06/22 11:21	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-45Date Collected:04/19/22 11:24Client ID:MTMS-WF-22Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	2048		ug/l	50.00	17.15	50	05/05/22 17:0	0 05/06/22 11:33	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-46Date Collected:04/19/22 11:25Client ID:MTMS-WF-22-FDate Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	160.7		ug/l	1.000	0.3430	1	05/18/22 10:1	6 05/18/22 22:29	EPA 3005A	3,200.8	SV



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-47Date Collected:04/19/22 11:26Client ID:MTMS-WF-23Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	75.58		ug/l	1.000	0.3430	1	05/05/22 17:0	0 05/06/22 11:27	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-48Date Collected:04/19/22 11:27Client ID:MTMS-WF-23-FDate Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	6.013		ug/l	1.000	0.3430	1	05/18/22 10:1	6 05/18/22 22:34	EPA 3005A	3,200.8	sv



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-49Date Collected:04/19/22 11:28Client ID:MTMS-WF-24Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - M	ansfield Lab										
Lead, Total	21.74		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 11:42	2 EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-50Date Collected:04/19/22 11:29Client ID:MTMS-WF-24-FDate Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	19.71		ug/l	1.000	0.3430	1	05/18/22 10:1	6 05/18/22 22:39	EPA 3005A	3,200.8	SV



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-51Date Collected:04/19/22 11:30Client ID:MTMS-WF-25Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	29.74		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 11:52	2 EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-52Date Collected:04/19/22 11:31Client ID:MTMS-WF-25-FDate Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	ancfield Lab										
TOTAL INICIAIS - IVIA	ansheid Lab										
Lead, Total	29.91		ug/l	1.000	0.3430	1	05/18/22 10:1	6 05/18/22 22:44	FPA 3005A	3,200.8	SV



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-53Date Collected:04/19/22 11:32Client ID:MTMS-S-26Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	nsfield Lab										
Lead, Total	10.08		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 11:30	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-55Date Collected:04/19/22 11:34Client ID:MTMS-WF-27Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	20.67		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 12:01	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-56Date Collected:04/19/22 11:35Client ID:MTMS-WF-27-FDate Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	2.998		ug/l	1.000	0.3430	1	05/18/22 10:1	6 05/18/22 22:49	EPA 3005A	3,200.8	SV



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-57Date Collected:04/19/22 11:36Client ID:MTMS-WF-28Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - M	ansfield Lab										
Lead, Total	12.74		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 12:0	4 EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-59Date Collected:04/19/22 11:38Client ID:MTMS-S-29Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	1.395		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 12:07	' EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-61Date Collected:04/19/22 11:40Client ID:MTMS-WF-30Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Ma	ansfield Lab										
Lead, Total	44.17		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 12:10	0 EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-62Date Collected:04/19/22 11:41Client ID:MTMS-WF-30-FDate Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	8.834		ug/l	1.000	0.3430	1	05/18/22 10:1	6 05/18/22 22:55	EPA 3005A	3,200.8	SV



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-63Date Collected:04/19/22 11:42Client ID:MTMS-WF-31Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	9.580		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 12:23	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-65Date Collected:04/19/22 11:44Client ID:MTMS-WF-32Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Lead, Total	8.972		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 12:26	EPA 3005A	3,200.8	CD



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

**SAMPLE RESULTS** 

Lab ID:L2220497-67Date Collected:04/19/22 11:46Client ID:MTMS-WF-33Date Received:04/20/22Sample Location:Not SpecifiedField Prep:Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Lead, Total	5.019		ug/l	1.000	0.3430	1	05/05/22 17:1	4 05/06/22 12:29	EPA 3005A	3,200.8	CD



Project Name: MIDDLE TWP-M.S.

Project Number: Not Specified

Lab Number:

L2220497

Report Date:

06/06/22

# Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared		Analytical Method	
Total Metals - Mansfield	Lab for sample(s):	01,03,05,0	07,09 I	Batch: V	VG1633435	-1			
Lead, Total	ND	ug/l	1.000	0.3430	1	05/04/22 19:02	05/05/22 18:22	3,200.8	WP

**Prep Information** 

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Man	nsfield Lab for sample(s):	11,13,15,	17,19,21	,23,25,2	27,29,31	Batch: WG1633	3438-1		
Lead, Total	ND	ug/l	1.000	0.3430	1	05/03/22 18:00	05/04/22 19:08	3,200.8	CD

**Prep Information** 

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	l Analyst
Total Metals - Mans	sfield Lab for sample(s):	33,35,37,	39 Bato	ch: WG	1633439-1				
Lead, Total	ND	ug/l	1.000	0.3430	1	05/04/22 18:19	05/05/22 20:58	3,200.8	WP

**Prep Information** 

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield	Lab for sample(s):	41,43,45,	47 Bato	ch: WG	1634417-1				
Lead, Total	ND	ug/l	1.000	0.3430	1	05/05/22 17:00	05/06/22 09:53	3,200.8	CD



**Project Name:** MIDDLE TWP-M.S.

Lab Number: L2220497 Project Number: Not Specified **Report Date:** 06/06/22

> **Method Blank Analysis Batch Quality Control**

> > **Prep Information**

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield	Lab for sample(s):	49,51,53,	,55,57,59	,61,63,6	65,67 Batc	h: WG163441	8-1		
Lead, Total	ND	ug/l	1.000	0.3430	1	05/05/22 17:14	05/06/22 11:06	3,200.8	CD
			Duan Info	<b>4</b> * -					

**Prep Information** 

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	
Total Metals - M	Mansfield Lab for sample(s):	12,22,46	,48,50,52	2,56,62	Batch: WO	G1639062-1			
Lead, Total	ND	ug/l	1.000	0.3430	1	05/18/22 10:16	05/18/22 21:07	3,200.8	SV

**Prep Information** 

Digestion Method: EPA 3005A



### Lab Control Sample Analysis Batch Quality Control

**Project Name:** MIDDLE TWP-M.S.

Project Number: Not Specified

Lab Number:

L2220497

Report Date:

06/06/22

Parameter	LCS %Recovery	LCSI Qual %Recov		%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample	e(s): 01,03,05,07,	09 Batch: WG1633	435-2				
Lead, Total	96	-		85-115	-		
Total Metals - Mansfield Lab Associated sample	e(s): 11,13,15,17,	19,21,23,25,27,29,31	Batch: WG163	3438-2			
Lead, Total	97	-		85-115	-		
Total Metals - Mansfield Lab Associated sample	e(s): 33,35,37,39	Batch: WG1633439	9-2				
Lead, Total	96	-		85-115	-		
Total Metals - Mansfield Lab Associated sample	e(s): 41,43,45,47	Batch: WG1634417	7-2				
Lead, Total	105	-		85-115	-		
Total Metals - Mansfield Lab Associated sample	e(s): 49,51,53,55,	57,59,61,63,65,67	Batch: WG163441	18-2			
Lead, Total	113	-		85-115	-		
Total Metals - Mansfield Lab Associated sample	e(s): 12,22,46,48,	50,52,56,62 Batch:	WG1639062-2				
Lead, Total	99	-		85-115	-		



### Matrix Spike Analysis Batch Quality Control

**Project Name:** MIDDLE TWP-M.S.

Project Number: Not Specified

Lab Number:

L2220497

**Report Date:** 06/06/22

Parameter		Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual Found	MSD I %Recovery	Recovery Qual Limits	/ RPD Qı	RPD ual Limits
Total Metals	- Mansfield Lab	Associated sam	nple(s): 01,0	3,05,07,09	QC Batch ID	: WG1633435-0	3 QC Sample: L	_2220497-01 Cli	ent ID: MTN	MS-POE-01
Lead, Total		ND	530	495.7	94	-	-	70-130	-	20
Total Metals	- Mansfield Lab	Associated sam	nple(s): 01,0	3,05,07,09	QC Batch ID	: WG1633435-	G QC Sample: L	_2220497-03 Cli	ent ID: MTI	VIS-S-02
Lead, Total		1.143	530	510.3	96	-	-	70-130	-	20
Total Metals	- Mansfield Lab	Associated sam	nple(s): 33,3	35,37,39 C	C Batch ID: W	/G1633439-3	QC Sample: L22	20497-33 Client	ID: MTMS-	-S-16
Lead, Total		0.4119J	530	482.7	91	-	-	70-130	-	20
Total Metals	- Mansfield Lab	Associated sam	nple(s): 33,3	5,37,39 Q	C Batch ID: W	/G1633439-5	QC Sample: L22	20497-35 Client	ID: MTMS-	-S-17
Lead, Total		2.125	530	498.2	94	-		70-130	-	20
Total Metals MTMS-WF-2		Associated sam	nple(s): 49,5	51,53,55,57,	59,61,63,65,67	7 QC Batch ID	): WG1634418-3	QC Sample: L2	220497-49	Client ID:
Lead, Total		21.74	530	594.0	108	-	-	70-130	-	20
Total Metals		Associated sam	nple(s): 49,5	51,53,55,57,	59,61,63,65,67	7 QC Batch ID	): WG1634418-5	QC Sample: L2	220497-51	Client ID:
Lead, Total		29.74	530	571.0	102	-	-	70-130	-	20
Total Metals WF-05-F	- Mansfield Lab	Associated sam	nple(s): 12,2	2,46,48,50,	52,56,62 QC	Batch ID: WG1	1639062-3 QC	Sample: L222049	7-12 Clien	t ID: MTMS
Lead, Total		13.32	530	522.0	96	-	-	70-130	-	20
Total Metals	- Mansfield Lab	Associated sam	nple(s): 12,2	2,46,48,50,	52,56,62 QC	Batch ID: WG	1639062-5 QC	Sample: L222049	7-22 Clien	t ID: MTMS
Lead, Total		3.944	530	544.1	102	-	-	70-130	-	20



## Lab Duplicate Analysis Batch Quality Control

**Project Name:** MIDDLE TWP-M.S.

Project Number: Not Specified

Lab Number: L2220497

**Report Date:** 06/06/22

Parameter		Native Sample	Duplicate Sample	Units	RPD	Qual RPD Limits
Total Metals - Mansfield Lab	Associated sample(s):	01,03,05,07,09 QC Ba	tch ID: WG1633435-4 Q	C Sample: L22	220497-01	Client ID: MTMS-POE-01
Lead, Total		ND	ND	ug/l	NC	20
Total Metals - Mansfield Lab	Associated sample(s):	01,03,05,07,09 QC Ba	tch ID: WG1633435-6 C	C Sample: L22	220497-03	Client ID: MTMS-S-02
Lead, Total		1.143	1.164	ug/l	2	20
Total Metals - Mansfield Lab	Associated sample(s):	33,35,37,39 QC Batch	ID: WG1633439-4 QC S	Sample: L2220	497-33 Clie	ent ID: MTMS-S-16
Lead, Total		0.4119J	0.4405J	ug/l	NC	20
Total Metals - Mansfield Lab	Associated sample(s):	33,35,37,39 QC Batch	ID: WG1633439-6 QC	Sample: L2220	497-35 Clie	ent ID: MTMS-S-17
Lead, Total		2.125	2.244	ug/l	5	20
Total Metals - Mansfield Lab MTMS-WF-24	Associated sample(s):	49,51,53,55,57,59,61,63	3,65,67 QC Batch ID: WC	G1634418-4 (	QC Sample:	L2220497-49 Client ID:
Lead, Total		21.74	19.96	ug/l	9	20
Total Metals - Mansfield Lab MTMS-WF-25	Associated sample(s):	49,51,53,55,57,59,61,63	3,65,67 QC Batch ID: WC	G1634418-6 C	QC Sample:	L2220497-51 Client ID:
Lead, Total		29.74	28.44	ug/l	4	20
Total Metals - Mansfield Lab WF-05-F	Associated sample(s):	12,22,46,48,50,52,56,62	QC Batch ID: WG1639	062-4 QC Sar	mple: L222	0497-12 Client ID: MTMS-
Lead, Total		13.32	12.96	ug/l	3	20
Total Metals - Mansfield Lab 10-F	Associated sample(s):	12,22,46,48,50,52,56,62	2 QC Batch ID: WG1639	062-6 QC Sar	mple: L222	0497-22 Client ID: MTMS-S
Lead, Total		3.944	4.141	ug/l	5	20



Project Name: MIDDLE TWP-M.S.

Project Number: Not Specified

**Lab Number:** L2220497 **Report Date:** 06/06/22

#### Sample Receipt and Container Information

Were project specific reporting limits specified?

**Cooler Information** 

Cooler Custody Seal

B Absent K Absent

Container Information			Initial	Final	Temp			Frozen		
Container ID	Container Type	Cooler	рН	pН	deg C	Pres	Seal	Date/Time	Analysis(*)	
L2220497-01A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-02A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-03A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-04A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-05A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-06A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-07A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-08A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-09A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-10A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-11A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-12A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-13A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-14A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-15A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-16A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-17A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-18A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-19A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-20A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)	
L2220497-21A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	
L2220497-22A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)	



Lab Number: L2220497

Report Date: 06/06/22

Project Name: MIDDLE TWP-M.S. Project Number: Not Specified

Container Information			Initial	Final	Temp			Frozen	
Container ID	Container Type	Cooler	рН	рН	deg C	Pres	Seal	Date/Time	Analysis(*)
L2220497-23A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
L2220497-24A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-25A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
L2220497-26A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-27A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
L2220497-28A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-29A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
L2220497-30A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-31A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
L2220497-32A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-33A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
L2220497-34A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-35A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-36A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-37A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-38A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-39A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-40A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-41A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-42A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-43A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-44A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		HOLD-METAL-TOTAL(180)
L2220497-45A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-46A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-47A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-48A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-49A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
L2220497-50A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)



**Lab Number:** L2220497

**Report Date:** 06/06/22

Project Name: MIDDLE TWP-M.S.Project Number: Not Specified

Container Information			Initial	Final	Temp			Frozen		
	Container ID	Container Type	Cooler	рН	pН	deg C	Pres	Seal	Date/Time	Analysis(*)
	L2220497-51A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-52A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-53A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-54A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		HOLD-METAL-TOTAL(180)
	L2220497-55A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-56A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-57A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-58A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		HOLD-METAL-TOTAL(180)
	L2220497-59A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-60A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		HOLD-METAL-TOTAL(180)
	L2220497-61A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-62A	Plastic 250ml HNO3 preserved	В	<2	<2	3.4	Υ	Absent		PB-2008T-PPB(180)
	L2220497-63A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
	L2220497-64A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)
	L2220497-65A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
	L2220497-66A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)
	L2220497-67A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		PB-2008T-PPB(180)
	L2220497-68A	Plastic 250ml HNO3 preserved	K	<2	<2	4.3	Υ	Absent		HOLD-METAL-TOTAL(180)



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

#### **GLOSSARY**

#### **Acronyms**

**EDL** 

LOD

LOQ

MS

MSD

DL - Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

To in additions, concentrations of moistance content, where appreciate. (200) report formats only.)

 Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).

EMPC - Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case

estimate of the concentration.

EPA - Environmental Protection Agency.

LCS - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of

analytes or a material containing known and verified amounts of analytes.

LCSD - Laboratory Control Sample Duplicate: Refer to LCS.

LFB - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

 - Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats

only.)

Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats

MDL - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated

using the native concentration, including estimated values.

- Matrix Spike Sample Duplicate: Refer to MS.

NA - Not Applicable.

NC - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's

reporting unit.

NDPA/DPA - N-Nitrosodiphenylamine/Diphenylamine.

NI - Not Ignitable.

NP - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.

NR - No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile

Organic TIC only requests.

RL - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL

includes any adjustments from dilutions, concentrations or moisture content, where applicable.

RPD - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the

values; although the RPD value will be provided in the report.

SRM - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the

associated field samples.

STLP - Semi-dynamic Tank Leaching Procedure per EPA Method 1315.

TEF - Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.

TEQ - Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF

and then summing the resulting values.

TIC - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

#### **Footnotes**

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

#### **Terms**

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

#### Data Qualifiers

- A -Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I The lower value for the two columns has been reported due to obvious interference.
- Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- $\label{eq:main_equation} \textbf{M} \qquad \text{-Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.}$
- ND Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

#### **Data Qualifiers**

- NJ Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P The RPD between the results for the two columns exceeds the method-specified criteria.
- Q -The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- **R** Analytical results are from sample re-analysis.
- RE Analytical results are from sample re-extraction.
- S Analytical results are from modified screening analysis.
- V The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits.
   (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Serial\_No:06062215:59

Project Name:MIDDLE TWP-M.S.Lab Number:L2220497Project Number:Not SpecifiedReport Date:06/06/22

#### **REFERENCES**

Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.

#### LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Serial\_No:06062215:59

Alpha Analytical, Inc. Facility: Company-wide

Department: Quality Assurance

Title: Certificate/Approval Program Summary

ID No.:17873

Page 1 of 1

Revision 19 Published Date: 4/2/2021 1:14:23 PM

#### Certification Information

#### The following analytes are not included in our Primary NELAP Scope of Accreditation:

#### Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene;

EPA 8270D/8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

#### **Mansfield Facility**

**SM 2540D:** TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

#### The following analytes are included in our Massachusetts DEP Scope of Accreditation

#### Westborough Facility:

#### **Drinking Water**

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; SM4500F-C, SM4500CN-CE,

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; EPA 524.2: THMs and VOCs; EPA 504.1: EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.

#### Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, EPA 351.1, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate. EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan II, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), EPA 600/4-81-045: PCB-Oil.

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

#### Mansfield Facility:

#### **Drinking Water**

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. EPA 200.8: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. EPA 245.1 Hg. EPA 522, EPA 537.1.

#### Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Document Type: Form

Pre-Qualtrax Document ID: 08-113

ДІРНА	NEW JERSEY CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Albany, NY 12205: 14 Walker W Tonawanda, NY 14150: 275 Coo	lay	05	Page			Date Re	ec'd	1/2	0/22	ALPHA Job# L 222049	)7
Westborough, MA 01581	Mansfield, MA 02048	Project Information	NO STONE	150000	Elling		Deliverables Billing Information						
8 Walkup Dr. TEL: 508-898-9220	320 Forbes Blvd TEL: 508-822-9300	Project Name: M 1	1-11-6	Tul	1-11	6		ADMINISTRACIO	Reduced	81.8		Same as Client Info	
FAX: 508-898-9193	FAX: 508-822-3288		aacc	100	10	12	┨				0 10 (4 5)		1
CONTRACTOR OF THE PARTY OF THE	TOTAL STATE OF THE PARTY OF THE	Project Location:					-1 !!	EQuIS (	1 File)	☐ E	QuIS (4 File)	PO#	
Client Information		Project # .					_	Other					
Client:		(Use Project name as Pr	oject#)				Regu	latory Re	quiremen	t		Site Information	
Address:		Project Manager:						SRS Re	sidential/l	Non Res	idential	Is this site impacted by	
		ALPHAQuote #:						SRS Im	pact to Gr	oundwa	ter	Petroleum? Yes	
Phone:		Turn-Around Time		N. Berry		Br. MA		NJ Grou	nd Water	Quality	Standards	Petroleum Product:	
Fax:		Standard		Due Date:					SPLP Le			100000000000000000000000000000000000000	
Email:		Rush (only if pre approved)		# of Days:				Other	0, 1, 10	deridio c	mond		
These samples have b	oon proviously analysis			# Of Days.			-					2 1 570 11	- 100
For EPH, selection is	For VOC. selection	Other project specific re					ANA	LYSIS				Sample Filtration	_ 0
REQUIRED:  Category 1 Category 2	is REQUIRED:  1,4-Dioxane 8011		Finsh or TAL.	if initi	al is a PPB	bove	pres					☐ Done ☐ Lab to do Preservation ☐ Lab to do  (Please Specify below)	a I
ALPHA Lab ID (Lab Use Only)	Sa	mple ID	Coll.	ection Time	Sample Matrix	Sampler's Initials	7	, .					_ :
20497-01	MTMC-	DAR-AI	47 CV	hal a tag	_		-	$\vdash$	_	_	+	Sample Specific Comments	5 e
-02	MITERS	POF -DI-F	VIV	E4 (0 (2)	MW.	fm	+	-	-	-	+		$\rightarrow$
-03	Maria C	POE -DI-F		10191	-		+	-					$\rightarrow$
	10 715	2-02		10:42	-		$\perp$						
-04	MTM5-	5-02-t		10:45									
-05	MIMS-	-2-03		10:46									
-06	MTMS-	5-05-1-		10150									
-07	MIMS-	IM-08											$\neg$
-08	MIMST	TM-04-F				Π,			7 79				$\neg$
-09	MYLS-	-C-09		10150					$\neg$		-		_
-10	MYLIC.	- 3 - DG-E		10150	V	-10	.10		+	_	+		+
Preservative Code: A = None B = HCl	Container Code P = Plastic	Westboro: Certification No		1012	Ť	tainer Type	40		$\top$	$\neg$		Please print clearly, leg	
C = HNO <sub>3</sub>	A = Amber Glass V = Vial	Mansfield: Certification No	0: MAU15	- 1				_	+	-		and completely. Sampi not be logged in and	ies can
D = H <sub>2</sub> SO <sub>4</sub>	G = Glass			- 1	P	reservative						turnaround time clock v	will not
E = NaOH	B = Bacteria Cup											start until any ambiguiti	
F = MeOH G = NaHSO₄	C = Cube O = Other	Relinquished E	By:	Date/T	ime	/	Regeiv	ed By:		10	ate/Time	resolved. BY EXECUT	ING
$H = Na_2S_2O_3$	E = Encore	A-Mercallas		4/26/22	9:15	hr	de	V	4%	Whz	9.11	THIS COC, THE CLIEN	
K/E = Zn Ac/NaOH O = Other	D = BOD Bottle	ulpo	- 4/2	1	3.31	- 6	W 22	mode	-004	TAN	ba r	HAS READ AND AGRI TO BE BOUND BY ALI	PHA'S
Control of the Contro		-	-	/		7.17		1000	-			11/	
Form No: 01-14 HC (rev. 30	)-Sept-2013)	P. 1999	- ca (/)	01/22			1,0	120	20	1010		(See reverse side.)	

Дірна	NEW JERSEY CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Albany, NY 12205: 14 Walker W Tonawanda, NY 14150: 275 Coo	lay	05	Pag	e			Rec'd Lab	14	20	0/22	ALPHA Job# L2220497
Westborough, MA 01581 8 Walkup Dr.	Mansfield, MA 02048 320 Forbes Blvd	Project Information			CENTRAL I		Deliverables					Billing Information	
TEL: 508-898-9220	TEL: 508-822-9300	Project Name:		ALC: NAME OF TAXABLE PARTY.		KIN TONIA	NJ Full / Reduced						Same as Client Info
FAX: 508-898-9193	FAX: 508-822-3288	Project Location:							S (1 Fil			ulS (4 File)	
Client Information	STEEL ST	Project #		_			-	Other	110 The comme	10)		uio (4 i lie)	ros
Client:		(Use Project name as Pr	ningt #\	500						and the same	rank ma	100000	C't-1-f
Address:		Continue and the state of the state of	oject#)	~~	^ ^		- DOMESTICAL DE	MATERIAL PROPERTY.	Requir	No. of Concession, Name of Street, or other Publisher, or other Publisher, Name of Street, or other Pu			Site Information
Address.		Project Manager:		Pa	46		-			ential/No			Is this site impacted by Petroleum? Yes
Dharas		ALPHAQuote #:			, –	Will Control of the				to Grou			515
Phone:		Turn-Around Time					1					tandards	Petroleum Product:
Fax:		Standard		Due Date:	9	nr.		NJ IG	SW SPI	LP Lead	hate Cr	riteria	
Email:		Rush (only if pre approved		# of Days:				Other					
These samples have be	en previously analyze	ed by Alpha					ANAL	LYSIS					Sample Filtration
Category 1 Category 2	is REQUIRED:  1,4-Dioxane 8011	Other project specific r	r TAL.										☐ Done ☐ Lab to do Preservation ☐ Lab to do  (Please Specify below)
ALPHA Lab ID (Lab Use Only)	Sa	mple ID	Date	Time	Sample Matrix	Sampler's Initials							
20497 -11	MINS	LIE-OF	A A TO	b1/0/c1	Wildux	initials	$\vdash$	_	$\vdash$	-	-	+	Sample Specific Comments
-12	MILLE	WF-03	74) 1/2	1000	_	-			$\vdash$		_		
-13	M 545	WF-09-F		15/5/				_	$\vdash$	_	+	+	
	14775-	5-06		10,76									
-14	M1795	5-06-1		10:96									
-15	MIMS	5-01		10:56									
-16	M-149-5	3-07-		10:56									
-14	MIMS-3	1-04		10:51									
-18	MTM5-5	-08-F		10151									
-19	MT419-5	-09		10:50									
-20	MTM9-9	-09-Y		10:58									
A = None B = HCl	- Flasiic	Westboro: Certification No Mansfield: Certification No			Cor	ntainer Type							Please print clearly, legibly and completely. Samples ca
D = H <sub>2</sub> SO <sub>4</sub> E = NaOH	G = Glass B = Bacteria Cup				F	Preservative				1			not be logged in and turnaround time clock will no start until any ambiguities an
= NaHSO <sub>4</sub>  = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	C = Cube O = Other E = Encore D = BOD Bottle	A.M. Caylon	)y: 2	Date/T 4/20/20		In,	Received By:  Date/Time resolved. BY EXECU THIS COC, THE CLII HAS READ AND AGI TO BE BOUND BY A			resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA' TERMS & CONDITIONS.			
orm No: 01-14 HC (rev. 30	-Sept-2013)	P.000	00 11	20122	13.3	100	100	1/2	39.00	7	10	ua/	(See reverse side.)
age 65 of 70	pr &0 10)	Vanil Hiero	00004	20/00		1	oliso	1/0	500	C	-1	<del>2-730</del>	

ДІРНА	NEW JERSEY CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Albany, NY 12205: 14 Walker W Tonawanda, NY 14150: 275 Coo	ay		Page			Date Re in La	c'd	1120	122	ALPHA Job# 1 222049	7
Westborough, MA 01581	Mansfield, MA 02048	Project Information		BEAUTE TO		6.83	Delive	erables	WENT	CHARGE SERVICE		Billing Information	
8 Walkup Dr. TEL: 508-898-9220	320 Forbes Blvd TEL: 508-822-9300	Project Name: Mic	ddie -	1410-	MS			NJ Full	Reduce	d		Same as Client Info	
FAX: 508-898-9193	FAX: 508-822-3288	Project Location:	0	0	1 (1)		H	EQuIS (			QuIS (4 File)	PO#	
Client Information	DISS TORRYWIN	Project #	See	Pa	01		ī	Other					
the state of the second st		(Use Project name as Pro	oigot #\	-1-0	1			_	quireme	nt		Site Information	EC.
Client:			ojeci#)				Name and			Non Res	idential	Is this site impacted by	100
Address:		Project Manager: ALPHAQuote #:		-6	we.					roundwat		Petroleum? Yes	
Discourse		PARTITION OF THE PARTIES.		RANGE NO.		10 m	_	Section Streets			Standards	Petroleum Product:	
Phone:		Turn-Around Time								achate C		Petroleum Product.	
Fax:		Standard Rush (only if pre approved)		Due Date:					SPLP LE	sachate C	лиена		
Email:	an and the file of the second of the second of the		, L	# of Days:				Other				Committee Filteredian	157
These samples have be							ANA	YSIS				Sample Filtration	- 0
REQUIRED:  Category 1 Category 2	is REQUIRED:	Other project specific r		omments:								□ Done □ Lab to do Preservation □ Lab to do  (Please Specify below)	t a I B
ALPHA Lab ID			Collec	tion I	Comple	Camalada					1 1	(Frease Specify Delow)	
(Lab Use Only)	Sa	mple ID	Date	Time	Sample Matrix	Sampler's Initials						Sample Specific Comments	s e
20497 -21	MTM5-	9-10	4100	10:50	/								-
- 22	MIMS-	9-10-1	1	10:50	-				$\neg$				
-23	MTMS-	INF-II		11101					$\neg$				$\neg$
-24	MTMS-	WF-118-F		11:01					$\neg$				$\neg$
-25	MTMS-	WF-12		11101									
-210	MTMS-	112E-12-P		11100		†			$\vdash$		-	1	$\neg$
-27	MITMG -	-12=-13		11103	610				$\neg$				_
-28	MILLE	13 =-12-F	1 11	1:03					$\neg$				$\neg$
-29	MYUS	-47E-14		11,09					$\rightarrow$				$\neg$
-30	MINS-	1.1 E-KI-E	1 1	11.05		1						1	$\neg$
Preservative Code:	Container Code	Westboro: Certification N	lo: MA935	1.0/	555.50	Contraction Contraction		$\vdash$	-			Disease print elevativ les	ATE II.
A = None B = HCl	P = Plastic A = Amber Glass	Mansfield: Certification N		- 1	Cor	ntainer Type						Please print clearly, leg and completely. Sample	
C = HNO <sub>3</sub>	V = Vial	Wallong Cordination 1	0. 11/10/10	1					_			not be logged in and	
$D = H_2SO_4$	G = Glass			- 1	F	reservative						turnaround time clock	
E = NaOH F = MeOH	B = Bacteria Cup C = Cube	Dalinguished	P	D-t-/	7	1 35 75		-02	/	1/5	ata (Tiana	start until any ambiguit resolved. BY EXECUT	
G = NaHSO <sub>4</sub>	O = Other	Relinquished		Date/T		Test.	Receiv	199 By:	di	20/12	ate/Time	THIS COC, THE CLIE	
H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	E = Encore D = BOD Bottle	A. Mekog word		4/20/2.	1 4.16	ww	10		11	1100	/ . , ,	HAS READ AND AGR	REES
K/E = Zn Ac/NaOH O = Other		The for	2 4	1/2/22	-/3.	35	Pau	LM	reel	204h	DUAN /	TO BE BOUND BY AL	
Form No: 01-14 HC (rev. 3	0-Sept-2013)	O 0000	00 (N	2/122			109	1/10	20	-3/7	70017	(See reverse side.)	
age 66 of 70	-34.	Y WALL THERE	7 11	UDO	300	m	alisa	a (N)		41201	3-2 7300		

Дірна	NEW JERSEY CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Albany, NY 12205: 14 Walker W Tonawanda, NY 14150: 275 Coo	lay	5	Pag			Date R in La		413	20/2	2	ALPHA Job# L2220495	7
Westborough, MA 01581	Mansfield, MA 02048	Project Information	W 18 18 18	257 637		TO SERVI	Deliv	erables				NAME OF TAXABLE PARTY.	Billing Information	
8 Walkup Dr. TEL: 508-898-9220	320 Forbes Blvd TEL: 508-822-9300	Project Name: Middle	110 1	wP-	M.S.			NJ Full	/ Podu	cod			Same as Client Info	
FAX: 508-898-9193	FAX: 508-822-3288		all	wy-	10(2)		1 =			Jeu —	FO 10 /			
Mary Color Laboratory Colors and Color		Project Location:		_			1 🗆	EQuIS	(1 File)		EQuIS (4	File)	PO#	
Client Information		Project #		Sea				Other						
Client:		(Use Project name as Project name)	oject#)	V	a Cas	0	Regu	ilatory R	equiren	nent			Site Information	
Address:		Project Manager:		0 0	- 11			SRS R	esidenti	al/Non F	Residentia	r:	Is this site impacted by	
		ALPHAQuote #:		F	790-	ρ	1 🗆	SRS In	pact to	Ground	water		Petroleum? Yes	
Phone:		Turn-Around Time		3 90 300	Distance	THE THE SE	ī		***************************************		ity Standa	irds	Petroleum Product:	
Fax:	Standard Due Date:					VIA COMPANY	1 =				e Criteria			
						lΗ	Other	. 0. 1.	Loadilat	o Omena				
Email: # of Days:  These samples have been previously analyzed by Alpha								_	_				7	
These samples have b	een previously analyze	ed by Alpha L					ANA	LYSIS					Sample Filtration	- 0
REQUIRED:  Category 1  Category 2	is REQUIRED:  1,4-Dioxane 8011	Other project specific r		comments:									Done Lab to do Preservation Lab to do  (Please Specify below)	t a l B o t
ALPHA Lab ID			Colle	ection	Sample	Sampler's	1							1
(Lab Use Only)	Sa	mple ID	Date	Time	Matrix	Initials	1	1 1			1 1		Sample Specific Comments	-
20497-31	MTMS-	8-15	CHARLY	TUIN					_	_		+		-
-27	MING	-S-15-E	1	1100	_			+	_	-		-		+
-33	11115	0 10		17111		+	-	$\vdash$	_	+	<del></del>	_		+
NAME AND ADDRESS OF TAXABLE PARTY.	MIM -	2-16		11311			-	-	-	-	-	-		+
34	MTM9-	9-16-1		- Hilp										$\perp$
-35	MTMS-	5-17		11/14										
-36	MIMS-	9-17-1		11115										
-37	MTMS-	IM-18	1	1116										
-38	MTHS-	TM-18-F		THO										$\top$
-39	M-CMS-	47 E-19		11/18				$\vdash$		_	$\vdash$			+
-40	MICHS-	WE-14- P	- }	11/16		1		$\vdash$	_	_		+		+
Preservative Code:	Container Code	Washam Cadification N		CLIF		_	-		_	+	<del></del>	+		_
A = None	P = Plastic	Westboro: Certification N			Cor	ntainer Type					1 1		Please print clearly, legib	
B = HCI C = HNO <sub>3</sub>	A = Amber Glass V = Vial	Mansfield: Certification N	o: MA015	- 1								_	and completely. Samples	can
D = H <sub>2</sub> SO <sub>4</sub>	G = Glass			- 1		Preservative		1 1		3			not be logged in and turnaround time clock will	l not
	B = Bacteria Cup					/ /	981				0 1	20	start until any ambiguities	
F = MeOH	C = Cube	Relinquished E	Bv:	Date/1	Time	1//	Receiv	ed By:			bate/fin	$\overline{}$	resolved. BY EXECUTIN	
- 14m1000	O = Other E = Encore	A 1					122		17	1. h	1		THIS COC, THE CLIENT	
	D = BOD Bottle	1. Mercoliano 4/20/229:15 7/2				1//	,-	/	11	ay.	V		HAS READ AND AGREE	
O = Other	25 SSSSS23311175	2016	)	whole	4.9	13/	0	000		1	1/21	10 /	TO BE BOUND BY ALPH	
		1-1	-	1/19/17	13.	35	Pass	4/10	2200	02,9	11201	1/0	TERMS & CONDITIONS	
Form No: 01-14 HC (rev. 30	0-Sept-2013)	P. 090000	anna O	12010	×	2	00/	a	70	- ch	1	111	(See reverse side.)	
age 67 of 70		V LUCCO .	7 4/0	6 1/2	2	m	olisi	sa li	1000	412	0/22-2	2300		

Westforce (1997)   Westforce (	Дірна	NEW JERSEY CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Albany, NY 12205: 14 Walker W. Tonawanda, NY 14150: 275 Coo	ay		Page		1	Date R	ec'd b (	-1/5	20/2	22	ALPHA Job# L2220497	
TEL. 509-829-2300 Project Name:			Project Information	NEW LOOK	E ST	N.S. VIII		Delive	erables		1210	SAL N			
Project #   Project #				dd 10	TIL	1-1	15			/ Reduc	ed		A 1900 C	Control of the Contro	
Client	FAX: 508-898-9193	FAX: 508-822-3288		ante	000	1	(1/1	-			Older D.	FOULS	// File)		
Cilent:   Use Project name as Project #    Stel Information   Address:   Project Manager:   Stel Information   Stell Informatio	Client Information	STATE STATE						-		(1110)		LQuio	(41 110)	100	
ALPHALab ID (Lab Use Only)  AMALYSIS  Sample Filtration  Date Time Matrix  ALPHALab ID (Lab Use Only)  AMALYSIS  Sample Filtration  Date Time Matrix  AlphaLab ID (Lab Use Only)  AMALYSIS  Sample Filtration  Sample Specific Comments  Initials  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Metals or TAL.)  ALPHALab ID (Lab Use Only)  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Metals or TAL.)  ALPHALab ID (Lab Use Only)  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  AMALYSIS  Sample Filtration  Done Lab to do (Please Specify Delow)  Sample Specific Comments  Sample Specific Comments  Sample Specific Comments  Done Lab to do (Please Specify Delow)  Sample Specific Comments  Done Lab to do (Please Specify Delow)  Sample Specific Comments  Done Lab to do (Please Specify Delow)  Sample Specific Comments  Sample Speci	- Charles Maller Alles Automatic					n		-	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN		300		E STEEL STEEL	04.14	
ALPHAQuote #:   Turn-Around time   Due Date:   NJ Ground Water Quality Standards   Petroleum? Yes   Petroleum? Yes   Phone:   Turn-Around time   Due Date:   NJ Ground Water Quality Standards   Petroleum Product:				ject#)	(	00		ALC: UNKNOWN				MA W	Miles !		
Phone:    Turn-Around Time   Tur	Address:		Project Manager:			set	Dr. C.l	/ =					ial		
Standard   Due Date:			ALPHAQuote #:				ruge		SRS In	pact to	Groundy	vater		1 01101001111 700	
Email:  Those samples have been previously analyzed by Alpha  For EPH, selection is For VOC, selection is REQUIRED:  Category 1  Category 2  ALPHA Lab ID (Lab Use Only)  Alpha Time	Phone:		Turn-Around Time						NJ Gro	und Wat	er Quali	ty Stand	dards	Petroleum Product:	
Email:  Those samples have been previously analyzed by Alpha  For EPH, selection is For VOC, selection is REQUIRED:  Category 1  Category 2  ALPHA Lab ID (Lab Use Only)  Alpha Time	Fax:		Standard		Due Date:				NJ IGW	SPLP	eachate	e Criteri	8		
These samples have been previously analyzed by Alpha  For EPH, selection is For VOC, selection of REQUIRED: is REQUIRED: i	THE REAL PROPERTY AND ADDRESS OF THE PERTY ADDRESS O		Rush (only if pre approved)				Our	$\Box$	Other						
For EPH, selection is REQUIRED:   Category 1   (1,4-Dioxane   Bott)   Category 2   (1,4-Dioxane   Bott)   Category 2   (1,4-Dioxane   Bott)   Category 3   (1,4-Dioxane   Bott)   Category 4   (1,4-Dioxane   Bott)   Category 4   (1,4-Dioxane   Bott)   Collection   Date   Time   Matrix   Date   Time   Matrix   Date	These samples have b	een previously analyze	ed by Alpha					ANAL	YSIS					Sample Filtration	T
Category 1				equirements/con	nments:					$\neg$	Т				0
Category 1	REQUIRED:	is REQUIRED:		-quirements, con	illionis.										t a
Category 2			Diana specify Metals a	- TAI				1 1						Service Co.	ī
ALPHA Lab ID (Lab Use Only)  Sample ID  Collection Date Time Matrix Initials  CUL97 - UI  MM 5 - B + 20  IVAN 1:20  - 43  MM 5 - W + 21  - 45  MM 5 - W + 21  - 45  MM 5 - W + 22  IVAN 1:20  - 48  MM 5 - W + 22  IVAN 1:20  - 48  MM 6 - W + 22  IVAN 1:20  - 48  MM 7 6 - W + 22  IVAN 1:20  - 48  MM 7 6 - W + 22  IVAN 1:20  - 48  MM 7 6 - W + 22  IVAN 1:20  Preservative Code: A = None B = Holi C = HNO, D = H,SO, B = Bacteria Cup E = MacOH C = Cube S = MacOH C = Cube C =			riease specify metals of	TAL.											1117
ALPHA Lab ID (Lab Use Only)  Sample ID  Collection Date Time Matrix Initials  Sample Specific Comments  CLIGH - UI  Graph - BF-20  III 21  - U3  III 21  - U4  III 21  - U5  -	Category 2	☐ 9011													8
Clab Use Only   Sample   D   Date   Time   Matrix   Initials     Sample Specific Comments														(Please Specify below)	t
Cab Use Only   Date   Time   Matrix   Initials   Sample Specific Comments	ALPHA Lab ID	S.o.	male ID	Collection	on	Sample	Sampler's	1							t
1	(Lab Use Only)	Sa	mple ID	Date	Time	Matrix	A Company of the Comp							Sample Specific Comments	e
1	20497 -41	MTMS-	- BF-20	4/11/221	1120										
- 43	MARKET STATE OF THE PARTY OF TH	MTUS-	- BE-10-E	1 1	(121				$\neg$	_	1		_		+
The servative Code:  A = None B = HCI C = HNO3 D = H,SO E = NaOH E = MeOH G = NaOH C = NaOH C = NaOS C = NaNSO D = Other  A = Relinquished By:  C = Light	NAME OF TAXABLE PARTY.	1171.0	C.1 T-21	1 1	1100				$\neg$	_	+	-	_		+
- 45  - 46  - 47  - 47  - 48  - 49  - 48  - 49		11-11	OFFIE		1123		_		-	+	+		-		+
The servative Code:  A None B = HCI C = HNO3 C = HNO3 C = HASO4 B = Bacteria Cup F = MaOH F = MaOH C = C = Cube G = NaHSO4 H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Clher C = Cube C = C	And the second second second second	1015	- 42 - 31-1		1.2		-		_		+		-		+
The servative Code:  A = None  B = HCI  C = HNO3  D = H <sub>2</sub> SO <sub>4</sub> E = NaOH  F = MeOH  G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Cother  C = Cube  C = Cu	STATE OF THE PARTY	10/1/43-	WF-22		11/4				_						_
Preservative Code: A = None B = HCl C = HNO <sub>3</sub> C = H <sub>2</sub> SO <sub>4</sub> E = Na <sub>0</sub> H E = Na <sub>0</sub> H E = Na <sub>0</sub> H B = Bacteria Cup G = Na <sub>1</sub> SO <sub>4</sub> C = Cube G = Na <sub>1</sub> SO <sub>4</sub> C = Cube G = Na <sub>1</sub> SO <sub>4</sub> C = Cube G = Na <sub>1</sub> SO <sub>3</sub> C = H <sub>2</sub> SO <sub>3</sub> D = BOD Bottle D = Other  Please print clearly, leg and completely. Sample not be logged in and turnaround time clock v start until any ambiguiting resolved. BY EXECUTION THIS COC, THE CLIENT HAS READ AND AGRET TO BE BOUND BY ALL C = Cube C = Na <sub>0</sub> SO <sub>3</sub> C = E = Encore D = BOD Bottle C = Cube C = Na <sub>0</sub> SO <sub>3</sub> C = E = Encore D = BOD Bottle C = Cube C = Na <sub>0</sub> SO <sub>3</sub> C = Received By: C = Cube C = Cube C = Na <sub>0</sub> SO <sub>3</sub> C = Received By: C = Cube C = Na <sub>0</sub> SO <sub>3</sub> C = Na <sub>0</sub> SO <sub>3</sub> C = Received By: C = Cube C = Cube C = Cube C = Na <sub>0</sub> SO <sub>3</sub> C = Na <sub>0</sub> SO <sub>3</sub> C = Received By: C = Cube C = Cube C = Na <sub>0</sub> SO <sub>3</sub> C = Na <sub>0</sub> SO <sub></sub>	THE RESERVE TO SERVE THE RESERVE	MITHS-	WF-22-F		1:29										L
Preservative Code: A = None B = HCI C = HNO <sub>3</sub> C = HNO <sub>3</sub> D = H <sub>2</sub> SO <sub>4</sub> E = NaOH B = Bacteria Cup G = NaHSO <sub>4</sub> C = C = C = C = C = C = C = C = C = C =	-47	MTMS-	WF-23		1926										
Preservative Code: A = None B = HCI C = HNO <sub>3</sub> D = H <sub>2</sub> SO <sub>4</sub> E = NaOH E = MaOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Cube D = BOD Bottle  A = Naper Glass Westboro: Certification No: MA935 Container Type Westboro: Certification No: MA935 Container Type  Westboro: Certification No: MA935 Container Type  Westboro: Certification No: MA935 And Completely. Sample not be logged in and turnaround time clock we start until any ambiguiting resolved. By: Date/Time  Received By: Date/Time  This coc, The Client HAS READ AND AGRETATION TO BE BOUND BY ALITO BY ALITO BE BOUND BY ALITO BY ALI	-48	MTHS-	-41E-23-F		11121						$\mathbf{I}$				Т
Preservative Code: A = None B = HCI C = HNO <sub>3</sub> D = H <sub>2</sub> SO <sub>4</sub> E = NaOH E = MaOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Cube D = BOD Bottle  A = Naper Glass Westboro: Certification No: MA935 Container Type Westboro: Certification No: MA935 Container Type  Westboro: Certification No: MA935 Container Type  Westboro: Certification No: MA935 And Completely. Sample not be logged in and turnaround time clock we start until any ambiguiting resolved. By: Date/Time  Received By: Date/Time  This coc, The Client HAS READ AND AGRETATION TO BE BOUND BY ALITO BY ALITO BE BOUND BY ALITO BY ALI	-49	MTMS-	-JF-24	(	1:29	-									
Preservative Code: A = None B = HCI C = HNO <sub>3</sub> C = HNO <sub>3</sub> D = H <sub>2</sub> SO <sub>4</sub> E = NaOH F = MeOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Cother  KE = Zn Ac/NaOH D = Other  C = Other  C = Cother  C =		MITHS-	1-1E-24-E							$\neg$		$\vdash$	$\neg$		+
A = None B = HCI C = HNO <sub>3</sub> C = HNO <sub>3</sub> E = NaOH E = NaOH F = MeOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Encore D = Bod Bottle C = Cother C = Cothe			Westhorn: Certification No	- MA035	1101				$\rightarrow$	$\neg$	+		_		_
C = HNO <sub>3</sub> V = Vial D = H <sub>2</sub> SO <sub>4</sub> G = Glass E = NaOH F = MeOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Encore D = BOD Bottle D = Other  C = Cube D = BOD Bottle D = Other  C = Cube D = BOD Bottle D = Other  C = Cube D = BOD Bottle D = Other  C = Cube D = BOD Bottle D = Other  C = Cube D = BOD Bottle D = Cube D = Cube D = BOD Bottle D = Cube				A STATE OF THE PARTY OF THE PAR	- 1	Con	tainer Type								
D = H <sub>2</sub> SO <sub>4</sub> G = Glass E = NaOH F = MeOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Cube D = Other C = Cube D = Other D = H <sub>2</sub> SO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C = Cube D = BOD Bottle D = Other			wanstield. Certification No	: MAU15	- 1			-	_	_	-	-	-		can
Start until any ambiguiti F = MeOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C/E = Zn Ac/NaOH O = Other  C = Cube  Relinquished By: Date/Time Received By: Date/Time Tresolved. By EXECUTI THIS COC, THE CLIEN HAS READ AND AGRE TO BE BOUND BY ALI TO BE BOUND BY ALI TO BE BOUND BY ALI TO BE REVERSE & CONDITION TERMS & CONDITION					- 1	P	reservative								Inot
G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> C/E = Zn Ac/NaOH D = Other D = BOD Bottle  Relinquished By: Date/Time Received By: Date/Time THIS COC, THE CLIEN HAS READ AND AGRE TO BE BOUND BY ALI TERMS & CONDITION TO BE REVERSED BY EXECUTION THIS COC, THE CLIEN HAS READ AND AGRE TO BE BOUND BY ALI TERMS & CONDITION		AND THE PROPERTY OF THE PROPER									1			start until any ambiguities	
H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> E = Encore  D = BOD Bottle  A.N. Gyl land  4/20/22 9.13  THIS COC, THE CLIEN  HAS READ AND AGRE  TO BE BOUND BY ALI  TO BE BOUND BY ALI  TO BE ROUND			Relinquished B	y:	Date/T		11	Receiv	ed By:		1/	Date/T	ime	resolved. BY EXECUTIN	
TO BE BOUND BY ALI  See reverse side )		100-1000000000000000000000000000000000	A. Mar Cayl ben	0	4/201	122 4 X	me	m		5	20/2.	29	:15		
O = Other 13.50 Paul Mayor 10 Day MERMS & CONDITION		D = BOD Bottle	1 4		1191		/			_/	/				
A A A A A A A A A A A A A A A A A A A	O = Other		alph	4/5	SAL	13.3	VE	200	200-		111	20/	DE		
	Form No: 01-14 HC /rev. 3/	LSont-2013\	Part Mare	050-110	1/2	10 -	F 0	uuc.	11/2	0000	16	10/0	411		8
age 68 of 70 Mulisea Wood 4170/20 2300		Oupreu (a)	1 WAY 1 . WAY	4/6	0/0/-		(V	20	4/00	1	17	1-	2200	Wester Control of the	_

ДІРНА	NEW JERSEY CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Albany, NY 12205: 14 Walker W Tonawanda, NY 14150: 275 Coo	ay		Page	_	D	ate Red	c'd	4/2	0/22	ALPHA Job# L222040	ロユ
Westborough, MA 01581	Mansfield, MA 02048 320 Forbes Blvd	Project Information		TIME DO	- 102010	Zationie.	Deliver	ables	No.		THE PARTY NAMED IN	Billing Information	
8 Walkup Dr. TEL: 508-898-9220	TEL: 508-822-9300	THE RESERVE THE PERSON NAMED IN COLUMN 2 I	ddle 1	1000	M.			NJ Full /	Reduce	d		Same as Client Info	)
FAX: 508-898-9193	FAX: 508-822-3288	Project Location:	adio	TW.	111	-	=	EQuIS (1			QuIS (4 File)	PO#	2
Client Information	100	Project #						Other	,	ш-			
Client:		(Use Project name as Pro	class #X	_				tory Re	autromo	nt		Site Information	1500
			oject#)				Section 1				etdontial	Is this site impacted by	CHL
Address:		Project Manager:		Sel	- 0	10	9 —			/Non Re		Petroleum? Yes	
2.		ALPHAQuote #:			11/	160	_			roundwa			
Phone:		Turn-Around Time		(A) (B) (A)	3	25				-	Standards	Petroleum Product:	
Fax:		Standard	enterior and a second	Due Date:	1 4	- 0			SPLP L	eachate	Criteria		
Email:		Rush (only if pre approved)	#	of Days:		ne		Other					
These samples have be							ANAL	YSIS				Sample Filtration	T
For EPH, selection is REQUIRED:  Category 1 Category 2	is REQUIRED:  1,4-Dioxane 8011	Other project specific re		inients.								□ Done □ Lab to do Preservation □ Lab to do  (Please Specify below)	t a l B o t
ALPHA Lab ID	Sa	mple ID	Collectio	n	Sample	Sampler's						15.5100.000	t
(Lab Use Only)			Date	Time	Matrix	Initials						Sample Specific Comment	ts e
20497 -51	MIMS-U	UP-25	4/11/221	1:30									
-52	MIMS	WF-25-1	1	11:31									
-53	MT45- 6	-26		1.(32									
54	MTMS-S	-26-F		11:33									
-55	MTMS-4	1F-27		1113									$\neg$
-510	MIMS- W	15-27-F		11:35	_			$\neg$	$\top$	$\vdash$			
.57	MTMG- 1	9F-78		1126	-			$\neg$	$\top$	+			$\neg$
-58	MIN9-0	10 F-28-F		1177				_		+	$\rightarrow$		+
-59	MINS-	5 - 20	1 3	1:33	-			_	0 11	+	_		_
-60	INTUS I	-79-T	1	1:51				_	_	+			+
Preservative Code: A = None	Container Code P = Plastic A = Amber Glass	Westboro: Certification No Mansfield: Certification No		( (71	Con	tainer Type		$\top$	T	П	##	Please print clearly, le and completely. Samp	
C = HNO <sub>3</sub> D = H <sub>2</sub> SO <sub>4</sub>	V = Vial G = Glass B = Bacteria Cup				P	reservative						not be logged in and turnaround time clock start until any ambigui	will not
	C = Cube O = Other	Relinquished B	By:	Date/T	ime		Receive	d By)		1//	Date/Time	resolved. BY EXECUT	
$H = Na_2S_2O_3$	E = Encore D = BOD Bottle	Autoroglino		1/20/2	29%		1	000	7	12/22	- 9:15 20/22 1	THIS COC, THE CLIE HAS READ AND AGR TO BE BOUND BY AL WEERMS & CONDITION	REES LPHA'S
Form No: 01-14 HC (rev. 30	-Sept-2013)	D non	111	1.1	120	1	20	128	02/	-110	rujan I	(See reverse side.)	145-751
age 69 of 70	- spr co roj	GALL PROM	- AA CAIS	VA 122		00	10 4	120	200	10	100-2300	A Transmitted your over-the CAM	

Дірна	NEW JERSEY CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Albany, NY 12205: 14 Walker Wi Tonawanda, NY 14150: 275 Coo	y		Page			Date Re	ec'd b 4	20/22		ALPHA Job# L2226497
Westborough, MA 01581 8 Walkup Dr.	Mansfield, MA 02048 320 Forbes Blvd	Project Information	THE RES			UL VO	Deliv	/erables	THE PARTY	Mar Less	E	Billing Information
TEL: 508-898-9220	TEL: 508-822-9300	Project Name: 115	ddle	TUDO	- N	1.5		NJ Full	Reduced			Same as Client Info
FAX: 508-898-9193	FAX: 508-822-3288	Project Location:			-		$\neg \Box$	EQuIS	1 File)	EQuIS (4 F	File) P	00#
Client Information	In the second	Project #						Other			- 22	
Client:		(Use Project name as Pro	ject#)				Reg	ulatory Re	quirement	To The St	5	Site Information
Address:		Project Manager:						SRS Re	sidential/No	n Residential		s this site impacted by
		ALPHAQuote #:						SRS Im	pact to Grou	indwater	P	etroleum? Yes
Phone:		Turn-Around Time	Value of the	TA STATE	500	Text and		NJ Grou	ind Water Q	uality Standard	is F	Petroleum Product:
Fax:		Standard		Due Date:				NJ IGW	SPLP Lead	hate Criteria		
Email:		Rush (only if pre approved)		# of Days:				Other				
These samples have be	een previously analyze	ed by Alpha					ANA	LYSIS				Sample Filtration
For EPH, selection is REQUIRED: Category 1 Category 2	For VOC, selection is REQUIRED:  1,4-Dioxane 8011	Other project specific re		omments:			Cess!					Done t Lab to do Preservation Lab to do Please Specify below)
ALPHA Lab ID (Lab Use Only)	Sa	mple ID	Collec		Sample Matrix	Sample						t i
00100 11	MILLIC	112 30	Date // Se //	Time			+-	-		+	5	Sample Specific Comments
	11/45-	1115-70 E	41 18	1127	DΜ	MA	+		+			
-lox -la3	MIMG	1 2 2 1		1117	_	-	+	-				
- le4	11-115	W +- >		11196	-	$\vdash$	+		_			
-105	MATALO	W F - 31-1		160	_	$\vdash$		+	$\rightarrow$		-	
-(do	14 646	10 E - 37 - E		142	-	$\vdash$	+	+	$\rightarrow$	+	$\vdash$	
-107	4+115-	1		1166	+	$\vdash$	+		-	+		
-68	MTMS-	1 5 22 5		1123	_	$\vdash$	+	+			-	
-100	1717	WF-63- F		11,7/	_	+	+	$\vdash$		-	+	
	):		-		1	1	1	+		++-	+	
C = HNO <sub>3</sub> D = H <sub>2</sub> SO <sub>4</sub> E = NaOH	Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup	Westboro: Certification No Mansfield: Certification No				reservation	ре					Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are
F = MeOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	C = Cube O = Other E = Encore D = BOD Bottle	Relinquished B		Date/T 4/20/ 40/22	ime 22 9:11	_	Recei	( 272 c	Hz.	Date/Time	7	resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.
Form No: 01-14 HC (rev. 30	)-Sept-2013)	Promon		dila			70	1/20	0700	4444	114	(See reverse side.)
age 70 of 70		F.0	the	1 1111 11 35	230	1	Mil		1 1	1/20/02-2	1201	



**APPENDIX B: SAMPLING PLAN** 



# LEAD IN DRINKING WATER TESTING SAMPLING PLAN

#### **Middle Township Public Schools**

216 South Main Street Cape May Courthouse, NJ 08210

June 6, 2022

PARTNER Project No. 21-344054.1

Prepared for:

Middle Township Public Schools



## Contents

1. INTRODUCTION	
2. OBJECTIVE	
3. SAMPLING PROJECT COORDINATION	
3.1 School District Program Manager (Program Manager)	
3.2 Sampling Project Manager (Project Manager)	5
Project Manager Responsibilities	5
3.2 Individual School Sampling Project Officers (Project Officers)	
Project Officer Responsibilities	6
3.3 Individual School Protocols	6
4. SCHOOL SAMPLING PRIORITY	
5. PLUMBING SURVEY	
5.1 Plumbing Profile	
5.2 Filter Inventory (If Applicable)	
6. PLANNING	3
6.1 Walk –Through	
6.2 Floor Diagram	8
7. SAMPLE LOCATIONS	8
7.1 Sample Locations	8
7.2 Sample Location Codes	<u></u>
7.3 Sampling Location Inventory	<u>c</u>
8. SAMPLING PROCEDURES	10
8.1 Timeline	10
Prior to Sampling	10
Day of Sampling	10
8.2 Sample Collection	10
Sample Collection Highlights	10
Sample Collection Method	10
Additional Sampling Event	11
8.3 New Jersey Certified Laboratories	11
Laboratory Responsibilities	11
Sampling Personnel Responsibilities	12

8.4 Sampling Results	12
8.5 Intermediate Remedial Measures	13
Glossary	14

#### 1. INTRODUCTION

This Lead Drinking Water Testing Sampling Plan (Sampling Plan) was developed by the Middle Township Public Schools, (District), based on guidance developed by the New Jersey Department of Environmental Protection (NJDEP) and the United States Environmental Protection Agency (USEPA), to establish a plan for sampling lead at drinking water outlets used for consumption or food preparation in every school within the District (See Attachment A for full school listing). The data collected through the execution of this Sampling Plan will determine if immediate remedial measures are necessary and will assist in the prioritization of future water testing for lead in accordance with this Sampling Plan.

This Sampling Plan is based on the USEPA publication, "The 3Ts for Reducing Lead in Drinking Water in Schools" and NJDEP guidance.

The District has also developed a Quality Assurance Project Plan (QAPP) for the sampling program which is available under separate cover.

#### 2. OBJECTIVE

The 1988 Lead Contamination Control Act (LCCA) is aimed at identifying and reducing lead (Pb) in drinking water in schools and child care facilities. In response, the USEPA prepared guidance documents to assist school districts in meeting the requirements of the LCCA. The guidance documents were used as a resource in developing this Sampling Plan.

It should be noted, for the purpose of determining immediate remedial measures (i.e. taking drinking water outlets out of service and notifying parents/guardians of results), the District is required to utilize the lead action level established in the SDWA rules by the USEPA at 40 CFR 141.80 for lead in drinking water. At the time of development of this Sampling Plan, the lead action level is 15  $\mu$ g/L, which is more stringent than the guidance provided by USEPA in their Lead in Schools Guidance which recommends action be taken at drinking water outlets greater than 20  $\mu$ g/L. Schools in New Jersey that are served by their own well (not public water), which are regulated pursuant to the Federal and New Jersey SDWA, must adhere to the 15  $\mu$ g/L value for determining compliance.

#### 3. SAMPLING PROJECT COORDINATION

Testing for lead in schools requires a coordinated effort especially when multiple schools are to be included in the testing effort. Designated personnel and set protocols are essential to ensuring a coordinated effort.

#### **3.1 School District Program Manager (Program Manager)**

Middle Township Public Schools Program Manager: Mr. Thomas Adelsberger (609) 435-4769

The School District Program Manager (Program Manager) is the overall authority in the execution of the District's lead sampling project. He/she is responsible for the initial notification to the District of the testing

program, obtaining funds for testing, assigning the Sampling Project Manager, requesting/enlisting the assistance from other District departments if needed, approving the District's QAPP(s), approving the Final Report for each school and coordinating with other District officials to make the results of the testing available to the public.

#### 3.2 Sampling Project Manager (Project Manager)

Middle Township Public Schools Sampling Project Manager: Danial Bracey, Partner Engineering and Science (732) 275-4674

The Sampling Plan Project Manager (Project Manager) is responsible for overseeing the execution of lead sampling at each of the district's schools. This involves the prioritization of schools to be sampled, and adherence with the District's Sampling Plan and QAPP. He/she serves as the liaison between the District, State agencies, local Health Departments, laboratories and public water systems (if applicable). He/she reports to the Program Manager.

#### **Project Manager Responsibilities**

- Prepare the District's Specific Quality Assurance Project Plan (QAPP) and Sampling Plan;
- Manage the Sampling Plan and QAPP;
- > Oversight of Individual School Project Officers (Project Officers) to ensure that they adhere to the Sampling Plan procedures and the QAPP;
- > Purchase of equipment needed for district lead sampling;
- > Coordinate with New Jersey laboratories certified for lead testing in drinking water;
- Coordinate with Project Officers to establish sampling schedules;
- > Ensure properly signed QAPPs are in place prior to initiation of sampling;
- Verify that officials from each school are aware when sampling is scheduled and the expected duration:
- > Review of the School Field Sampling Summary Reports prepared by Project Officers;
- Review of Laboratory Data Reports (LDR) from Laboratory Managers;
- Review of Final Project Reports prepared by Project Officers;
- ➤ Identify limitations in the use of any laboratory data due to information provided in the accompanying School Field Sampling Summary Report;
- Maintain the original signed QAPP(s);
- Maintain documents, reports and records listed in QAPP, including:
  - Laboratory Data Reports (LDR)
  - o Copy of Field Sampling Summary Report with copies of field logbooks,
  - o Field Walk-Through reports including Attachments B, C, D E and F of this Sampling Plan,
  - Chain of custody forms and flush tags.
  - Copy of Final Project Report
- Maintenance of other relevant records, such as:
  - o Purchase orders for analytical costs (copy).
  - o Agreement with laboratory to sample, analyze, and report with details for payment
  - Receipts (originals or copies)

#### **3.2 Individual School Sampling Project Officers (Project Officers)**

An Individual School Sampling Project Officer (Project Officer) shall be assigned for each school. A Project

Officer should be someone who is familiar with the school building layout and plumbing system. See District's QAPP for a list of the Project Officers.

#### **Project Officer Responsibilities**

- General project oversight for assigned school(s).
- > Generate field log book for each assigned school. Document field activities including any changes to procedures outlined in the Sampling Plan or QAPP.
- Ensure proper completion of the Plumbing Profile Form for assigned school(s) See Attachment B.
- > Oversight of completion of the following reports found in the Sampling Plan which require signoff by Project Officer:
  - Water Outlet Inventory (Attachment C)
  - Filter Inventory (Attachment D)
  - Flushing Log (Attachment E)
  - o Pre Sampling Water Use Certification (Attachment F).
- > Prepare labels for outlets to be sampled.
- > Prepare for Walk-Through including acquisition of School Floor Plan.
- > Attend school Walk-Through.
- Ensure proper completion of Walk-Through documentation including identification of outlets on Floor Plan, and Sampling Location Inventory with coding according to the Sampling Plan (Attachment C).
- > Supervision of field activities such as Walk- Through, flushing (if required), locking school prior to sampling, and sample collection.
- ldentify low use water outlets requiring flushing and attach flush tag (Attachment G).
- > Ensure that Field Sampling Team has all relevant sampling supplies including sampling bottles, labels, proper reagent water and chain of custody forms prior to collection of samples.
- > Ensure that all water outlets to be sampled prior to sampling event are labeled.
- Ensure that all low use outlets identified for sampling had been flushed.
- > Remove flush tags from outlet once sampling is completed.
- Responsible for ensuring water remains motionless for a minimum of eight hours (last to leave the school) prior to sampling event by following procedures in Section 8.
- ➤ Verify that the Sampling Plan was followed prior to initiating sampling by completing the Pre-Sampling Water Use Certification (Attachment F).
- Provide supervision of sampling event.
- > Document issues during sampling event in field log book.
- > Prepare Field Walk-Through Report, School Field Sampling Summary Report and Final Project Report for assigned school(s).
- > Maintain field log books for each school.
- > Prepare samples for shipment and delivery to laboratory per certified laboratory instructions.
- > Ensure that samples are delivered to laboratory within the time period specified by the certified laboratory

#### 3.3 Individual School Protocols

A separate log book and supporting documentation shall be kept for each school. The contents of the log book are to include the Attachments A through F found at the end of this plan. A field log book should include but not be limited to: a material evaluation, filter log, drinking water outlet inventory, flushing log, and label identification codes.

#### 4. SCHOOL SAMPLING PRIORITY

The District developed a list of all school facilities scheduled for sampling. See Attachment A for the school sampling listing. Please note that the list may be updated based on conditions at the school, which prevent sampling from occurring or scheduling issues. Accordingly, the list should include a revision date.

#### **5. PLUMBING SURVEY**

Prior to a sampling event, documentation of various aspects of each school's water system needs to be completed. This following information needs to be compiled and the attachments completed including:

#### **5.1 Plumbing Profile**

The purpose of a Plumbing Profile (Attachment B) is to identify and categorize plumbing and infrastructure in order to prioritize schools/outlets for testing, and to identify potential sources of lead (i.e. lead service lines, or lead piping or solder). The results of the Plumbing Profile determine the sampling locations and priority within the individual school facilities.

A Plumbing Profile should include all of the following:

- Year school built and dates of any additions
- > Building blue prints and floor diagrams
- Service line material;
- Material of internal plumbing, this is an important part of a plumbing profile, and whether it meets the current New Jersey "lead-free" plumbing code;
- Point-of-entry or point-of-use treatment being used;
- All drinking water outlets including fountains that are permanently out of service;
- > All drinking water outlets including fountains that are temporarily out of service;
- All drinking water outlets including drinking water fountains that are leaking or evidence of staining and in need of repair;
- > Type (make and model) and location of all drinking water fountains, including detailed description that identifies of whether they are lead-lined or if they have been involved in any recalls, (See USEPA Fact Sheet at <a href="http://nepis.epa.gov/Exe/ZyPDF.cgi?Dockey=30005UPU.txt">http://nepis.epa.gov/Exe/ZyPDF.cgi?Dockey=30005UPU.txt</a>);
- > Locations of all drinking water outlets including fountains;
- > All plumbing repairs and replacements needed for internal plumbing;
- > All plumbing repairs and replacements conducted within the past year;
- Locations of any electrical wires grounded to water pipes

#### **5.2 Filter Inventory (If Applicable)**

A Filter Inventory (Attachment D) shall be prepared, including the following information:

- Location (school and outlet);
- Make and model;
- Installation date (last replaced);

- Replacement frequency;
- > Documentation of repairs; and
- > Contaminants the filter is capable of and/or NSF-certified for the removing e.g. lead and others

#### 6. PLANNING

#### 6.1 Walk -Through

A Walk-Through must be conducted by the Project Officer prior to sampling as part of the planning process. The Walk-Through must include every room (including but not limited to classrooms, offices, bathrooms, kitchens and recreational areas) in the facility. During the Walk- Through, all drinking water and food preparation outlets to be sampled will be labeled by the Project Officer on the Floor Diagram (6.2).

The Project Officer will also conduct an onsite assessment of each sample outlet to document (using Attachment C) specific characteristics of the outlet (e.g. leaking outlets; staining). During this assessment, the water should be turned on to determine the spray pattern, whether there is adequate flow to collect samples or if any odor or color differences are present and whether the cold water faucet is functioning properly. Only cold water faucets are to be sampled. For motion sensor and metered sinks, the hot water valve will be shut off on the day of sampling. All outlets in need of repair must be repaired prior to sampling or documented on the temporary out of service list in the Plumbing Profile (Attachment B).

#### **6.2 Floor Diagram**

Each drinking water outlet shall be identified on the school schematic (floor diagram). The floor diagram should have the classroom numbers and the following locations labeled:

- Service Line = SL
- Point of Entry (The closest water outlet to the entrance of the service line into the school)
- Food preparation outlets (i.e. cafeteria, kitchen and home economics class faucets);
- > Drinking Water Fountains; and
- > Other drinking water outlets to be sampled (i.e. nurse's office, teacher's lounge, home economics, etc.), and any other room or outside facility used for water consumption.

The Project Officer must date and sign the floor diagram.

#### 7. SAMPLE LOCATIONS

#### **7.1 Sample Locations**

The following locations shall be identified and labeled for each school:

- Kitchen outlets
- Food Preparation outlets
- > Teacher Lounge outlets
- Nurse's Office outlets

- ➤ Home Economic Sink outlets
- ➤ Drinking Water Fountains Bubblers and Water Coolers
- Outside drinking water fountains and food preparation areas
- Ice Machines
- > Other drinking water outlets used for consumption

Examples of outlets that do not need to be sampled include utility sinks, outside spigots, bathroom sinks and classroom sinks, unless any of these sinks are used routinely for consumption.

#### 7.2 Sample Location Codes

Each sampling location shall be identified by its location and type using the following coding system (Note additional codes as needed):

KC = Kitchen Outlet, Cold CT= Cafeteria Outlet

FP= Food Preparation Sink

TL= Teacher Lounge Sink

NS = Nurse's Office Sink

EC = Home Economics Outlet, Cold

DW= Drinking Water Bubbler

WC = Water Cooler (Chiller Unit)

IM = Ice Machine

WF= Water Fountain

BF=Bottle Filler

#### 7.3 Sampling Location Inventory

Attachment C shall be used to develop a detailed inventory of each drinking water outlet in the school to be sampled. The inventory must be completed and signed by the Project Officer.

The Drinking Water Outlet Inventory shall include the following information:

- ➤ All drinking water outlets in the school
- The type, location, and sample location code of each drinking water outlet
- > If the drinking water outlet has a chiller unit
- ➤ If the drinking water outlet has an aerator/screen
- > If the drinking water outlet is motion activated, in which the hot water at the outlet must be turned off prior to sampling
- > If the drinking water outlet is operational
- > If the drinking water outlet has not been used frequently
- > If the drinking water outlet is leaking
- > If the drinking water outlet has a filter
- > The make and model of all drinking water fountains and water coolers

#### 8. SAMPLING PROCEDURES

#### 8.1 Timeline

Samples should be collected before the facility opens in the morning and before any water is used in the building. The water shall sit in the pipes unused for at least 8 hours, but no more than 48 hours, before a sample is collected.

#### At no time should filters, aerators and screens be removed prior to or during the sampling event.

#### **Prior to Sampling**

- For buildings that have not been used for more than 48 hours, the District will perform systematic flushing 48 hours prior to the sampling event, as described in the USEPA's "3Ts For Reducing Lead in Drinking Water in Schools" (revised October 2006, see page 56). This flushing event and locations shall be documented in a log (Attachment E).
  - o The flushing log must be completed and signed by the Project Officer.
- > The Project Officer will contact the laboratory to confirm sample bottles, weatherproof labels, chain of custody forms and coolers are available and ready for the sampling event.
- ➤ Every drinking water outlet to be sampled (previously identified in Attachment C) will be labeled with a specific Sample Location Code in indelible marker on the underside of the sampling fixture in the event the District has to re-visit the sample location.
- A communication will be sent out to all staff in schools being sampled explaining what time all staff must exit the building.
- After this time, signs shall be posted to indicate that water should not be used and access to the building shall be restricted to ensure that water sits undisturbed for a minimum of 8 hours.
- > Turn off all irrigation and outdoor water features.

#### **Day of Sampling**

The Project Officer will use Attachment F to document when the water was last used and when sampling began.

#### **8.2 Sample Collection**

#### **Sample Collection Highlights**

- > All samples shall be collected in a pre-cleaned HDPE 250mL wide mouth single use rigid sample container.
- ➤ Identify on the Sampling Plan the outlet closest to the water service line(s) entry point to be collected first, then identify the next closest outlet as second, and move away from the water service line(s) entry point until the outlet farthest away is identified to be sampled last on the sampling plan. This will minimize the chance that a sampling location will be flushed by an upstream fixture. Sampling will begin at the outlet closest to the point of entry and continue to the furthest outlet to ensure the water remains motionless in the plumbing.

#### **Sample Collection Method**

USEPA recommends a two-step sampling process to be followed for identifying lead contamination. Lead

in a water sample taken from an outlet can originate from the outlet fixture (the faucet, bubbler etc.), plumbing upstream of the outlet fixture (pipe, joints, valves, fittings etc.), or it can already be in the water that is entering the facility. The two-step sampling process helps to identify the actual source(s) of lead.

All sampling must be conducted in accordance with this Sampling Plan and the District's QAPP.

- 1. For each drinking water outlet sampled, a new pair of non-colored latex or nitrile gloves shall be used to collect both the first draw and flush follow-up samples. This is to minimize the potential for cross contamination of outlets by sampling personnel.
- 2. First draw samples (i.e. samples collected from outlets where water sat undisturbed for a minimum of 8 hours) will be collected from a cold water outlet at each location identified in 7.3 above. The sample must be collected by placing the bottle under the outlet before turning the cold water on. No water should be allowed to run prior to collecting a sample. For motion-activated faucets, the hot water valve must be turned off prior to sampling.
- 3. Immediately after the first draw sample is collected, the sampler will collect a follow-up flush sample.
- 4. When collecting the follow-up flush sample, the outlet will be turned on and allowed to run for 30 seconds then the water will be captured in a pre-cleaned 250 mL container.
- 5. If the drinking water outlet is a water cooler with a cooler unit, DO NOT COLLECT A FOLLOW-UP FLUSH SAMPLE UNTIL ALL FIRST DRAW SAMPLES ARE COLLECTED IN THE SCHOOL.
- 6. After all sampling is completed, return to the water coolers to collect a follow-up flush sample, again starting at the water cooler located in closest proximity to the POE and then move outward. Allow the water to run for 15 minutes, then sample the drinking water outlet utilizing a pre-cleaned 250 mL container.
- 7. Each sample collected shall be properly identified on the sample bottle and chain of custody using the Sample Location Code previously identified by the District (as identified on the label on the outlet and on the floor diagram). In addition, follow-up flush samples shall be identified by noting "FLUSH" after the Sample Location Code on the sample bottle and on the chain of custody (e.g. MM-2F-DW-01 and MM-2F-DW-01 FLUSH).

#### **Additional Sampling Event**

Upon receiving the results of the initial and follow-up flush samples at all outlets, the District will conduct additional sampling events for the following situations: any location required to be sampled previously but was not sampled (not operational during initial sampling event), where there was a possible lab error or sample collection error, and any location that was not sampled but could help pinpoint the source of lead in a sampled outlet.

#### **8.3 New Jersey Certified Laboratories**

#### **Laboratory Responsibilities**

Certify to the District that they have received, and will follow, the Sampling Plan and QAPP.

- Fach laboratory must document that laboratory personnel have previous experience sampling for lead and have been properly trained to conduct USEPA Method 200.8 or other methods that are approved sampling methods. Approved sampling methods are USEPA methods for the analysis of lead in drinking water (USEPA Method 200.9, USEPA Method 200.5, SM3113B, ASTM3559-D) provided that the reporting limit used by the laboratory for that method is less than or equal to 2 μg/L.
- > The laboratory will conduct analysis of a laboratory fortified blank (Field Blank) to assess the accuracy. The acceptance criteria for accuracy for the results will be within plus or minus 15% recovery of the known value.
- Laboratories must provide the results to the District within timeframe required under contract (14 day is average).
- > Laboratories will report in μg/L (ppb) and to at least three significant figures.

#### **Sampling Personnel Responsibilities**

Each sampler will be responsible for the following:

- Preparation of pre-printed waterproof labels, which will include, the sampler's name, the school name, the Sample Location Code, parameter to be analyzed (lead), date of collection and any preservation technique used;
- Preparation of a chain of custody to include the field sample information;
- > Obtaining from the laboratory, prior to the sampling event, ASTM Type I reagent-grade water (RGW) to be used as Field Reagent Blanks (FRB). The sampler will transport this RGW to the school to be sampled. Before the first sample is collected the RGW collected at the Laboratory will be transferred to a sample container near the first sample location inside the school building. This FRB sample will be stored and transported in the same cooler, handled and preserved in the same manner as samples collected at that school.
- Documentation of any and all observations such as automatic sensors, odors, change in water color, low water flow, water outlet leaks (i.e. 1 second drip), irregular water spray, attached filter(s), if the screen/aerator is on/off the water outlet or if the water becomes warm/hot.
- Minimizing the potential for cross contamination of sample outlets by sampling personnel. The water will be collected from the outlet directly into each container.
- Following all of the sampling procedures outlined in the Sampling Plan and QAPP.

#### 8.4 Sampling Results

The laboratories will provide the lead sample results to the District in electronic format within the timeframe required under the contract. A spreadsheet of all results, the analytical results report, and the chain of custody forms must be included.

Within 24 hours after the District has reviewed and verified the final laboratory results, the District will make the results publically available and if any results exceed the action level provide written notification to the parents/guardians of all students as well as to the Department of Education.

#### **8.5 Intermediate Remedial Measures**

Upon receiving sample results, the District will turn off all outlets with results that exceed 15  $\mu$ g/L (as defined as greater than or equal to 15.5  $\mu$ g/L). If these locations must remain on for non-drinking purposes, a "DO NOT DRINK – SAFE FOR HANDWASHING ONLY" sign will be posted (Attachment H.v).

#### **Glossary**

**Drinking Water Outlet-** an outlet that can be used for the consumption of water, such as, water fountains, water coolers, bubblers, kitchen sinks and food preparation sinks; however, classroom, bathroom, and outlets used for washing dishes are not drinking water outlets.

**Action Level (AL)-** The lead level established by the USEPA at 40 CFR 141.80 for lead in drinking water.

**Bottled Water-** includes sealed purchased water from an external company (individual bottles or dispensers). Drinking water dispensers that utilize purchased water are not required to be sampled. **First Draw Sample** – a sample that is collected from outlets where water sat undisturbed for a minimum of 8 hours.

**Follow-up Flush Sample -** sample that is collected from outlets after they have been manually flushed.

**Low-Use Outlets**- outlets that are not used routinely and may sit for periods of time with minimal or no use. Examples include those outlets in a wing of a school that is temporarily closed off and are not being used, or fountains and food preparation outlets that are only used during sporting or other events.

**Out of Service Outlets**- drinking water outlets as identified on Attachment C that are not operational.

- a. **Permanently Out of Service Outlets** outlets that are not being used and the District plans to decommission.
- b. **Temporarily Out of Service Outlets** outlets that require repair or replacement and will be put back in service once they are repaired. For example, an outlet with a broken handle.

**Point of entry (POE)-** The point at which the service line enters the building. For the purposes of sample collection, the POE sample location is the closest water outlet to the entrance of the service line into the school.

**Quality Assurance Project Plan (QAPP) Template-** describes the planning, implementation, and evaluation steps that will be consistently applied by those involved in a School District's Sampling Plan. The QAPP will provide a high level of confidence in the results of this sampling and aide in meeting the overall goal of ensuring any appropriate remediation measures are quickly identified and implemented.

**Sampler-** personnel responsible for collecting the drinking water outlet samples for a school. The individual is required to review and understand their roles and responsibilities under the District's Quality Assurance Program Plan and be able to collect samples in accordance with the District's Sampling Plan.

**Service Line-** the pipe that carries water to the school from the public water system's main in the street.

**School Wide Systematic Flush-** system flushing is required if the school has been dormant for greater than 48 hours (holiday or seasonal break). A Flushing Log (Attachment E) needs to be

completed for each school flushed.

**Water Cooler-** any mechanical device affixed to drinking water supply plumbing that actively cools water for human consumption. The reservoir can consist of a small tank or a pipe coil.

## Attachment A - List of Middle Township School District Facilities Priority for Sampling

SCHOOL NAME/FACILITY NAME	DATE OF SAMPLING	CERTIFIED LABORATORY	NOTES
Elementary School #1	4/19/2022	Alpha Analytical	
Elementary School #2	4/19/2022	Alpha Analytical	
Middle School	4/19/2022	Alpha Analytical	
High School	4/19/2022	Alpha Analytical	
Performing Arts Center	4/19/2022	Alpha Analytical	
Administration Building	4/19/2022	Alpha Analytical	
Transportation & Facilities Complex	4/19/2022	Alpha Analytical	

### **Attachment B - Plumbing Profile**

Note: Complete for each school. For additional information see the USEPA publication, "The 3Ts for Reducing Lead in Drinking Water in Schools"

Name of School: \_\_\_\_Administration Building \_\_\_\_\_\_ Grade Levels: \_\_\_\_\_\_\_ N/A

Address: \_\_\_216 South Main Street, Cape May Courthouse, NJ 08210

Individual school project officer Signature: \_\_\_\_\_\_\_ Date: \_\_\_\_\_\_\_

Questions	Answers	
Background Information		
What year was the original building constructed?  Were any buildings or additions added to the original facility?	1975	
2. If the building was constructed or repaired after 1986, was lead-free plumbing and solder utilized? What type of solder was used? Document all locations where lead solder was used.	N/A	
3. Where are the most recent plumbing repairs and replacements?	Location: Kitchen	Description: Added a water cooler
4. With what materials is the service connection (the pipe that carries water to the school from the public water	Material: Copper	
system's main in the street) made? Where is the Service Line located? (This is the POE location.)	Location: Boiler Room	
5. Is there point of entry (POE) or point of use (POU) treatment in use?	Y / N Type:	Location:

Questions	Answers
6. Are there tanks in your plumbing system (pressure tanks,	Y/N
gravity storage tanks)?	Hot water heater and boiler
7. Does the school have a filter maintenance and operation	N/A
program?	
If so, who is responsible for this program?	
What is the process for adding filters?	
8. Have accessible screens or aerators on outlets that	Y / N
provide drinking water been cleaned?	As needed basis – Gary Coleman
Does the school have a screen or aerator maintenance	
program?	
9. Have there been any complaints about bad (metallic)	Y / N
taste?	
Note location(s).	Location:
10. Review records and consult with the public water	NO PRIOR TESTS
supplier to determine whether any water samples have been	
taken in the building for any contaminants. If so, identify:	
Name of contaminant(s)	
Concentrations found	
pH level	
Is testing done regularly at the building?	
11. Other plumbing background questions include:	N/A
<ul> <li>Are blueprints of the building available?</li> </ul>	
<ul> <li>Are there known plumbing "dead-ends", low use</li> </ul>	
areas, existing leaks or other "problem areas"?	
Are renovations planned for any of the plumbing system?	

Questions	Answers	
Walk-Through These questions should be addressed during the walk-through of the faci	ility, while Attachment C- Drinking Water Outlet Inventory is being completed.	
Confirm the material of Service Line visually.	CONFIRMED	
2. Confirm the presence of POE or POU treatment.	N/A	
<ul> <li>What are the potable water pipes made of in your facility?</li> <li>Lead</li> <li>Plastic</li> <li>Galvanized Metal</li> <li>Cast Iron</li> <li>Copper</li> <li>Other</li> <li>Note the water flow through the building and the areas that receive water first, and which areas receive water last.</li> </ul>	COPPERT	
4. Are electrical wires grounded to Water Pipes? Note location(s).	Y / N	
	Location:	
5. Are brass fittings, faucets, or valves used in your drinking water system?  Note that most faucets are brass on the inside.	Complete in "Brass" Column in Attachment C- Water Outlet Inventory.  COMPLETE	
Document the locations of any brass water outlet to be sampled.		
6. Locate all drinking water outlets (i.e. water coolers, bubblers, ice machines, kitchen/ food prep sinks, etc.) in the	Complete in Attachment C-Water Outlet Inventory.	
facility.	COMPLETE	

Questions	Answers	
7. Have the brands and models of the water coolers in the school been compared to the list of recalled water coolers in the Toolkit?	Y / N	
Recalled Drinking Water Fountains	Туре	
Make and Model		
8. Have signs of corrosion, such as frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry been detected?  Note the locations of water outlets.	Complete in "Signs of Corrosion" column in Attachment C- Drinking Water Outlet Inventory.  COMPLETE	
9. Are there any outlets that are not operational and therefore out of service? Permanently? Temporarily?  Permanently	Y / N Complete "Operational Column" in Attachment C- Drinking Water Outlet Inventory.  Type/ Location  N/A	Description
Temporarily		

## **Attachment B - Plumbing Profile**

Note: Complete for each school. For additional information see the USEPA publication, "The 3Ts for Reducing Lead in Drinking Water in Schools"

Name of School: \_\_\_\_Elementary School #1 \_\_\_\_\_\_ Grade Levels: \_\_\_\_\_\_

Address: \_\_\_2015 Eldredge Road, Cape May Courthouse, NJ 08210 \_\_\_\_\_\_

Individual school project officer Signature: \_\_\_\_\_\_\_ Date: \_\_\_\_\_\_\_

Questions	Answers	
Background Information		
What year was the original building constructed?  Were any buildings or additions added to the original facility?	1950, addition in 2017 (currently under construction)	
2. If the building was constructed or repaired after 1986, was lead-free plumbing and solder utilized? What type of solder was used? Document all locations where lead solder was used.		
Where are the most recent plumbing repairs and replacements?	Location: Across from CR-23	Description: Added bottle filler
4. With what materials is the service connection (the pipe that carries water to the school from the public water system's main in the street) made?	Material: Copper  Location: Boiler Room	
Where is the Service Line located? (This is the POE location.)		
5. Is there point of entry (POE) or point of use (POU) treatment in use?	Y / N Type:	Location:

Questions	Answers
6. Are there tanks in your plumbing system (pressure tanks,	Y/N
gravity storage tanks)?	Hot water heater and boiler
7. Does the school have a filter maintenance and operation	N/A
program?	
If so, who is responsible for this program?	
What is the process for adding filters?	
8. Have accessible screens or aerators on outlets that	Y / N
provide drinking water been cleaned?	As needed basis – Gary Coleman
Does the school have a screen or aerator maintenance	
program?	
9. Have there been any complaints about bad (metallic)	Y / N
taste?	
Note location(s).	Location:
10. Review records and consult with the public water	NO PRIOR TESTS
supplier to determine whether any water samples have been	
taken in the building for any contaminants. If so, identify:	
Name of contaminant(s)	
Concentrations found	
pH level	
Is testing done regularly at the building?	
11. Other plumbing background questions include:	CURRENT RENOVATIONS
<ul> <li>Are blueprints of the building available?</li> </ul>	
<ul> <li>Are there known plumbing "dead-ends", low use</li> </ul>	
areas, existing leaks or other "problem areas"?	
Are renovations planned for any of the plumbing system?	

Answers	
ility, while Attachment C- Drinking Water Outlet Inventory is being completed.	
CONFIRMED	
N/A	
COPPER	
Y / N Location:	
Complete in "Brass" Column in Attachment C- Water Outlet Inventory.	
COMPLETE	
Complete in Attachment C-Water Outlet Inventory.  COMPLETE	

Questions	Answers	
7. Have the brands and models of the water coolers in the school been compared to the list of recalled water coolers in the Toolkit?	Y / N	
Recalled Drinking Water Fountains	Туре	
Make and Model		
8. Have signs of corrosion, such as frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry been detected?  Note the locations of water outlets.	Complete in "Signs of Corrosion" column in Attachment C- Drinking Water Outlet Inventory.  COMPLETE	
9. Are there any outlets that are not operational and therefore out of service? Permanently? Temporarily?	Y / N Complete "Operational Column" in Attachment C- Drinking Water Outlet Inventory.  Type/ Location	Description
Permanently	N/A	
Temporarily		

Note: Complete for each school. For additional information see the USEPA publication, "The 3	Is for Reducing Lead in Drinking Water in Schools"
Name of School:Elementary School #2	Grade Levels:
Address:101 West Pacific Avenue, Cape May Courthouse, NJ 08210	
ndividual school project officer Signature:	Date:

Questions	Answers	
Background Information		
What year was the original building constructed?  Were any buildings or additions added to the original facility?	1991	
2. If the building was constructed or repaired after 1986, was lead-free plumbing and solder utilized? What type of solder was used? Document all locations where lead solder was used.		
Where are the most recent plumbing repairs and replacements?	Location: N/A	Description:
4. With what materials is the service connection (the pipe that carries water to the school from the public water system's main in the street) made? Where is the Service Line located? (This is the POE location.)	Material: Steel then Copper  Location: Girls Locker Room	
5. Is there point of entry (POE) or point of use (POU) treatment in use?	Y / N Type:	Y / N Type:

Questions	Answers
6. Are there tanks in your plumbing system (pressure tanks,	Y / N
gravity storage tanks)?	Hot water heater and boiler
7. Does the school have a filter maintenance and operation	N/A
program?	
If so, who is responsible for this program?	
What is the process for adding filters?	
8. Have accessible screens or aerators on outlets that	Y / N
provide drinking water been cleaned?	As needed basis – Gary Coleman
Does the school have a screen or aerator maintenance	
program?	
9. Have there been any complaints about bad (metallic)	Y / N
taste?	
Note location(s).	Location:
10. Review records and consult with the public water	NO PRIOR TESTS
supplier to determine whether any water samples have been	
taken in the building for any contaminants. If so, identify:	
Name of contaminant(s)	
Concentrations found	
pH level     to a first the building?	
Is testing done regularly at the building?	N/A
11. Other plumbing background questions include:	N/A
Are blueprints of the building available?  A "I be a blue of the building available?" I be a blue of the building available?	
Are there known plumbing "dead-ends", low use  are a printing leaks or other "problem areas"?	
areas, existing leaks or other "problem areas"?	
Are renovations planned for any of the plumbing system?	

Questions	Answers	
Walk-Through These questions should be addressed during the walk-through of the facil	lity, while Attachment C- Drinking Water Outlet Inventory is being completed.	
Confirm the material of Service Line visually.	CONFIRMED	
2. Confirm the presence of POE or POU treatment.	N/A	
3. What are the potable water pipes made of in your facility?	COPPER	
• Lead		
Plastic		
Galvanized Metal		
Cast Iron		
Copper		
Other		
Note the water flow through the building and the areas that		
receive water first, and which areas receive water last.		
4. Are electrical wires grounded to Water Pipes?	Y / N	
Note location(s).		
	Location:	
5. Are brass fittings, faucets, or valves used in your drinking water system?	Complete in "Brass" Column in Attachment C- Water Outlet Inventory.	
Note that most faucets are brass on the inside.	COMPLETE	
Document the locations of any brass water outlet to be		
sampled.		
6. Locate all drinking water outlets (i.e. water coolers,	Complete in Attachment C-Water Outlet Inventory.	
bubblers, ice machines, kitchen/ food prep sinks, etc.) in the		
facility.	COMPLETE	

Questions	Answers	
7. Have the brands and models of the water coolers in the school been compared to the list of recalled water coolers in the Toolkit?	Y / N	
Recalled Drinking Water Fountains	Туре	
Make and Model		
8. Have signs of corrosion, such as frequent leaks, rust-	Complete in "Signs of Corrosion" column in Attachment C- Drinking	
colored water, or stained fixtures, dishes, or laundry been	Water Outlet Inventory.	
detected?	COMPLETE	
Note the locations of water outlets.		
9. Are there any outlets that are not operational and	Y / N	
therefore out of service? Permanently? Temporarily?	Complete "Operational Column" in Attachment C-	
	Drinking Water Outlet	
	Inventory.	
	inventory.	
	Type/ Location	Description
Permanently		
	N/A	
Temporarily		

Note: Complete for each school. For additional information see the USEPA p	ublication, "The 3Ts for Reducing Lead in Drinking Water in Schools"
Name of School: High School	Grade Levels: _9-12
Address: 300 East Atlantic Avenue, Cape May Courthouse, N.	J 08210
ndividual school project officer Signature:	Date:

Questions	Answers	
Background Information		
What year was the original building constructed?  Were any buildings or additions added to the original facility?	1961 Additions: 2003, PAC 1992	
2. If the building was constructed or repaired after 1986, was lead-free plumbing and solder utilized? What type of solder was used? Document all locations where lead solder was used.		
Where are the most recent plumbing repairs and replacements?	Location: Across CR 107 & Across Concession	Description: 2 Bottle fillers were added
4. With what materials is the service connection (the pipe that carries water to the school from the public water system's main in the street) made? Where is the Service Line located? (This is the POE location.)	Material: Steel then Copper  Location: Custodial Storage 500 wing	
5. Is there point of entry (POE) or point of use (POU) treatment in use?	Y / N Type:	Y / N Type:

Questions	Answers
6. Are there tanks in your plumbing system (pressure tanks,	Y / N
gravity storage tanks)?	Hot water heater and boiler
7. Does the school have a filter maintenance and operation	N/A
program?	
If so, who is responsible for this program?	
What is the process for adding filters?	
8. Have accessible screens or aerators on outlets that	Y / N
provide drinking water been cleaned?	As needed basis – Gary Coleman
Does the school have a screen or aerator maintenance	
program?	
9. Have there been any complaints about bad (metallic)	Y / N
taste?	
Note location(s).	Location:
10. Review records and consult with the public water	NO PRIOR TESTS
supplier to determine whether any water samples have been	
taken in the building for any contaminants. If so, identify:	
Name of contaminant(s)	×
Concentrations found	
pH level	
Is testing done regularly at the building?	
11. Other plumbing background questions include:	N/A
<ul> <li>Are blueprints of the building available?</li> </ul>	
Are there known plumbing "dead-ends", low use	
areas, existing leaks or other "problem areas"?	
Are renovations planned for any of the plumbing system?	

Questions	Answers	
Walk-Through These questions should be addressed during the walk-through of the faci	lity, while Attachment C- Drinking Water Outlet Inventory is being completed.	
Confirm the material of Service Line visually.	CONFIRMED	
2. Confirm the presence of POE or POU treatment.	N/A	
<ul> <li>What are the potable water pipes made of in your facility?</li> <li>Lead</li> <li>Plastic</li> <li>Galvanized Metal</li> <li>Cast Iron</li> <li>Copper</li> <li>Other</li> <li>Note the water flow through the building and the areas that</li> </ul>	COPPER	
receive water first, and which areas receive water last.		
4. Are electrical wires grounded to Water Pipes?  Note location(s).	Y / N	
	Location:	
5. Are brass fittings, faucets, or valves used in your drinking water system?	Complete in "Brass" Column in Attachment C- Water Outlet Inventory.	
Note that most faucets are brass on the inside.  Document the locations of any brass water outlet to be sampled.	COMPLETE	
6. Locate all drinking water outlets (i.e. water coolers, bubblers, ice machines, kitchen/ food prep sinks, etc.) in the	Complete in Attachment C-Water Outlet Inventory.	
facility.	COMPLETE	

Questions	Answers	
7. Have the brands and models of the water coolers in the school been compared to the list of recalled water coolers in the Toolkit?	Y / N	
Recalled Drinking Water Fountains	Туре	
Make and Model		
8. Have signs of corrosion, such as frequent leaks, rust- colored water, or stained fixtures, dishes, or laundry been detected?  Note the locations of water outlets.	Complete in "Signs of Corrosion" column in Attachment C- Drinking Water Outlet Inventory.  COMPLETE	
9. Are there any outlets that are not operational and therefore out of service? Permanently? Temporarily?	Y / N Complete "Operational Column" in Attachment C- Drinking Water Outlet Inventory.	
Permanently	Type/ Location	Description
	N/A	
Temporarily		

Note: Complete for each school. For additional information see the USEPA publication, "The 3Ts for Reducing Lead in Drinking Water in Schools"

Name of School: \_\_\_\_\_ Middle School \_\_\_\_\_ Grade Levels: \_\_\_\_\_\_

Address: \_\_\_\_ 300 East Pacific Avenue, Cape May Courthouse, NJ 08210

Individual school project officer Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Questions	Answers	
Background Information		
What year was the original building constructed?  Were any buildings or additions added to the original facility?	1972, 2002 (D-wing)	
2. If the building was constructed or repaired after 1986, was lead-free plumbing and solder utilized? What type of solder was used? Document all locations where lead solder was used.		
3. Where are the most recent plumbing repairs and replacements?	Location: Between Boys & Girls Bathroom	Description: Bottle Filler was added in 2020
4. With what materials is the service connection (the pipe that carries water to the school from the public water system's main in the street) made? Where is the Service Line located? (This is the POE location.)	Material: Steel then Copper  Location: Boiler Room	
5. Is there point of entry (POE) or point of use (POU) treatment in use?	Y / N Type:	Location:

Questions	Answers
6. Are there tanks in your plumbing system (pressure tanks,	Y / N
gravity storage tanks)?	Hot water heater and boiler
7. Does the school have a filter maintenance and operation	N/A
program?	
If so, who is responsible for this program?	
What is the process for adding filters?	
8. Have accessible screens or aerators on outlets that	Y / N
provide drinking water been cleaned?	As needed basis – Gary Coleman
Does the school have a screen or aerator maintenance	
program?	
9. Have there been any complaints about bad (metallic)	Y / N
taste?	
Note location(s).	Location:
10. Review records and consult with the public water	NO PRIOR TESTS
supplier to determine whether any water samples have been	
taken in the building for any contaminants. If so, identify:	
Name of contaminant(s)	
Concentrations found	
pH level	
Is testing done regularly at the building?	
11. Other plumbing background questions include:	N/A
<ul> <li>Are blueprints of the building available?</li> </ul>	
<ul> <li>Are there known plumbing "dead-ends", low use</li> </ul>	
areas, existing leaks or other "problem areas"?	
Are renovations planned for any of the plumbing system?	

Questions	Answers
Walk-Through These questions should be addressed during the walk-through of the facilities.	lity, while Attachment C- Drinking Water Outlet Inventory is being completed.
1. Confirm the material of Service Line visually.	CONFIRMED
2. Confirm the presence of POE or POU treatment.	N/A
<ul> <li>3. What are the potable water pipes made of in your facility?</li> <li>Lead</li> <li>Plastic</li> <li>Galvanized Metal</li> <li>Cast Iron</li> <li>Copper</li> <li>Other</li> <li>Note the water flow through the building and the areas that receive water first, and which areas receive water last.</li> </ul>	COPPER
4. Are electrical wires grounded to Water Pipes? Note location(s).	Y / N Location:
5. Are bross fittings, foundty, or valves used in value drinking	
<ul><li>5. Are brass fittings, faucets, or valves used in your drinking water system?</li><li>Note that most faucets are brass on the inside.</li><li>Document the locations of any brass water outlet to be sampled.</li></ul>	Complete in "Brass" Column in Attachment C- Water Outlet Inventory.  COMPLETE
6. Locate all drinking water outlets (i.e. water coolers, bubblers, ice machines, kitchen/ food prep sinks, etc.) in the facility.	Complete in Attachment C-Water Outlet Inventory.  COMPLETE

Questions	Answers	
7. Have the brands and models of the water coolers in the school been compared to the list of recalled water coolers in the Toolkit?	Y / N	
Recalled Drinking Water Fountains	Туре	
Make and Model		
8. Have signs of corrosion, such as frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry been detected?  Note the locations of water outlets.	Complete in "Signs of Corrosion" Water Outlet Inventory. COMPLETE	column in Attachment C- Drinking
9. Are there any outlets that are not operational and therefore out of service? Permanently? Temporarily?	Y / N Complete "Operational Column" in Attachment C- Drinking Water Outlet Inventory.	
Permanently	Type/ Location	Description
	N/A	
Temporarily		

Questions	Answers	
Background Information		
What year was the original building constructed?  Were any buildings or additions added to the original facility?	2018- NO Additions	
2. If the building was constructed or repaired after 1986, was lead-free plumbing and solder utilized? What type of solder was used? Document all locations where lead solder was used.	Lead Free Plumbing and Solder	r
Where are the most recent plumbing repairs and replacements?	Location: NA	Description: NA
4. With what materials is the service connection (the pipe that carries water to the school from the public water	Material: Steel	
system's main in the street) made? Where is the Service Line located? (This is the POE location.)	Location: Fire System Control R	Room
5. Is there point of entry (POE) or point of use (POU) treatment in use?	Y / N NO Type:	Location:

Questions	Answers
6. Are there tanks in your plumbing system (pressure tanks,	Y/N
gravity storage tanks)?	Domestic Hot Water Heater only; NO Other Tanks
7. Does the school have a filter maintenance and operation	
program?	NA
If so, who is responsible for this program?	
What is the process for adding filters?	
8. Have accessible screens or aerators on outlets that	Y / N
provide drinking water been cleaned?	YES
Does the school have a screen or aerator maintenance	
program?	
9. Have there been any complaints about bad (metallic)	Y / NNO
taste?	
Note location(s).	Location:
10. Review records and consult with the public water	
supplier to determine whether any water samples have been	NO samples or testing
taken in the building for any contaminants. If so, identify:	
Name of contaminant(s)	
Concentrations found	
pH level	
Is testing done regularly at the building?	
11. Other plumbing background questions include:	
<ul> <li>Are blueprints of the building available?</li> </ul>	Plans are available
<ul> <li>Are there known plumbing "dead-ends", low use</li> </ul>	No dead-ends
areas, existing leaks or other "problem areas"?	
Are renovations planned for any of the plumbing system?	

Questions	Answers
Walk-Through These questions should be addressed during the walk-through of the facilities.	lity, while Attachment C- Drinking Water Outlet Inventory is being completed.
Confirm the material of Service Line visually.	X
2. Confirm the presence of POE or POU treatment.	X
3. What are the potable water pipes made of in your facility?	
Lead	Iron to main valve then Copper
Plastic	
Galvanized Metal	
Cast Iron	
Copper	
Other	
Note the water flow through the building and the areas that	
receive water first, and which areas receive water last.	
4. Are electrical wires grounded to Water Pipes?	Y / N YES
Note location(s).	Service Ground Location: Main line
	on street side of main valve.
5. Are brass fittings, faucets, or valves used in your drinking water system?	Complete in "Brass" Column in Attachment C- Water Outlet Inventory.
Note that most faucets are brass on the inside.	COMPLETE
Document the locations of any brass water outlet to be	
sampled.	
6. Locate all drinking water outlets (i.e. water coolers,	Complete in Attachment C-Water Outlet Inventory.
bubblers, ice machines, kitchen/ food prep sinks, etc.) in the	
facility.	COMPLETE

Questions	Answers	
7. Have the brands and models of the water coolers in the	Y / NNA	
school been compared to the list of recalled water coolers in the Toolkit?		
Recalled Drinking Water Fountains	Туре	
Make and Model		
8. Have signs of corrosion, such as frequent leaks, rust-	Complete in "Signs of Corrosion" column	in Attachment C- Drinking
colored water, or stained fixtures, dishes, or laundry been	Water Outlet Inventory.	
detected?	COMPLETE	
Note the locations of water outlets.  9. Are there any outlets that are not operational and	Y / N NO All Are Operating	
therefore out of service? Permanently? Temporarily?	Complete "Operational Column" in	
	Attachment C- Drinking Water Outlet	
	Inventory.	
	Type/ Location	Description
Permanently		Description
remanently		
Temporarily		

## **Attachment B.i: Plumbing Profile Instructions**

Plumbing Profile Questions	What Your Answers to the Plumbing Profile Questions Mean
The questions in this column will help you determine whether lead is likely to be a problem in your facility, and will enable you to prioritize your sampling effort.	This column discusses the significance of possible answers to the plumbing profile questions.
Background Information	
When was the original building constructed?  Were any buildings or additions added to the original facility? If so, complete a separate plumbing profile for each building, addition, or wing.	Older Buildings – Through the early 1900s, lead pipes were commonly used for interior plumbing in certain parts of the country in public buildings and private homes. Plumbing installed before 1930 is more likely to contain lead than newer pipes. Between 1920 and 1950, galvanized pipes were also used for plumbing. After 1930, copper generally replaced lead as the most commonly used material for water pipes. Up until the mid- to late-1980s (until the lead-free requirements of the 1986 Safe Drinking Water Act Amendments took effect), lead solder was typically used to join these copper pipes. The efforts of your public water supplier over the years to minimize the corrosiveness of the water may have resulted in mineral deposits forming a coating on the inside of the water pipes (passivation). This coating insulates the water from the plumbing and results in decreased lead levels in water. If the coating does not exist or is disturbed, the water is in direct contact with any lead in the plumbing systems.  Newer Buildings – New buildings are not likely to have lead pipes in their plumbing systems, but they are very likely to have copper pipes with solder joints. Buildings constructed prior to the late 1980s, before the lead-free requirements of the 1986 Safe Drinking Water Act Amendments, may have joints made of lead solder. Buildings constructed after this period should have joints made of lead-free solders. Even if "lead-free" materials were used in new construction and/or plumbing repairs, lead leaching may occur.

Plumbing Profile Questions	What Your Answers to the Plumbing Profile Questions Mean
2. If built or repaired after 1986, were lead-free plumbing and solder used in accordance with the lead-free requirements of the 1986 Safe Drinking Water Act Amendments? What type of solder has been used?	The 1986 Amendments to the Safe Drinking Water Act banned plumbing components that contained elevated levels of lead. Lead-free solder and flux (not more than 0.2% lead) and pipe, pipe fittings, and fixtures (not more than 8% lead) must now be used. The leaching potential of lead-free (i.e., tinantimony) solder is much less than lead solder. The leaching potential of lead-free pipe, pipe fittings, and fixtures is also less, but leaching is still possible.
Was lead solder used in your plumbing system? Note the locations of lead solder.	If lead-free materials were not used in new construction and/or plumbing repairs, elevated lead levels can be produced. If the film resulting from passivation does not exist or has not yet adequately formed, any lead that is present is in direct contact with the water.
	In some areas of the country, it is possible that high-lead materials were used until 1988 or perhaps even later. Your local plumbing code authority or building inspector may be able to provide guidance regarding when high-lead materials were last used on a regular basis in your area.
When were the most recent plumbing repairs and replacements made (note locations)?	Corrosion occurs (1) as a reaction between the water and the pipes and (2) as a reaction between the copper and solder (metal-to-metal). This latter reaction is known as galvanic corrosion, which can be vigorous in new piping. If lead solders were used in the piping or if brass faucets, valves, and fittings containing alloys of lead were installed (see response to Walk Through Question 5 below for further discussion of brass), lead levels in the water may be high. After about 5 years, however, this type of reaction (galvanic corrosion) slows down and lead gets into water mainly as a result of water being corrosive. If the water is non-corrosive, passivation is likely to have occurred and to have reduced opportunities for lead to get into the water system.
	For these reasons, if the building (or an addition, new plumbing, or repair) is less than 5 years old and lead solder or other materials (e.g., brass faucets containing lead alloys) were used, you may have elevated lead levels. If water supplied to the building is corrosive, lead can remain a problem regardless of the plumbing's age.
4. With what materials is the service connection (the pipe that carries water to the school from the public water system's main in the street) made? Note the location where the service connection enters the building and connects to the interior plumbing. (This is the POE location)	Lead piping was often used for the service connections that join buildings to public water systems. The service connection is the pipe that carries drinking water from a public water main to a building. Some localities actually required the use of lead service connections up until the lead-free requirements of the 1986 Safe Drinking Water Act Amendments took effect. Although a protective layering of minerals may have formed on these pipes, vibrations can cause flaking of any protective build-up and, allowing lead contamination to occur.

Plumbing Profile Questions	What Your Answers to the Plumbing Profile Questions Mean
5. Is there point of entry (POE) or point of use (POU) treatment in use?	Are there water treatment units in your plumbing system? Treatment units could be, but are not limited to, ion exchange units, filter cartridge, reserve osmosis, etc.
6. Do you have tanks in your plumbing system (pressure tanks, gravity storage tanks)?  Note the location of any tanks, and any available information about the tank; e.g., manufacturer, date of installation.	Some older tanks may contain coatings that are high in lead content.  Tanks may accumulate sediment that could be flushed back into the plumbing system under certain circumstances. You may wish to contact the supplier or manufacturer to obtain information about coatings. You may also wish to hire a plumber or tank service contractor to inspect your tanks, especially gravity storage tanks that are located outside of the building.
7. Does the school have a filter maintenance and operation program? If so, who is responsible for this program? What is the process for adding filters?	A program for the maintenance and the upkeep of filters on drinking water outlets is necessary to ensure the effectiveness of the filters. Most filters recommend replacement after six months. If the filters need replacement every six months, the program will include a procedure for ensuring that every six month old filter is replaced. An individual should be responsible for ensuring that this filter maintenance program is followed.  If the school would like to add a filter to a water outlet, what is the process? Does a request form have to be completed and submitted to the individual in charge of maintenance? Do all filters need to be added at
8. Do outlets that provide drinking water have accessible screens or aerators? (Standard faucets usually have screens. Many coolers and bubblers also have screens.) Note the locations.	a certain time of year to follow the maintenance program?  Lead-containing sediments that are trapped on screens can be a significant source of lead contamination.  Sediments should be tested for the presence of lead, and your facility should create a routine maintenance program to clean the screens frequently. If sediment has been a reoccurring problem regular cleaning of the screens and additional investigating into why the debris is accumulating is appropriate. However, the manufacturer or water service provider should be contacted to obtain instructions.
Have these screens been cleaned? Note the locations.	
9. Have there been any complaints about water taste (metallic, etc.) or rusty appearance? Note the locations.	Although you cannot see, taste, or smell lead dissolved in water, the presence of a metallic taste or rusty appearance may indicate corrosion and possible lead contamination.

Plumbing Profile Questions	What Your Answers to the Plumbing Profile Questions Mean
<ul> <li>10. Check building files to determine whether any water samples have been taken from your building for any contaminants (also check with your public water supplier).</li> <li>Name of contaminant(s)?</li> <li>What concentrations of these contaminants were found?</li> <li>What was the pH level of the water?</li> <li>Is testing done regularly at your facility?</li> </ul>	Lead testing may have previously been done voluntarily under the Lead Contamination Control Act. Results of analyses of general water quality, such as measures of pH, calcium hardness, and carbonate alkalinity, can provide important clues about the corrosiveness of the water. Generally, the higher the values of these parameters, the less likely it is that your water is corrosive. If you have no data from your school, your public water system should at least be able to provide information about the general water quality.
<ul> <li>Other plumbing questions:</li> <li>Are blueprints of the building available?</li> <li>Are there known plumbing "dead• ends," low use areas, existing leaks or other "problem areas"?</li> <li>Are renovations being planned for part or all of the plumbing system?</li> </ul>	
Walk-Through	
Confirm the material that the service line is made of visually	See Background Information Question #4.
Confirm the presence of POE or POU treatment.	See Background Information Question #5

- 3. Specifically, what are the potable water pipes made of in your facility (note the locations)?
  - Lead
  - Plastic
  - Galvanized Metal
  - Cast Iron
  - Copper
  - Other

Note the location of the different types of pipe, if applicable, and the direction of water flow through the building. Note the areas of the building that receive water first, and which areas receive water last.

4. Is any electrical equipment grounded to water pipes? Note the locations.

#### What Your Answers to the Plumbing Profile Questions Mean

Survey your building for exposed pipes, preferably accompanied by an experienced plumber who should be able to readily identify the composition of pipes on site. Most buildings have a combination of different plumbing materials:

- Lead pipes are dull gray in color and may be easily scratched by an object such as a knife or key. Lead pipes are a major source of lead contamination in drinking water.
- Galvanized metal pipes are gray or silver-gray in color and are usually fitted together with threaded joints. In some instances, compounds containing lead have been used to seal the threads joining the pipes. Debris from this material, which has fallen inside the pipes, may be a source of contamination.
- Copper pipes are red-brown in color. Corroded portions may show green deposits. Copper pipe
  joints were typically joined together with lead solders until the lead-free requirements of the 1986
  Safe Drinking Water Act Amendments took effect.
- Plastic pipes, especially those manufactured abroad, may contain lead. If plastic pipes are used, be sure they meet NSF International standards. (Note: NSF International is an independent, thirdparty testing organization. Product listings can be obtained by visiting their Web site at <a href="http://www.nsf.org/business/search\_listings/index/asp.">http://www.nsf.org/business/search\_listings/index/asp.</a>)

If electrical equipment, such as telephones, has been installed using water pipes as a ground, the electric current traveling through the ground wire will accelerate the corrosion of any interior plumbing containing lead. The practice should be avoided, if possible. However, if existing wires are already grounded to water pipes, the wires *should not be removed* from the pipes unless a qualified electrician installs an alternative grounding system. Check with your local building inspector on this matter. Your state or local building code may require grounding of the wires to the water pipes. Improper grounding of electrical equipment may cause severe shock.

#### **Plumbing Profile Questions**

5. Are brass fittings, faucets, or valves used in your drinking water system? (Note: Most faucets are brass on the inside.)

You may want to note the locations on a map or diagram of your facility and make extensive notes that would facilitate future analysis of lead sample results.

#### What Your Answers to the Plumbing Profile Questions Mean

Brass fittings, faucets, and valves are golden yellow in color, similar to copper in appearance, or are plated with chrome. Brass is composed primarily of two metals, copper and zinc. Most brasses contain lead ranging from 2 percent to 8 percent. That lead can contaminate the water contact surface when it is smeared on the machined surfaces during production. After 1996, brass fittings installed in drinking water outlets such as faucets and water coolers must meet NSF standards for lead content. While this percentage is considered lead-free under the 1986 Safe Drinking Water Act Amendments, some contamination problems still may occur. Older brass faucets may contain higher percentages of lead and lead solder in their interior construction and pose contamination problems. Note that your state or local government may have imposed this standard prior to 1988.

The degree to which lead will leach from brass products containing alloys with less than 8 percent lead is dependent upon the corrosiveness of the water and the manufacturing process used to develop the product. A study revealed that fabricated faucets tend to contribute less lead to the water than faucets manufactured by the permanent mold process, regardless of the amount of lead in the alloy.

In response to a requirement of the 1996 SDWA, EPA worked with the plumbing industry and NSF International to develop a voluntary industry standard that is designed to minimize the amounts of lead being leached from these products. This standard is NSF/ANSI Standard 61, Section 9. Since 1998, all plumbing fixtures for use as drinking water supply must meet this standard. You should require NSF/ ANSI 61 certification on all drinking water system products purchased. Include a copy of the NSF/ ANSI 61 certificate as a requirement on your purchase orders. The distributor or manufacturer can provide you with a list of certified products. You should require NSF/ANSI 61 certification on all drinking water system products used in new construction and inform your architects and revise your building specifications.

- How many of the following outlets provide water for consumption? Note the locations.
  - Water Coolers
  - Bubblers
  - Ice Makers
  - Kitchen Taps
  - Drinking Fountains or Taps

In addition to lead components in the plumbing system, lead solders or lead in the brass fittings and valves used in some taps, bubblers, and refrigerated water coolers may be sources of lead. It is important to identify the locations of all such drinking water outlets. Faucets in restrooms should not be used to obtain water for drinking. Although they may be adequate for washing hands, they may not be appropriate for drinking purposes. You may consider posting "do not drink" signs.

Plumbing Profile Questions	What Your Answers to the Plumbing Profile Questions Mean
7. Has your school checked the brands and models of water coolers and compared them to the list of recalled water coolers in Appendix H.i Note the locations of any recalled coolers.	Water coolers may be a major source of lead contamination. The Federal Consumer Product Safety Commission negotiated an agreement with Halsey Taylor through a consent order agreement published in June 1990 to provide a replacement or refund program that addresses all the water coolers listed by EPA as having lead-lined tanks. Halsey Taylor was the only company identified by EPA as manufacturing some water coolers with lead-lined tanks. Additionally, some coolers manufactured by EBCO had a bubbler valve and one soldered joint that contained lead.
	See Attachment H.i of this document for a summary of EPA's list of water coolers found to contain lead. Use the list to help prioritize your sampling. If your water cooler is listed as having a lead-lined tank, you should not use the water for drinking, and you should remove the cooler immediately as these coolers pose the highest risk of contamination.
8. Are there any signs of corrosion, such as frequent leaks, rust-colored water, or stained dishes or laundry? Note the locations.	Frequent leaks, rust-colored water, and stains on fixtures, dishes, and laundry are signs of corrosive water. Blue-green deposits on pipes and sinks indicate copper corrosion; brown stains result from the corrosion of iron. Where such signs occur, high levels of lead, copper, and iron may be present in the water. Lead can accumulate with iron, which can form sediments that are hard to remove.
9. Are there any outlets that are not operational and therefore out of service? Permanently? Temporarily?	Permanently out of service water outlets are outlets that are no longer being used and the facility plans to decommission in the future.
	Temporarily out of service water outlets are outlets that require repair or replacement and will be put back in service once they are operational.

## **Attachment C – Drinking Water Outlet Inventory**

	Na	me of School:	Administration	Building	Ad	dress:	216 So	uth Main	Street, Ca	ape May	Court Hou	ıse, NJ	
								1.04					
	Gra	ade Levels: 🔛	N/A Yea	School Cor	nstructed:_	19 <mark>78</mark>	Renovate	ed/Additi	ons:				
	Ind	lividual school p	roject officer Na	me/Signature	e: And	though	Fee		Date	Comple	ted: /</td <td>9-22</td> <td></td>	9-22	
#1	Type	Location	Code	Operational <sup>2</sup>	Signs of	Filter <sup>4</sup>	Brass	Aerator/	Motion	Chiller	Wate	r Cooler \	Comments
				(Y/N)	Corrosion	(Y/N)	Fittings,	Screen (Y/N)	Activated (Y/N)	(Y/N)	Make	Model	
	-			- 34	(Y/N)		Faucets		(1/14)				EVALUE I
							valves?				- 1.4 18		100
							(Y/N)					ATT ATT	
1	POE	Boiler Room	MTAB-POE	Y	N	N	N	N	N	N	NA	NA	Far Corner, spicket
2	S	Kitchenette	MTAB-S-01	Y	N	N	Y	Y	N	N	N/A	N/A	Basement
3	WC	Between BRs	MTAB-WC-02	Y	Υ	N	Y	N	N	Υ	Unknown	Unknown	1 <sup>st</sup> floor
4	S	Ladies BR	MTAB-S-03	Y	N	N	Υ	Υ	N	N	N/A	N/A	1 <sup>st</sup> floor

11-14

<sup>&</sup>lt;sup>1</sup> Number outlets starting at the closest outlet to the Point of Entry (POE).

<sup>&</sup>lt;sup>2</sup> Document if permanently or temporarily out of service on the Attachment B- Plumbing Profile.

<sup>&</sup>lt;sup>3</sup> Signs of corrosion detected, such as but not limited to frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry.

<sup>&</sup>lt;sup>4</sup> Document on Attachment D- Filter Inventory.

## **Attachment C - Drinking Water Outlet Inventory**

Name of School:	Elementary School #1	Address:	215 Eldredge Road,	Cape May Court House	<u>, NJ</u>
Grade Levels:	Year School Constructed	: 1951	Renovated/Additions:	1956, 1995	
Individual school	project officer Name/Signature:	Anthu	1 For	Date Completed: 4//	8/22

#1	Type	Location	Code	Operational <sup>2</sup>	Signs of	Filter4	Brass	Aerator/	Motion	Chiller	Wate	Cooler	Comments
				(Y/N)	Corrosion 3 (Y/N)	(Y/M)	Fittings, Faucets or valves? (Y/N)	Screen (Y/N)	Activated (Y/N)	(Y/N)	Make	Model	
1	POE	CR-8	MTEO-POE	Υ	Υ	N	Υ	N	N	N	American	Standard	WF in CR
2	WF	Between 8 and 10	MTEO-WF-01	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
3	WF	CR 6	MTEO-WF-02	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
4	WF	CR 7	MTEO-WF-03	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
5	WF	CR 5	MTEO-WF-04	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
6	WF	CR 4	MTEO-WF-05	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
7	WF	CR 2	MTEO-WF-06	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
8	WF	CR 3	MTEO-WF-07	Y	Υ	N	Υ	N	N	N	Elkay	Unknown	
9	WF	CR 1	MTEO-WF-08	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
10	WF	CR 9	MTEO-WF-09	Y	Υ	N	Υ	N	N	N	American	Standard	
11	WF	CR 12	MTEO-WF-10	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
12	WF	Between 11 & 13	MTEO-WF-11	Υ	Υ	N	Υ	N	N	N	American	Standard	
13	WF	Between 15 & BR	MTEO-WF-12	Y	Υ	N	Υ	N	N	N	Elkay	Unknown	
14	WF	CR 16	MTEO-WF-13	Y	Υ	N	Υ	N	N	N	American	Standard	
15	WF	CR 17	MTEO-WF-14	Y	Υ	N	Υ	N	N	N	Unknown	Unknown	

<sup>&</sup>lt;sup>1</sup> Number outlets starting at the closest outlet to the Point of Entry (POE).


<sup>&</sup>lt;sup>2</sup> Document if permanently or temporarily out of service on the Attachment B- Plumbing Profile.


<sup>&</sup>lt;sup>3</sup> Signs of corrosion detected, such as but not limited to frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry.

<sup>&</sup>lt;sup>4</sup> Document on Attachment D- Filter Inventory.

16	WF	CR 19	MTEO-WF-15	Υ	Y	N	Y	N	N	N	Unknown	Unknown	
17	WF	CR 20	MTEO-WF-16	Υ	Υ	N	Υ	N	N	N	Unknown	Unknown	
18	S	CR 21	MTEO-S-17	Υ	Υ	N	Y	N	N	N	Unknown	Unknown	
19	S	Faculty Rm	MTEO-S-18	Υ	Y	N	Υ	N	N	N	NA	NA	B-wing
20	WF	CR 25	MTEO-WF-19	Υ	Υ	N	Υ	N	N	N	Unknown	Unknown	
21	WF	Across from MP Rm	MTEO-WF-20	N	Y	N	Y	N	N	N	American	Standard	Will be repaired
22	S	Kitchen	MTEO-S-21	Υ	Y	N	Y	N	N	N	NA	NA	Sprayer on far wall
23	S	Kitchen	MTEO-S-22	Υ	Y	N	Y	N	N	N	NA	NA	
24	BF	Across from CR 26	MTEO-BF-23	N	Y	N	Y	N	N	N	Halsey Taylor	66 455521	Left
25	WF	Across from CR 26	MTEO-WF-24	N	Y	N	Y	N	N	N	Halsey Taylor	66 455521	Right
26	WF	CR 26	MTEO-WF-25	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
27	WF	CR 27	MTEO-S-26	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
28	WF	CR 29	MTEO-WF-27	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
29	WF	CR 30	MTEO-WF-28	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
30	WF	CR 31	MTEO-WF-29	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
31	WF	CR 32	MTEO-WF-30	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
32	WF	CR 33	MTEO-WF-31	Υ	Υ	N	Υ	N	N	N	Elkay	Unknown	
33	WF	CR 34	MTEO-WF-32	Υ	Y	N	Υ	N	N	N	Elkay	Unknown	
34	WF	CR 35	MTEO-WF-33	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
35	POE	Library	MTEO-POE2	Υ	Y	N	Y	N	N	N	Unknown		Office
36	S	Faculty Room	MTEO-S-34	Υ	Y	N	Y	N	N	N	NA.	NA	D-wing
37	BF	Main Office	MTEO-BF-35	Y	Υ	N	Y	N	N	N	NA	NA	Conference F
38	S	Main Office	MTEO-S-36	Υ	Υ	N	Y	N	N	N	NA	NA	Nurse
39	WF	CR 36	MTEO-WF-37	Υ	Y	N	Υ	N	N	N	NA	NA	
40	WF	CR 37	MTEO-WF-38	Υ	Υ	N	Y	N	N	N	NA	NA	
41	WF	Kindergarten courtyard-Across RM 42	MTEO-WF-39	Y	Υ	N	Y	N	N	Y	Elkay	EBFSA-8- 1A	
42	WF	CR 38	MTEO-WF-40	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
43	WF	CR 39	MTEO-WF-41	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
44	WF	CR 40	MTEO-WF-42	Υ	Υ	N	Y	N ·	N	N	Elkay	Unknown	
45	WF	CR 41	MTEO-WF-43	Y	Υ	N	Υ	N	N	N	Elkay	Unknown	

46	WF	CR 42	MTEO-WF-44	Υ	Y	N	Y	N	N	N	Elkay	Unknown	
47	WF	Across RM 45	MTEO-WF-45	Y	Y	N	Y	N	N	Y	Elkay	EBFSA-8- 1A	
48	WF	Outside Gym	MTEO-WF-46	Y	Y	N	Y	N	N	Y	Halsey Taylor	HAC8FSC Q 1C	
49	WF	Outside Gym	MTEO-WF-47	Υ	Y	N	Υ	N	N	Y	Halsey Taylor		
50	Sink	Room M-2 Bathroom	MTEO-S- POE-03	Y	N	N	Y	Y	N	N	NA	NA	Annex
51	WF	Hallway	MTEO-WF-48	Y	N	Ņ	Υ	N	N	Υ	Elkay	-	Annex
52	WF	Hallway	MTEO-WF-49	Υ	N	N	Y	N	N	Y	Elkay	-	Annex
53	WF	Room M-4	MTEO-WF-50	Υ	N	N	Υ	N	N	N	-	-	Annex
54	WF	Room M-3	MTEO-WF-51	Υ	N	N	Υ	N	N	N	-	-	Annex





## **Attachment C – Drinking Water Outlet Inventory**

Name of School:	Element	ary School #2	_ Address:	101 West Pacific Ave	enue, Cape May Cou	ırt House, NJ
Grade Levels:	3-5	Year School Construc	cted: 1991	Renovated/Additions:		
Individual school p	oroject offic	er Name/Signature:	And	ing The	Date Completed:	8/18/22

#1	Туре	Location	Code	Operational <sup>2</sup>	Signs of	Filter4	Brass	Aerator/	Motion	Chiller	Wate	er Cooler	Comments
				(Y/N)	Corrosion 3 (Y/N)	(Y/N)	Fittings, Faucets or valves? (Y/N)	Screen (Y/N)	Activated (Y/N)	(Y/N)	Make	Model	
1	POE	Girls Locker Room	MTES-POE	Y	N	N	N	N	N	N	NA	NA	Sink Rm
2	WF	Outside Gym	MTES-WF-01	Y	Υ	N	Y	N	N	Y	Halsey Taylor	ERHPA2 8C	
3	S	Faculty Rm	MTES-S-02	Y	N	N	Υ	Υ	N	N	NA	NA	
4	WF	Across A122	MTES-WF-03	Y	Y	N	Y	N	N	Y	Halsey Taylor	BFC-8FS	
5	S	Conference Rm	MTES-S-04	Y	N	N	Υ	Υ	N	N	NA	NA	Main Office
6	S	Nurse	MTES-S-05	Y	N	N	Υ	Υ	N	N	NA	NA	Main Office
7	WF	Across from Receiving/Storage	MTES-WF-06	Y	Y	N	Y	N	N	Υ	Halsey Taylor	BFC-8FS	
8	WF	Cafetorium	MTES-WF-07	Y	Y	N	Υ	N	N	Y	Halsey Taylor	BFC-8FS	
9	S	Kitchen	MTES-S-08	Y	N	N	Υ	Υ	N	N	NA	NA	
10	S	Kitchen	MTES-S-09	Y	N	N	Υ	Y	N	N	NA	NA	
11	S	Kitchen	MTES-S-10	Y	N	N	Υ	Υ	N	N	NA	NA	
12	S	Kitchen	MTES-S-11	Y	N	N	Υ	Υ	N	N	NA	NA	

<sup>&</sup>lt;sup>1</sup> Number outlets starting at the closest outlet to the Point of Entry (POE).


<sup>&</sup>lt;sup>2</sup> Document if permanently or temporarily out of service on the Attachment B- Plumbing Profile.

<sup>&</sup>lt;sup>3</sup> Signs of corrosion detected, such as but not limited to frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry.

<sup>&</sup>lt;sup>4</sup> Document on Attachment D- Filter Inventory.

13	S	Kitchen	MTES-S-12	Υ	N	N	N	N	N	N	NA	NA	RINSE SINK
14	WF	CR B1	MTES-WF-13	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
15	WF	CR B2	MTES-WF-14	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
16	S	CR B4	MTES-S-15	Υ	Y	Y	N	N	N	N.	Unknown	Unknown	
17	WF	CR B3	MTES-WF-16	Υ	Y	Υ	N	N	N	N	Unknown	Unknown	
18	WF	CR D1	MTES-WF-17	Υ	Y	Y	N	N	N	N:	Unknown	Unknown	
19	WF	CR D2	MTES-WF-18	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
20	WF	CR D14	MTES-WF-19	Υ	Y	Υ	N	N	N	N	Unknown	Unknown	
21	WF	CR D13	MTES-WF-20	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
22	WF	Outside Bathrooms	MTES-WF-21	Υ	Y	Y	N	N	N	N	Halsey Taylor	HAC8FSQ 1E	D-Wing
23	WF	CR D3	MTES-WF-22	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
24	WF	CR D5	MTES-WF-23	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
25	WF	CR D6	MTES-WF-24	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
26	WF	CR D12	MTES-WF-25	Y	Y	Y	N	N	N	N	Unknown	Unknown	
27	WF	CR D10	MTES-WF-26	Υ	Y	Υ	N	N	N	N	Unknown	Unknown	
28	WF	CR D9	MTES-WF-27	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
29	WF	CR D7	MTES-WF-28	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
30	S	CR E10	MTES-S-30	Υ	Υ	Y	N	N	N	N	Unknown	Unknown	
31	WF	CR E1	MTES-WF-31	Y	Υ	Y	N	N	N	N	Unknown	Unknown	
32	WF	CR E2	MTES-WF-32	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
33	WF	CR E9	MTES-WF-33	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
34	WF	CR E8	MTES-WF-34	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
35	WF	CR E5	MTES-WF-35	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
36	WF	CR E4	MTES-WF-36	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
37	BF	Outside Bathrooms	MTES-BF-37	Υ	Y	N	Y	N	N	Y	Halsey Taylor	BFC-8FS	
38	WF	CR C1	MTES-WF-38	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
39	WF	CR C2	MTES-WF-39	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
40	WF	CR C14	MTES-WF-40	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
41	WF	CR C13	MTES-WF-41	Υ	Y	Υ	N	N	N	N	Unknown	Unknown	
42	WF	Outside Bathrooms	MTES-WF-42	Υ	Y	N	Y	N	N	Y	Halsey Taylor	BFC-8FS	
43	WF	CR C3	MTES-WF-43	Υ	Υ	Υ	N	N	N	N	Unknown	Unknown	
44	WF	CR C5	MTES-WF-44	Υ	Y	Y	N	N	N	N	Unknown	Unknown	

45	WF	CR C6	MTES-WF-45	Y	Y	Y	N	N	N	N	Unknown	Unknown	
46	WF	CR C7	MTES-WF-46	Y	Y	Y	N	N	N	N	Unknown	Unknown	
47	WF	CR C12	MTES-WF-47	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
48	WF	CR C10	MTES-WF-48	Υ	Y	Y	N	N	N	N	Unknown	Unknown	
49	WF	CR C9	MTES-WF-49	Υ	Y	Y	N	N	N	N	Unknown	Unknown	



#### **Attachment C - Drinking Water Outlet Inventory**

Name of School: High School Address: 300 East Atlantic Avenue, Cape May Court House, NJ

Grade Levels: 9-12 Year School Constructed: 1961 Renovated/Additions: 1992, 2003

#1	Type	Location	Code	Operational <sup>2</sup>	Signs of	Filter <sup>4</sup>	Brass	Aerator/	Motion	Chill	Water (	Cooler	Comments
				(Y/N)	Corrosion 3 (Y/N)	(Y/N)	Fittings, Faucets or valves? (Y/N)	Screen (Y/N)	Activated (Y/N)	er (Y/N )	Make	Model	
1	POE	Near 511	MTHS-POE	Y	Y	N	N	N	N	N	Halsey Taylor	HRFS-B	WF on Left
2	WF	Near 511	MTHS-WF-01	Y	Y	N	N	N	N	N	Halsey Taylor	HRFS-B	
3	WF	Near CR PA-1	MTHS-WF-02	Y	Y	N	N	N	N	Υ	Halsey Taylor	OV-ESR	DECOM
4	S	Office	MTHS-S-03	Y	N	N	N	Υ	N	N	N/A	N/A	Performing Arts Center
5	WF	Near Restrooms	MTHS-WF-04	Υ	N	N	N	N	N	Y	Halsey Taylor	OV-ESR	Performing Arts Center
6	WF	Near Restrooms	MTHS-WF-05	Υ	N	N	N	N	N	Υ	Halsey Taylor		Performing Arts Center
7	WF	Near Art CR 602	MTHS-WF-06	Υ	Y	N	N	N	N	N	Halsey Taylor	HRFS-B	WF on Left
8	WF	Near Art CR 602	MTHS-WF-07	Y	Y	N	N	N	N	N	Halsey Taylor	HRFS-B	
9	WF	Across from Gym	MTHS-WF-08	Υ	Υ	N	N	N	N	N	Halsey Taylor	HRFS-B	
10	WF	Across from Gym	MTHS-WF-09	Υ	Υ	N	N	N	N	N	Halsey Taylor	HRFS-B	
11	BF	Across CR 11	MTHS-BF-10	Y	Y	Υ	N	N	Υ	Υ	Sunroc	NSW14SU NTAN	
12													

<sup>&</sup>lt;sup>1</sup> Number outlets starting at the closest outlet to the Point of Entry (POE).


<sup>&</sup>lt;sup>2</sup> Document if permanently or temporarily out of service on the Attachment B- Plumbing Profile.

<sup>&</sup>lt;sup>3</sup> Signs of corrosion detected, such as but not limited to frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry.

<sup>&</sup>lt;sup>4</sup> Document on Attachment D- Filter Inventory.

13	WF	Across from 306	MTHS-WF-12	Υ	Υ	N	N	N	N	N	Halsey Taylor	HRFS-B	
14	WF	Across from 306	MTHS-WF-13	Υ	Υ	N	N	N	N	N	Halsey Taylor	HRFS-B	
15	WF	Girls Locker Room B Gym	MTHS-WF-14	N	N	N	N	N	N	N	Sunroc	Unknown	OFF
16	WF	Boys Locker Room	MTHS-WF-15	Υ	Y	N	N	N	N	N	Halsey Taylor	732660951 550	
17	WF	Boys Locker Room	MTHS-WF-16	Y	Y	N	N	N	N	N	Halsey Taylor	732660951 550	Left
18	S	Trainer	MTHS-S-17	Y	N	N	N	Υ	N	N	N/A	N/A	
19	IM	Trainer	MTHS-IM-18	Υ	N	Y	N	N	N	N	Ice-0-Matic	Hoshizaki	
20	S	Home Ec	MTHS-S-19	Υ	N	N	N	Y	N	N	N/A	N/A	CR 800
21	S	Home Ec	MTHS-S-20	Υ	N	N	N	Υ	N	N	N/A	N/A	CR 800
22	S	Home Ec	MTHS-S-21	Υ	N	N	N	Y	N	N	N/A	N/A	CR 800
23	S	Home Ec	MTHS-S-22	Y	N	N	N	Υ	N	N	N/A	N/A	CR 800
24	S	Home Ec	MTHS-S-23	Υ	N	N	N	Y	N	N	N/A	N/A	CR 800
25	S	Home Ec	MTHS-S-24	Υ	N	N	N	Y	N	N	N/A	N/A	CR 800
26	S	CR 803A	MTHS-S-25	Υ	N	N	N	Y	N	N	NA	NA	
27	S	CR803	MTHS-S-26	Υ	N	N	N	Y	N	N	NA	NA	
28	WF	Outside Cafeteria	MTHS-WF-27	Y	Y	N	N	N	N	Y	Halsey Taylor	732660951 550	
29	WF	Outside Cafeteria	MTHS-WF-28	Y	Y	N	N	N	N	Y	Halsey Taylor	732660951 550	
30	IM	Kitchen	MTHS-IM-29	Υ	N	Y	N	N	N	N	Manitowok	Unknown	DECOM
31	S	Kitchen	MTHS-S-30	Υ	N	N	N	Y	N	N	N/A	N/A	
32	S	Faculty Dining	MTHS-S-31	Υ	N	N	N	Y	N	N	N/A	N/A	
33	S	Guidance office	MTHS-S-32	Υ	N	N	N	Y	N	N	N/A	N/A	Work Room
34	S	Nurse	MTHS-S-33	Υ	N	Y	N	N	N	N	N/A		
35	WC	Nurse	MTHS-WC-34	Υ	N	Y	N	N	N	Y	Omnipure	E5520SB	
36	IM	Nurse	MTHS-IM-35	Y	N	Y	N	N	N	Y	Omnipure		
37	WF	Across CR 107	MTHS-WF-36	Υ	Y	Y	N	N	N	Y	Halsey Taylor	732660951 550	
38	BF	Across CR 107	MTHS-BF-37	Y	Y	Y	N	N	Y	Y	Halsey Taylor	732660951 550	
39	WF	Women's Locker Room A Gym	MTHS-WF-38	Υ	Y	N	N	N	N	Y	Halsey Taylor	732660951 550	
40	WF	Women's Locker Room A Gym	MTHS-WF-39	Y	Y	N	N	N	N	Y	Halsey Taylor	732660951 550	

41	S	Women's Locker Room A Gym	MTHS-S-40	Υ	N	N	N	N	N	N	NA	NA
42	S	Women'S Locker Room S Gym	MTHS-S-41	Y	N	N	N	N	N	N	NA	NA
43	WF	Across Concession	MTHS-WF-42	Υ	Y	N	N	N	N	Y	Halsey Taylor	732660951 550
44	BF	Across Concession	MTHS-BF-43	Y	Y	N	N	N	N	Y	Halsey Taylor	732660951 550



#### **Attachment C - Drinking Water Outlet Inventory**

Name of School: Middle School Address: 300 East Pacific Avenue, Cape May Court House, NJ

Grade Levels: 6-8 Year School Constructed: 1972 Renovated/Additions: 2002

#1	Type	Location	Code	Operational <sup>2</sup>	Signs of	Filter <sup>4</sup>	Brass	Aerator/	Motion	Chiller	Wate	r Cooler	Comments
				(Y/N)	Corrosion 3 (Y/N)	(PYN)	Fittings, Faucets or valves? (Y/N)	Screen (Y/N)	Activated (Y/N)	(Y/N)	Make	Model	
1	S	Kitchen	MTMS-POE- 01	Y	N	N	Y	Υ	N	N	NA	NA	By Door
2	S	Kitchen	MTMS-S-02	Y	N	N	Υ	Υ	N	N	NA	NA	Against Wall
3	S	Kitchen	MTMS-S-03	Υ	N	N	Υ	Υ	N	N	NA	NA	Middle of RM
4	IM	Kitchen	MTMS-IM-04	Υ	N	Υ	N	N	N	Y	Hoshizaki	KM- 320MAH	
5	S	Kitchen	MTMS-S-04	Υ	N	N	Υ	Υ	N	N	NA	NA	
6	WF	Cafeteria	MTMS-WF-05	Υ	Y	N	Y	N	N	Y	Sunroc	SCR12LAN -001	
7	S	CR A-5	MTMS-S-06	Υ	N	N	Υ	Υ	N	N	NA	NA	Right of door
8	S	CR A-5	MTMS-S-07	Υ	N	N	Υ	Υ	N	N	NA	NA	To the right
9	S	CR A-5	MTMS-S-08	Υ	N	N	Υ	Υ	N	N	NA	NA	To the right
10	S	CR A-5	MTMS-S-09	Υ	N	N	Υ	Υ	N	N	NA	NA	To the right
11	S	CR A-5	MTMS-S-10	N	N	N	Υ	Υ	N	N	NA	NA	
12	BF	Next to CR A-5	MTMS-BF-11	Υ	Υ	N	Υ	N	N	N	Sunroc	Unknown	
13	BF	Next to CR A-5	MTMS-BF-12	Υ	Υ	N	Υ	N	N	N	Sunroc	Unknown	


<sup>&</sup>lt;sup>1</sup> Number outlets starting at the closest outlet to the Point of Entry (POE).

<sup>&</sup>lt;sup>2</sup> Document if permanently or temporarily out of service on the Attachment B- Plumbing Profile.

<sup>&</sup>lt;sup>3</sup> Signs of corrosion detected, such as but not limited to frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry.

<sup>&</sup>lt;sup>4</sup> Document on Attachment D- Filter Inventory.

14	WF	Between BR & GR	MTMS-WF-13	Υ	Y	N	Y	N	N	N	Sunroc	Unknown	
15	WF	Between BR & GR	MTMS-WF-14	Y	Y	N	Υ	N	N	N	Sunroc	Unknown	
16	S	Main office	MTMS-S-15	Υ	N	N	Υ	Υ	N	N	NA	NA	
17	S	Faculty Room	MTMS-S-16	Υ	N	N	Υ	Υ	N	N	NA	NA	Kitchenette
18	S	Nurse's office-RM 2	MTMS-S-17	Υ	N	N	Υ	Y	N	N	NA	NA	
19	IM	Nurse's office	MTMS-IM-18	Υ	N	Y	N	N	N	N	Frigidaire	Unknown	
20	WF	Across from B-2	MTMS-WF-19	Υ	Y	N	Υ	N	N	N	Sunroc	Unknown	Left
21	BF	Across from B-2	MTMS-BF-20	Υ	Y	Υ	Υ	N	N	N	Sunroc	Unknown	Right
22	WF	Across from B-2	MTMS-WF-21	Υ	Y	N	Υ	N	N	N	Sunroc	Unknown	Right
23	WF	Across from Media Center	MTMS-WF-22	Υ	Y	N	Y	N	N	Y	Sunroc	SCR12LAN -001	
24	WF	Across from Media Center	MTMS-WF-23	Υ	Y	N	Y	N	N	N	Sunroc	Unknown	
25	WF	Across from Media Center	MTMS-WF-24	Υ	Y	N	Y	N	N	Y	Sunroc	SCR12LAN -001	
26	WF	Across from Media Center	MTMS-WF-25	Υ	Y	N	Y	N	N	Y	Sunroc	SCR12LAN -001	
27	S	Media Center	MTMS-S-26	Υ	N	N	Y	Y	N	N	NA	NA	
28	WF	Across D-4	MTMS-WF-27	Y	Y	N	Y	N	N	Y	Elkay	ERHPA2 8C	
29	WF	Across D-4	MTMS-WF-28	Υ	Y	N	Y	N	N	Y	Elkay	ERHPA2 8C	
30	S	Faculty RM	MTMS-S-29	Υ	N	N	Y	Y	N	N	NA	NA	D-Wing
31	WF	Gym 1	MTMS-WF-30	Υ	Y	N	Y	N	N	N	Sunroc	Unknown	By GLR
32	WF	Gym 1	MTMS-WF-31	Υ	Y	N	Y	N	N	N	Sunroc	Unknown	By BLR
33	WF	Gym 2	MTMS-WF-32	Υ	Y	N	Y	N	N	Y	Elkay	ERHPA2 8C	
	WF	Gym 2	MTMS-WF-33	Υ	Υ	N	Y	N	N	Y	Elkay	ERHPA2 8C	



#### **Attachment C – Drinking Water Outlet Inventory**

Address: 101 W. Pacific Ave, Cape May Court House, NJ

		ade Levels:		ar School Cor		2018	Renovat	ed/Additi		Comple	eted:		
#1	Туре	Location	Code	Operational <sup>2</sup> (Y/N)	Signs of Corrosion 3 (Y/N)	Filter <sup>4</sup> (Y/N)	Brass Fittings, Faucets or valves? (Y/N)	Aerator/ Screen (Y/N)	Motion Activated (Y/N)	Chiller (Y/N)		r Cooler Model	Comments
1	POE	Shop	MTT-POE	Y	N	N	Υ	N	N	N			Hose
2	Sink	Break Room	MTT-S-01	Y	N	N	N	N	N	N			

Transportation & Facilities Complex


Name of School:

<sup>&</sup>lt;sup>1</sup> Number outlets starting at the closest outlet to the Point of Entry (POE).

<sup>&</sup>lt;sup>2</sup> Document if permanently or temporarily out of service on the Attachment B- Plumbing Profile.

<sup>&</sup>lt;sup>3</sup> Signs of corrosion detected, such as but not limited to frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry.

<sup>&</sup>lt;sup>4</sup> Document on Attachment D- Filter Inventory.



Name of School:	Administr	ation Building	Gra	ide Levels:		
Address: 216 Se					te: <u>4/ A</u>	12:
Sample Location / Code	Brand	Type (Make & Model)	Date Installed or Replaced	Replacement Frequency	NSF Certified for Lead Reduction	
MTAB-WC-02			-		_Y	
*		-		4-		

			Replaced		Reduction Y/N
MTAB-WC-02	chamber 1		-		- y
+		-		+	
			-		-

Name of School: _	Elementary School #1	Grade Levels:		
Address: 215 E	Eldredge Road, Cape May Co	ourt House, NJ	- 1.0.12	_
Individual School F	Project Officer Signature	situation .	Date: Wy	

Sample Location / Code	Brand	Type (Make & Model)	Date Installed or Replaced	Replacement Frequency	NSF Certified for Lead Reduction Y/N
MŢEO-BF-23	Halsey Taylor	66_455521		₃ 3,000 Gal.	Y
MTEO-BF-35	NA	NA	-	3,000 Gal.	Y
		<del></del>		-	

Sample Location / Code	Brand	Type (Make & Model)	Date Installed or Replaced	Replacement Frequency	NSF Certified for Lead Reduction Y/N
MŢES-BF-37	Halsey <sub>-</sub> Taylor <sub>+</sub>	BFC-8FS_		3,000 Gals	7

Name of School:	High School	Grade Levels: <u>9-12</u>		
Address: 300 E	ast Atlantic Avenue	e, Cape May Court Hou	se, NJ	
Individual School P	roject Officer Signa	ature: Anthry 7	Date:	4/19/22

Brand	Type (Make & Model)	Date Installed or Replaced	Replacement Frequency	NSF Certified for Lead Reduction
				Y/N
Sumroc		Ţ-		<sub>E</sub> Y
		<b>‡</b>		- Britan
Hoshizaki	Ice-O-Matic iomwfrc	8/16 -	1/year or as needed	_
Manitowok	lce-O-Matic iomwfrc	8/16	1/year or as needed	-
Omnipure	Omnipure – E5520SB	9/15	As needed by Quench	-
Halsey Taylor	73266095155 0	-	-	Y
Halsey Taylor	73266095155 0	-	-	Υ
	Omnipure  Halsey Taylor  Halsey Taylor	Sunroc NSW14SUNT AN Hoshizaki Ice-O-Matic iomwfrc Manitowok Ice-O-Matic iomwfrc Omnipure Omnipure – E5520SB Halsey Taylor 73266095155 0 Halsey Taylor 73266095155	Sunroc NSW14SUNT AN	Sunroc NSW14SUNT TAN TOTAL TOT

Name of School: Middle School	Grade Levels:
Address: 300 East Pacific Avenue, C	ape May Court House, NJ
Individual School Project Officer Signatur	re: 119/29 Date: 4/19/29

Sample Location / Code	Brand	Type_ (Make & Model)	Date Installed or Replaced	Replacement Frequency	NSF Certified for Lead Reduction
MTMS-IM-04	3M -	HF25-S_	8/16	1/year of as	
₹ MTMS-IM-18	÷ =			needed	- <del>+</del> -=
MTMS-IM-18	Frigidaire	NA	_ :=	1/year of as needed	-
MTMS-BF-20	Sunroc	NA	-	3,000 Gallons	Υ

ldress:101 W.					te: <u>4/19</u>
Sample Location / Code	Brand	Type (Make & Model)	Date Installed or Replaced	Replacement Frequency	NSF Certified for Lead Reduction Y/N
			/		
N	X				

Name of School: Administration Building
Address: 216 South Main Street, Cape May Court House, NJ
Grade Levels: N/A
Individual School Project Officer Signature: Author Date: 4/1912

Sample Location	Sample	Date	Time	Duration of	Reason for
Description	Location	Date	11116	Flushing	Flushing
Describitori				1 lustilliy	i lusilling
Boiler Room	Code MTAB-POE				
Kitchenette	MTAB-S-01				
		-			
Between BRs	MTAB-WF-02	-		: -	
Ladies BR	MTAB-S-03				
			2		
		- /			
	/				
	1				
	o e				
,					

Name of School: Elementary School #1
Address: 215 Eldredge Road, Cape May Court House, NJ
Grade Levels:
Individual School Project Officer Signature: July 7 Date:

					U.
Sample Location Description	Sample Location	Date	Time	Duration of Flushing	Reason for Flushing
	Code			4	i idoming
CR-8	MTEO-POE	4/19/2	301	1 WMY	
Between 8 and 10	MTEO-WF-01	1		1	
CR 6	MTEO-WF-02		y allegille skets,	- :	
CR 7	MTEO-WF-03				
CR 5	MTEO-WF-04		- 2		
CR 4	MTEO-WF-05				
CR 2	MTEO-WF-06				
CR 3	MTEO-WF-07	1			
CR 1	MTEO-WF-08				
CR 9	MTEO-WF-09				
CR 12	MTEO-S-10				
Between 11 & 13	MTEO-WF-11				
Between 15 & BR	MTEO-WF-12				
CR 16	MTEO-S-13				
CR 17	MTEO-WF-14				
CR 19	MTEO-WF-15				
CR 20	MTEO-WF-16				
CR 21 /	MTEO-S-17				
Facultý Rm	MTEO-S-18				
CR 25	MTEO-WF-19				
Across from MP Rm	MTEO-WF-20				
Kitchen	MTEO-S-21		-		
Kitchen	MTEO-S-22				
Across from CR 26	MTEO-BF-23				
Across from CR 26	MTEO-WF-24				

CR 26	MTEO-WF-25					
CR 27	MTEO-S-26					
CR 29	MTEO-WF-27					
CR 30	MTEO-WF-28					
CR 31	MTEO-WF-29					
CR 32	MTEO-WF-30					
CR 33	MTEO-WF-31				,	
CR 34	MTEO-WF-32				,	
CR 35	MTEO-WF-33				2	
Library	MTEO-POE2					
Faculty Room	MTEO-S-34			,	,	
Main Office	MTEO-BF-35			,		
Main Office	MTEO-S-36			2		
CR 36	MTEO-WF-37			,	+	
CR 37	MTEO-WF-38					
Kindergarten courtyard- Across RM 42	MTEO-WF-39		, '			
CR 38.	MTEO-WF-40		1			
CR 39	MTEO-WF-41	2				
CR 40	MTEO-WF-42					
CR 41	MTEO-WF-43			-		
CR 42	MTEO-WF-44					
Across RM 45	MTEO-WF,-45					
Outside Gym	MTEO-WF-46					
Outside Gym	MTEO-WF-47					
Room M-2 Bathroom	MTEO-S-POE- 03					
Hallway	MTEO-WF-48				-	- 34
Hallway	MTEO-WF-49					
Room M-4	MTEO-WF-50					
Room M-3	MTEO-WF-51					

Name of School:	Elementary School #2
Address: 101 Wes	st Pacific Avenue, Cape May Court House, NJ
Grade Levels: 3-5	
Individual School Pro	oject Officer Signature: Auton Date: 4/Abo

			/ /		
Sample Location Description	Sample Location Code	Date	Time	Duration of Flushing	Reason for Flushing
Girls Locker Room	MTES-POE			<i>y</i>	
Outside Gym	MTES-WF-01			V.	
Faculty Rm	MTES-S-02				-
Across A122	MTES-WF-03				-
Conference Rm	MTES-S-04		of the		
Nurse	MTES-S-05				
Across from Receiving/Storage	MTES-WF-06	J.			
Cafetorium	MTES-WF-07				
Kitchen	MTES-S-08				
Kitchen	MTES-S-09			*	
Kitchen	MTES-S-10				
Kitchen	MTES-S-11				
Kitchen	MTÉS-SP-12				
CR B1	MTES-WF-13				
CR B2/	MTES-WF-14		=		
CR B4	MTES-S-15				
CR B3	MTES-WF-16				_
CR D1	MTES-WF-17				
CR D2	MTES-WF-18				
CR D14	MTES-WF-19				
CR D13	MTES-WF-20				
Outside Bathrooms	MTES-WF-21				
CR D3	MTES-WF-22				
CR D5	MTES-WF-23				

	CR D6	MTES-WF-24				
	CR D12	MTES-WF-25				
ŀ	CR D10	MTES-WF-26				
-	CR D9	MTES-WF-27				
	CR D7	MTES-WF-28				
ł	CR E10	MTES-WF-30				
Ì	CR E1	MTES-WF-31				- 2
1	CR E2	MTES-WF-32				,
	CR-E9	MTES-WF-33		_		1
	CR E8	MTES-WF-34			,	
	CR E5	MTES-WF-35			,	
	CR E4	MTES-WF-36			/	
	Outside Bathrooms	MTES-BF-37			8	
-	CR C1	MTES-WF-38	÷			
	CR C2	MTES-WF-39			_	
	CR C14	MTES-WF-40		, "		
	CR C13	MTES-WF-41		,		
	Outside Bathrooms	MTES-WF-42	2			
	CR C3	MTES-WF-43	1			
	CR C5	MTES-WF-44				
	CR C6	MTES-WF-45				
	CR C7	MTES-WF-46				
	CR C12	MTES-WF-47				
	CR C10	MTES-WF-48				
	CR C9	MTES-WF-49				
	Girls Locker Room					
	/					
	-2					

Ŧ +

Name of School: High School
Address: 300 East Atlantic Avenue, Cape May Court House, NJ
Grade Levels: 9-12
Individual School Project Officer Signature: Author For Date: 4/19/2 2

		1	11		· · · · · · · · · · · · · · · · · · ·
Sample Location	Sample	Date	Time	Duration of	Reason for
Description	Location			Flushing	Flushing
	Code	1 10 -			
Near 511	MTHS-POE	41108	3 PM	10 Mo	***.
Near 511	MTHS-WF-01	1	1	1	
Near CR PA-1	MTHS-WF-02	-		:	Armonia I
Office	MTHS-S-03				
Near Restrooms	MTHS-WF-04				
Near Restrooms	MTHS-WF-05				
Near Art CR 602	MTHS-WF-06	/			
Near Art CR 602	MTHS-WF-07	/			
Across from Gym	MTHS-WF-08				
Across from Gym	MTHS-WF-09				
Across CR 11	MTHS-BF-10				
Across CR 11	MTHS-WF-11				
Across from 306	MTHS-WF-12				
Across from 306	MTHS-WF-13				
Girls Locker Room B Gym	MTHS-WF-14		-		
Boys Locker Room	MTHS-WF-15				
Boys Locker Room	MTHS-WF-16				
Trainer	MTHS-S-17				
Trainer	MTHS-IM-18				
Home Ec	MTHS-S-19				
Home Ec	MTHS-S-20				-
Home Ec	MTHS-S-21				
Home Ec	MTHS-S-22				
Home Ec	MTHS-S-23				
Home Ec	MTHS-S-24				

CR 803A	MTHS-S-25				
CR803	MTHS-S-26				
Outside Cafeteria	MTHS-WF-27				
Outside Cafeteria	MTHS-WF-28				
Kitchen	MTHS-IM-29				
Kitchen	MTHS-S-30				
Faculty Dining	MTHS-S-31				/
Guidance office	MTHS-S-32		-		Z.
Nurse -	MTHS-S-33		-	-	1
Nurse	MTHS-WC-34			,	
Nurse	MTHS-IM-35	1		2	
Across CR 107	MTHS-WF-36			/	
Across CR 107	MTHS-BF-37			:8	
Women's Locker Room A	MTHS-WF-38		÷		:
Gym Women's Locker Room A Gym	MTHS-WF-39				
Women's Locker Room A Gym	MTHS-S-40		-2		
Women'S Locker Room S Gym	MTHS-S-41		1		
Across Concession	MTHS-WF-42	1			
Across Concession	MTHS-BF-43	r e			
	2				
-				N SECTION AND ADDRESS OF THE PROPERTY OF THE P	
7					
J					
7					
/					

T ‡

† †

Name of School:		Middle School	
Address: _	300 Eas	t Pacific Avenue, Cape May Court House, NJ	

Grade Levels: 6-8

Individual School Project Officer Signature:

\_\_ Date: 4 1120

Sample Location Description	Sample Location	D	ate	4	ime		ation of ishing	Reason for Flushing
Kitchen	Code MTMS-POE-01	1	1101		D	-		
		4/	14	383	OM	51	1:0	
Kitchen	MTMS-S-02						1	
Kitchen	MTMS-S-03	±				/ =	N	
Kitchen	MTMS-IM-04		1	1		-		
Cafeteria	MTMS-WF-05				1			
CR A-5	MTMS-S-06							
CR A-5	MTMS-S-07		7					
CR A-5	MTMS-S-08		1					
CR A-5	MTMS-S-09							
CR A-5	MTMS-S-10							
Next to CR A-5	MTMS-WF-11							
Next to CR A-5	MTMS-WF-12							
Between BR & GR	MTMS-WF-13							
Between BR & GR	MTMS-WF-14							
Faculty RM	MTMS-S-15							
Main office	MTMS-S-16							
Nurse's office-RM 2	MTMS-S-17							
Nurse's office	MTMS-IM-18							
Across from B-2	MTMS-WF-19	$\top$						
Across from B-2	MTMS-BF-20							
Across from B-2	MTMS-WF-21							
Across from Media Center	MTMS-WF-22							
Across from Media Center	MTMS-WF-23							
Across from Media Center	MTMS-WF-24							
Across from Media Center	MTMS-WF-25						()	

MTMS-WF-27				
MTMS-WF-28				
MTMS-S-29				
MTMS-WF-30				
MTMS-WF-31				
MTMS-WF-32				
MTMS-WF-33				7
				7 to 12
			,	
			,	
			,	
			1	
+		*	/	
*		- /		
		/		
	- 7			
	,			
	7			
/				
2				
	MTMS-WF-28 MTMS-S-29 MTMS-WF-30 MTMS-WF-31 MTMS-WF-32 MTMS-WF-33	MTMS-WF-28  MTMS-S-29  MTMS-WF-30  MTMS-WF-31  MTMS-WF-32  MTMS-WF-33	MTMS-WF-28  MTMS-WF-30  MTMS-WF-31  MTMS-WF-32  MTMS-WF-33	MTMS-WF-28  MTMS-WF-30  MTMS-WF-31  MTMS-WF-32  MTMS-WF-33

T- -

Name of School:	Transportati	ion & Facili	<u>ties Compl</u>	ex	
Address: 101 W. Pa	acific Ave, Cap	e May Cou	ırt House, I	NJ	_
Grade Levels: N/A					
Individual School Proj	ect Officer Sig	nature:	Athin Fe	Date	e: <u>4/19/2</u> 2
Sample Location	Sample	Date	Time	Duration of	Reason for

Sample Location Description	Sample Location Code	Date	Time	Duration of Flushing	Reason for Flushing
				2.	
	^				
			/		
	,				
	0 / 1				
/					
(·					

REPRESENTATIVE:	MIDDLE T	OWNSHIP SCHOOL	. DISTRIC		
School Name: Administration Building					
Sample collection address:					
Water was last used:	Time:	3(M	Date:	4/18/22	
Sample commencement:	Time:	8AM	Date:	4/9/22	_
I have read the Middle Township School District Lead Drinking Water Testing Sampling Plan and Quality Assurance Project Plan and Lam certifying that samples were collected in accordance with these plans.					
Signature		/	Date	1 1/200	

	TO BE COMPLETED BY THE MERCE REPRESENTATIVE:	AIDDLE TO	OWNSHIP SCHOOL	DISTRIC	CT	
-	School Name: Elementary School 1		-			
	Sample collection address:					
	Water was last used:	Time:	3/M	Date:	4/18/22	
	Sample commencement:	Time:	2 pM	Date:	4/9/22	
	I have read the Middle Townshi and Quality Assurance Project F accordance with these plans.					T +=
	Dortlen Jen				4/19/82	/
	Signature			Date		

	REPRESENTATIVE:	IIDDLE IOWNSI	11P SCHOOL	DISTRICT		
	School Name: Elementary School 2			_		
	Sample collection address:					
	Water was last used:	Time: Off,	3/19	Date: 4/	8/22	
	Sample commencement:	Time: \( \( \( \)	DAM	Date:	7/22	
	Lhave read the Middle Township School District Lead Drinking Water Testing Sampling Plan and Quality Assurance Project Plan and I am certifying that samples were collected in					
-	accordance with these plans.			41	AV22	
	Signature		,	Date		

TO BE COMPLETED BY THE N REPRESENTATIVE:	MIDDLE 1	TOWNSHIP SCHOOL	DISTRIC		
School Name: High School					
Sample collection address:		-			
Water was last used:	Time:	LIPM	Date:	4/14	
Sample commencement:	Time:	8:40 AM	Date:	4/9	
I have read the Middle Township School District Lead Drinking Water Testing Sampling Plan and Quality Assurance Project Plan and I am certifying that samples were collected in accordance with these plans.					
Signatura		/	Date	1-1-1	

	TO BE COMPLETED BY THE N REPRESENTATIVE:	MIDDLE	TOWNSHIP SCHOOL DIST	RICT		
	School Name: Middle School					
**	Sample collection address:					
	Water was last used:	Time:	A OO PM Date	4/18/22		
	Sample commencement:	Time:	10:30 AMDate	: 4/19/22		
	I have read the Middle Township School District Lead Drinking Water Testing Sampling Plan and Quality Assurance Project Plan and Lam certifying that samples were collected in accordance with these plans.					
-	Anthous For		- 4	1/19/22		
	'Signature //		Date	4		

TO BE COMPLETED BY THE N REPRESENTATIVE:	IIDDLE TOWNSHIP SCHOOL DISTRICT					
School Name: Transportation & Facilities Complex						
Sample collection address:	101 W. Pacific AN CafeMay COUFT					
Water was last used:	Time: 4 PM Date: 4/18/22					
Sample commencement:	Time: 8: 30 AM Date: 4/ 9/20					
I have read the Middle Township School District Lead Drinking Water Testing Sampling Plan and Quality Assurance Project Plan and I am certifying that samples were collected in accordance with these plans.						
Signature Sitters for	Date 4/19/22					

FLUSH TAG	
Water outlet sampling in progress.	Please do not use water
School District Name: Middle Township School District Date Flushed: 4/19/27 School Name: Admin Building School Address: Location of flushed outlet:	Flushing Process Start Time: End Time:
YES / NO	
Person responsible for the flushing process (print name) Signature:	
* Water within the school distribution system should sin hours after flushing but not more than 48 ho	

Note to the person responsible for the flushing process:

A. Turn-off lawn sprinkler outlet(s) until water sampling is complete.

B. Make sure sampling outlets are accessible.

#### **FLUSH TAG**

water outlet sampling in progress. Please do not use water
School District Name: Middle Township School District Date Flushed:  School Name: Elementary #   Flushing Process School Address: Start Time: Location of flushed outlet: End Time:
-Is the fountain front cover removed for the sampler to determine the reservoir type (circle one): YES / NO
Person responsible for the flushing process (print name): Anthony Freeman
Signature: Author Z
* Water within the school distribution system should sit in the pipes unused for at least eight (8) hours after flushing but not more than 48 hours before a sample is taken.*

Note to the person responsible for the flushing process:

- A. Turn-off lawn sprinkler outlet(s) until water sampling is complete.
- B. Make sure sampling outlets are accessible.

#### FLUSH TAG

#### Water outlet sampling in progress. Please do not use water

School District Name: Middle Township School District Date Flushed:  School Name:  School Address: Location of flushed outlet:	Flushing Process Start Time: End Time:	÷ —
Is the fountain front cover removed for the sampler to determ YES / NO	rmine the reservoir type (circl	le one):
Person responsible for the flushing process (print name):	Anthony France	/
* Water within the school distribution system should sit in	the pipes unused for at least	eight (8)
hours after flushing but not more than 48 hours	before a sample is taken.*	

Note to the person responsible for the flushing process:

- A. Turn-off lawn sprinkler outlet(s) until water sampling is complete.
- B. Make sure sampling outlets are accessible.

#### FLUSH TAG

### Water outlet sampling in progress. Please do not use water

School District Name: Middle Township School District
Date Flushed: 4/18
School Name: 45 Flushing Process School Address: Start Time: 3977
Location of flushed outlet: End Time: ±3510/
Is the fountain front cover removed for the sampler to determine the reservoir type (circle one): YES / NO
Person responsible for the flushing process (print name): Anthony Freeman
Signature: Anthony f
* Water within the school distribution system should sit in the pipes unused for at least eight (8) hours after flushing but not more than 48 hours before a sample is taken.*

- Note to the person responsible for the flushing process:

  A. Turn-off lawn sprinkler outlet(s) until water sampling is complete.
- B. Make sure sampling outlets are accessible.

F	T	IS	н	Т	Δ.	G

water outlet sampling in progress. Flease do not use water
School District Name: Middle Township School District Date Flushed:
School Name: Middle School Flushing Process School Address:  Start Time: 3:30 M
Location of flushed outlet:   End Time:
Is the fountain front cover removed for the sampler to determine the reservoir type (circle one): YES / NO
Person responsible for the flushing process (print name): Anthony Freeman
Signature: Anthry 4
* Water within the school distribution system should sit in the pipes unused for at least eight (8) hours after flushing but not more than 48 hours before a sample is taken.*

Note to the person responsible for the flushing process:

- A. Turn-off lawn sprinkler outlet(s) until water sampling is complete.

  B. Make sure sampling outlets are accessible.

FLUSH TAG
Water outlet sampling in progress. Please do not use water
School District Name: Middle Township School District Date Flushed:
School Name: Transportation & Facilities Connex Flushing Process School Address: Start Time:
Location of flushed outlet:  End Time:
Is the fountain front cover removed for the sampler to determine the reservoir type (circle one): YES / NO
Person responsible for the flushing process (print name):
Signature:
* Water within the school distribution system should sit in the pipes unused for at least eight (8) hours after flushing but not more than 48 hours before a sample is taken.*

Note to the person responsible for the flushing process:

- A. Turn-off lawn sprinkler outlet(s) until water sampling is complete.
- B. Make sure sampling outlets are accessible.

#### **Attachment H - Sampling Toolkit**

#### H.i: Recalled Water Cooler List

#### **USEPA's Water Cooler Recall List**

Tables from EPA's 3Ts for Reducing Lead in Drinking Water in Schools Revised Technical Guidance

#### Table E-1

-Halsey-Taylor Water Coolers With Lead-Lined Tanks2

The following six model numbers have one or more units in the model series with leadlined tanks:

WM8A WT8A GC10ACR GC10A GC5A RWM13A

The following models and serial numbers contain lead-lined tanks:

WM14A Serial No. WM14A Serial No. WT11A Serial No. 222650

<u>843034</u> <u>843006</u>

WT21A Serial No. UL14A Serial No. 64346908

<u>64309550</u> <u>64309542</u>

<sup>2</sup>Based upon an analysis of 22 water coolers at a US Navy facility and subsequent data obtained by EPA, EPA believes the most serious cooler contamination problems are associated with water coolers that have lead-lined tanks.

## <u>Table E-2</u> Water Coolers With Other Lead Components

#### **EBCO** Manufacturing

All pressure bubbler water coolers with shipping dates from 1962 through 1977 have a bubbler valve containing lead. The units contain a single, 50-50 tin-lead solder joint on the bubbler valve. Model numbers for coolers in this category are not available.

The following models of pressure bubbler coolers produced from 1978 through 1981 contain one 50-50 tin-lead solder joint each.

	<u>CP3</u>	DP15W	DPM8	<u>7P</u>	<u>13P</u>	DPM8H	DP15M	DP3R	DP8A
١	<u>DP16M</u>	DP58	CIDE	PX-10	DP75	DP13SM	<u>1317M</u>	DP7MH	<u>DP7WMD</u>
١	WPC10	DP13M-60	DP14M	CP10-50	<u>CP5</u>	CP5M	DP15MW	DP3R	DP14S
	DP20-50	DI7SM	DPIOX	DP13A	DP13A-50	EPTOF	<u>DP5M</u>	DP10F	<u>СРЗН</u>
	CP3-50	DP13M	DP3RH	DP5F	CP3M	EP5F	<u> 13PL</u>	DPSAH	DP13S
	<u>CP10</u>	DP20	DP12N	DP7WM	DP14A-50/60	_			

Halsey Taylor

+

1. Lead solder was used in these models of water coolers manufactured between 1978 and the last week of 1987;

WMA-1

SCWT/SCWT-A

SWA-L

DC/DHC-1

\$3/5/1010

BFC-4F/7F/4FS/7FS

S300/500/100D

2. The following coolers manufactured for Haws Drinking Faucet Company (Haws) by Halsey Taylor from November 1984 through December 18, 1987, are not lead-free because they contain 2 tin-lead solder joints. The model designations for these units are as follows:

HC8WT	HCI4F	HC6W	HWC7D	HC8WIH	HCI4E H	HC8W	HC2F	HC14WT
HC14FL	HC14W	HC2FH	HC14WTH	HCAFL	HC4F	HC5F	HC14WL	HCBF7D
HC4FH	HC10F	HC16WT	HCBF7HO	<b>HC8F</b>	HC8FH	HC4W	HWC7	



APPENDIX C: QUALITY ASSURANCE PROJECT PLAN



# QUALITY ASSURANCE PROJECT PLAN (QAPP)

## FOR DRINKING WATER SAMPLING OF LEAD CONCENTRATIONS IN SCHOOL DRINKING WATER OUTLETS

#### **Middle Township School District**

216 South Main Street Cape May Courthouse, NJ 08210

April 15, 2022

PARTNER Project No. 21-344054.1

Prepared for:

Middle Township School District



800-419-4923

www.PARTNEResi.com

## **Approvals**

## Middle Township School District Representatives:

	Thomas Adelsberger	Thomas Adelsbe	rger 6/7/2022
Program Manage	Print Name	Signature	Date
Project Manager(s):	Dan Bracey	Doel Time	04/15/2022
	Print Name	Signature	Date
Individual School Pr	oject Officer(s) (See page iii)		
Third Party Samp	oling Firm: Partner En	gineering & Science Name of Firm	
		1 1 3	
	Angelica Rosaperez	Angelico Rosaguer	04/15/2022
-	Print Name	Signature	Date
	Anthony Mercogliano	Sather Mil	4/15/2022
-	Print Name	Signature	Date
-	Print Name	Signature	Date
-	Print Name	Signature	Date
-	Print Name	Signature	Date
<u>Laboratory:</u>	Aplha Analytical, Inc.  Name of Laboratory		
Laboratory Mana	ager: <u>John Trimble</u>	John Trindke	04/15/22
,	Print Name	Signature	Date
Laboratory QA C	Officer: James Todaro	James Todaro	04/22/22
•	Print Name	Signature	Date

## **Individual School Project Officers (ISPO)**

School	Name	Title	Signature	Date
Elementary School #1	Thomas Adelseberger Phone:	Facility Manager	T Adelsberger	6/7/2022
Elementary School #2	Thomas Adelseberger Phone:	Facility Manager	T Adelsberger	6/7/2022
Middle School	Thomas Adelseberger Phone:	Facility Manager	T Adetahoerien	6/7/2022
High School	Thomas Adelseberger Phone:	Facility Manager	T Adelsberger	6/7/2022
Administration Building	Thomas Adelseberger Phone:	Facility Manager	T Adelsberger	6/7/2022
Transportation & Facilities Complex	Thomas Adelseberger Phone:	Facility Manager	T Adelsberger T Adelsberger T Adelsberger T Adelsberger T Adelsberger	6/7/2022

### **Table of Contents**

1.	Obj	ective & Goals/Background	7
	1.1	Objective and Goals	7
	1.2	Background	7
2.	Proj	ject/Task Organization	8
	2.1	Middle Township School District Program Manager (Program Manager)	8
	2.2	Middle Township School District Project Manager (Project Manager)	8
	2.3	Individual School Project Officer(s)	9
	2.4	Laboratory Manager	10
	2.5	Laboratory's Quality Assurance Officer (LQAO)	10
	2.6	Field Sampler or Field Sampling Team	10
3.	Spe	cial Training Needs/Certification	10
4.	Proj	ject/Task Description	11
5.	Lea	d Data Quality Objectives and Criteria for Measurement	11
	5.1	Precision	11
	5.2	Bias	11
	5.3	Representativeness	11
	5.4	Comparability	12
	5.5	Completeness	12
	5.6	Sensitivity	12
6.	Sec	ondary Data	12
7.	Fiel	d Monitoring Requirements	12
	7.1	Monitoring Process Design	13
	7.2	Monitoring Methods	13
	7.3	Field Quality Control	13
8.	Ana	lytical Requirements	14
	8.1	Analytical Methods	14
	8.2	Analytical Quality Control	14
9.	San	nple Handling and Custody Requirements	15

9.1	Sample Archive/Disposal	15
10. Inst	rument/Equipment Testing, Inspection, Maintenance & Calibration Requirements	15
10.1	Instrument/Equipment Testing, Inspection and Maintenance	15
10.2	Instrument/Equipment Calibration and Frequency	16
10.3	Inspection/Acceptance of Supplies and Consumables	16
11. Dat	a Management	16
12. Ass	essments/Oversight	16
13. Dat	a Review, Verification, Validation, and Usability	17
13.1	Data Review, Verification and Validation	17
13.2	Reconciliation with User Requirements	17
14. Rep	porting, Documents and Records	17
Appendi	x A	19
3Ts for R	educing Lead in Drinking Water in Schools:	19
Appendi	х В	20
Insert Sc	hool District Lead Water Testing Sampling Plan	20
Appendi	x C: Chain of Custody	21
Appendi	x D: Excel Template for Lead Results	. 23

#### 1. Objective & Goals/Background

#### 1.1 Objective and Goals

A Quality Assurance Project Plan is a document that describes the planning, implementation and evaluation steps involved in the acquisition of data that will be used to arrive at a specific goal. The overall objective for this QAPP is to determine the lead concentration at drinking water outlets within the District's schools so that corrective action(s) may be implemented at any drinking water outlets sampled found to exceed the US Environmental Protection Agency (USEPA) drinking water lead action level of 15 micrograms per liter ( $\mu$ g/L). For the purposes of compliance, any concentration greater than 15  $\mu$ g/L (as defined as greater than or equal to 15.5  $\mu$ g/L) is considered to exceed the lead action level.

The lead sampling will consist of the collection of a first draw (initial) sample according to this QAPP and the *Middle Township School District Lead Water Testing Sampling Plan* (Sampling Plan). The drinking water outlets can be faucets, drinking water fountains (or bubblers) and water coolers (see Sampling Plan for details).

Follow-up sampling will also be covered by this QAPP and the Sampling Plan. An optional follow-up flushed sample may be analyzed at selected drinking water outlets after flushing for 30 seconds. (An exception to the 30 second follow-up flushed sample is for a water cooler which requires a different follow-up sampling timeframe).

The analytical results and field data will be used by the Project Manager and the District (See Section 2.2) to determine whether drinking water distributed from drinking water outlets such as water fountains (bubblers), faucets, food preparation areas and water coolers have concentrations of lead that exceed 15  $\mu$ g/L. If a first draw (initial) or follow-up flushed cold water sample is found to contain lead at a concentration greater than 15  $\mu$ g/L, the Project Manager will instruct the Individual School Project Officer (Project Officer) (See Section 2.3) to isolate the source of drinking water by turning off the device or providing a barrier to the consumption of the water (tape and bag) until appropriate remediation is determined.

#### 1.2 Background

Lead is a toxic metal that can be harmful to human health when ingested. Young children are particularly sensitive to the effects of lead because their bodies are still undergoing development. Lead can get into drinking water by being present in the source water or by interaction of the water with plumbing materials containing lead (through corrosion). Common sources of lead in drinking water include: solder, fluxes, pipes and pipe fittings, fixtures, and sediments. It is possible that different drinking water outlets in a given building could have dissimilar concentrations of lead.

In April 1994, USEPA prepared two guidance documents to assist municipalities in meeting the requirements of the Lead Contamination and Control Act (LCCA): Lead in Drinking Water in Schools and Non-Residential Buildings (EPA 812-B-94-002) and Sampling for Lead in Drinking Water in Nursery Schools and Day Care Facilities (EPA 812-B-94-003). In December 2005, amended October 2006, EPA issued the



revised technical guidance document 3Ts for Reducing Lead in Drinking Water in Schools (EPA 816-B-05-008) which replaced the Lead in Drinking Water in Schools and Non-Residential Buildings (EPA 812-B-94-002). The 3Ts Revised Technical Guidance document is meant to assist school officials in implementing programs and policies to reduce children's exposure to lead in drinking water in schools.

#### 2. **Project/Task Organization**

#### 2.1 Middle Township School District Program Manager (Program Manager)

The Middle Township School District Program Manager is the overall authority in the execution of the District's lead sampling project. He/she is responsible for the initial notification to the District of the testing program, obtaining funds for testing, assigning the Project Manager, requesting/enlisting the assistance from other District departments if needed, approving the District's QAPP(s), approving the Final Report for each school and coordinating with other District officials to make the results of the testing available to the public. The Project Manager reports to the Program Manager.

#### 2.2 Middle Township School District Project Manager (Project Manager)

The Project Manager is responsible for overseeing the execution of lead sampling at each of the district's schools. This involves the prioritization of schools to be sampled, and adherence with the District's Sampling Plan and QAPP. He/she serves as the liaison between the School District, State agencies, local Health Departments, laboratories and public water systems (if applicable). He/she reports to the Program Manager.

#### The Project Manager's responsibilities include:

- Preparing the District's Specific QAPP
- Managing the Sampling Plan and QAPP.
- Oversight of Individual School Project Officers (Project Officers) to ensure that they adhere to the Sampling Plan procedures and the QAPP.
- Purchasing of equipment needed for district lead sampling
- Coordination with New Jersey laboratories certified for lead in drinking water
- Coordination with Project Officers to establish sampling schedules
- Ensuring properly signed QAPPs are in place prior to initiation of sampling
- Verify that officials from each school are aware when sampling is scheduled and the expected duration
- Review of the School Field Sampling Summary Reports prepared by Project Officers
- Review of Laboratory Data Reports (LDR) from Laboratory Managers



- Review of Final Project Reports prepared by Project Officers. Identify limitations in the use of any laboratory data due to information provided in the accompanying School Field Sampling Summary Report.
- Maintain the original signed QAPP(s)
- Maintain documents, reports and records listed in Section 14 of the QAPP
  - Laboratory Data Reports (LDR)
  - Copy of Field Sampling Summary Report with copies of field logbooks, field Walk-Through reports including Attachments B, C, D, E, and F of the Lead Sampling Plan, chains of custody and flush tags.
  - Copy of Final Project Report
- Maintenance of other relevant records such as:
  - o Purchase orders for analytical costs (copy).
  - o Agreement with laboratory to sample/analyze/report with details for payment
  - Receipts (originals or copies)

#### 2.3 Individual School Project Officer(s)

#### The Individual School Project Officer's responsibilities include:

- General project oversight for assigned school(s).
- Generate field log book for each assigned school. Document field activities including any changes to procedures outlined in the Sampling Plan or QAPP.
- Ensure proper completion of the Plumbing Profile for assigned school(s) See Attachment B of the Sampling Plan.
- Oversight of completion of the following reports found in the Sampling Plan which require sign off by Project Officer:
  - Drinking Water Outlet Inventory (Sampling Plan Attachment C)
  - o Filter Inventory Report (Sampling Plan Attachment D)
  - Flushing Log (Sampling Plan Attachment E)
  - o Pre Sampling Water Use Certification (Sampling Plan Attachment F).
- Prepare labels for drinking water outlets to be sampled.
- Prepare for Walk-Through including acquisition of School Floor Plan.
- Attend school Walk-Through.
- Ensure proper completion of Walk-Through documentation including identification of drinking water outlets on Floor Plan, and Sampling Location Inventory with coding according to the Sampling Plan (Attachment C of Sampling Plan).
- Supervision of field activities such as Walk- Through, flushing (if required), locking school prior to sampling, and sample collection.
- Identify drinking water outlets to be flushed and attach flush tag.
- Ensure that Field Sampling Team has all relevant sampling supplies including sampling bottles, labels, proper reagent water and chains of custody prior to collection of samples.
- Ensure that all drinking water outlets to be sampled prior to sampling event are labeled.
- Ensure that any low-use drinking water outlets identified for sampling had been flushed.
- Remove flush tags from drinking water outlet once sampling is completed.



- Responsible for ensuring water remains motionless for a minimum of eight hours (last to leave the school) prior to sampling event by following procedures in Section 8 of Sampling Plan.
- Verify that the Sampling Plan was followed prior to initiating sampling by completing the Pre-Sampling Water Use Certification (Attachment F in Sampling Plan).
- Supervision of sampling event.
- Documentation of issues during sampling event in field log book.
- Preparation of Field Walk-Through Report, School Field Sampling Summary Report and Final Project Report for assigned school(s).
- Maintenance of field log books for each school.
- Prepare samples for shipment and delivery to laboratory per certified laboratory instructions.
- Ensure that samples are delivered to laboratory within the time period specified by the certified laboratory

#### 2.4 Laboratory Manager

The Laboratory Manager is responsible for:

- Supervising laboratory analyses to be performed in the Laboratory. This includes oversight of all QA requirements in the laboratory, data review, and qualification of the data.
- Providing the Laboratory Data Report Package to the Project Manager and Project Officer.

#### 2.5 Laboratory's Quality Assurance Officer (LQAO)

The Laboratory's Quality Assurance Officer (LQAO) is responsible for reviewing the QAPP and resolving any QA issues that may arise during the project.

#### 2.6 Field Sampler or Field Sampling Team

The Field Sampler or Field Sampling Team, whether affiliated with the Middle Township School District, ESC Labs, and/or Partner Engineering and Science, is responsible for ensuring that field activities are conducted in accordance with this QAPP and the Sampling Plan.

#### 3. Special Training Needs/Certification

Sampling will be performed by Partner Engineering and Science.

Laboratory personnel designated to analyze the samples will have successfully completed required demonstrations of capability for the methods used. The Laboratory must be a drinking water laboratory certified by New Jersey for the analysis and reporting of lead using USEPA drinking water methods which are listed in Section 8.

Assessments of the Laboratory capability are conducted on a bi-annual basis by the NJDEP Office of



Quality Assurance. The Laboratory Manager has responsibility for correction of all deficiencies in their laboratory program.

#### 4. Project/Task Description

Drinking water samples will be collected from drinking water outlets including water fountains (bubblers), food preparation outlets (located in the cafeteria, kitchen, and home economics classrooms) and other outlets where there is the possibility of drinking the water such as in the special education classrooms, the medical office, the teachers' lounge, and ice machines. Concession stands and outside water fountains (such as in playgrounds and athletic fields) may also be considered for sampling. The custodian sink faucet may also be considered for sampling if it is used for filling large water coolers to provide water at school events. Outside hose spigots are not appropriate sampling locations for the purpose of this QAPP. The Sampling Plan provides more detail on appropriate sampling locations.

The Field Sampler or Team will conduct first draw (initial) sample collection and, as appropriate, follow-up flushed sample collection at the drinking water outlets specified in the Sampling Plan. The Sampling Team will consist of the Project Officer and the Sampler from Partner Engineering and Science. The NJ Certified Laboratory specified in the QAPP will perform the analysis for lead.

#### 5. Lead Data Quality Objectives and Criteria for Measurement

#### 5.1 Precision

The NJ Certified Laboratory will perform replicate analysis of the Laboratory Control Standard (LCS) for every set of individual school samples to assess method precision. This is not a requirement of any of the USEPA approved methods for lead analysis. The acceptance criterion for replicate analysis is a maximum of 20 percent (%) Relative Percent Difference (RPD).

#### 5.2 Bias

A field reagent blank (FRB) must be collected for each school. The FRB is normally only a requirement for USEPA Method 200.8, however the collection of a FRB is required with any of the other approved lead methods for this sampling event. The information provided by the results is used to determine whether the field or sample transporting procedures and environmental effects have contributed to contamination of the sample.

If any sample result(s) are qualified, this must be clearly indicated on the report and all final reports such as the field summary report. The Project Manager must be consulted to determine how to deal with the qualified results.

#### 5.3 Representativeness

The sampling effort is designed to identify all drinking water outlets, within a school, where there is a



potential for water consumption such as at water fountains (bubblers) that may require corrective action due to first draw and/or follow-up flushed sample results that exceed 15  $\mu$ g/L of lead (as defined as greater than or equal to 15.5  $\mu$ g/L or greater). Food preparation outlets and other potential ingestion outlets such as special education classrooms, the medical office and bathroom sinks are to be considered for sampling.

#### 5.4 Comparability

The analytical methods for lead analysis in drinking water are found in the federal Safe Drinking Water Regulations at 40 CFR141.86 and 40 CFR 141 Appendix A to Subpart C. Use of these methods allows for the comparison of data to USEPA's drinking water action level for lead of greater than 15  $\mu$ g/L.

Analytical results from the first draw (initial) and the follow-up flushed samples will be compared to assist in determining the source of lead contamination. Appropriate corrective measures must then be taken by the Middle Township School District.

#### 5.5 Completeness

In order to satisfy the objective of the project, samples will be collected from drinking water outlets according to the sampling plan established in this QAPP.

One hundred percent (100%) of collected and verified initial draw samples will be analyzed and reported. In the event that an initial draw sample is determined to have a lead content above 15  $\mu$ g/L, the flush sample for that water outlet will be analyzed and reported.

#### 5.6 Sensitivity

The Laboratory's Reporting Limit (RL) for the determination of lead in drinking water samples must be no higher than 2  $\mu$ g/L which is lower than the regulatory Practical Quantitation Level for lead of 5  $\mu$ g/L. The Practical Quantitation Level for Lead is stated in the National Primary Drinking Water Contaminant Regulations 40 CFR141 Subpart I. The required reporting limit of 2  $\mu$ g/L for this QAPP is achievable with any of the approved USEPA methods listed in 11.1.

#### 6. Secondary Data

Secondary data for the District would be their historical lead data.

#### 7. Field Monitoring Requirements

Sampling may occur in the morning hours before schools are open or on weekdays or weekends when no school activities are expected. This will minimize the potential for people in the building to use water



during the sampling survey. While sampling is underway it is advisable to prohibit any persons other than the sampling team to enter the building in order to ensure that no toilets or water outlets are being used.

#### 7.1 Monitoring Process Design

The sampling design, described in detail in the Sampling Plan (Appendix B) is based in part upon the 3T's Guidance for Reducing Lead in Drinking Water in Schools:

Revised Technical Guidance, December 2005; Errata to 3Ts, October 2006 (see Appendix A).

#### 7.2 Monitoring Methods

Equipment and supplies that will be needed to perform the sampling survey are ASTM Type I reagent-grade water for the field reagent blank (FRB), nitrile gloves, pre-cleaned HDPE wide-mouth 250 mL single use rigid sample containers ("sample container") and chain of custody (COC forms-Appendix C or lab may use their own) and indelible ink/marker.

For sampling events where the Laboratory will collect the samples, the nitric acid can be either added to the collection bottle at the Laboratory and prior to collection or the nitric acid can be added at the school after collection of the sample. If the water samples are not acidified at the time of collection, the Laboratory will preserve all samples with laboratory grade concentrated nitric acid (HNO3) to a pH of 2 standard units (SU) or less within 48 hours of sample receipt.

Each school will have a separate sample cooler or box which will contain the field reagent blank (FRB) and the other samples collected. Samples will be transported by Laboratory or Samplers or appropriate representative to the Laboratory.

#### 7.3 Field Quality Control

The analytical results obtained from the FRB will determine whether field or sample transporting procedures is a cause of sample contamination.

Prior to the sampling event, the Sampler will collect a 250 mL ASTM Type I reagent-grade water from the Laboratory which will be used for the FRB. At the school and prior to the first sample collected at a school, the ASTM Type I reagent-grade water will be transferred into a sample container which will be identified as the FRB sample.

The ASTM Type I reagent-grade water will either be supplied by the Laboratory or purchased through a vendor. The 250 mL sample containers are purchased pre-cleaned. Sample containers are not to be reused.



#### 8. Analytical Requirements

#### 8.1 Analytical Methods

The Middle Township School District must use one of the USEPA approved drinking water methods listed in the table below for the analysis of lead. Any of these methods can be used provided that the Laboratory is certified to analyze and report lead by that method and that the Laboratory has a reporting limit no greater than 2 µg/L.

For the purposes of the School District's QAPP, the analytical performance information is as follows:

Analyte	Analytical Method	Sample Matrix	Recommended Guidance Level	Reporting Level
Lead (Pb)	USEPA Method 200.8 USEPA Method 200.9 USEPA Method 200.5 SM 3113B ASTM D3559-D	Drinking Water	Greater than 15 μg/L (15.5 μg/L and above) first draw (initial) sample	2.0 μg/L (ppb)

The pH of all samples must be checked at the time of receipt at the Laboratory. If the pH is not less than 2, the pH must be adjusted with the addition of nitric acid. Samples that require the addition of nitric acid must sit for 16 hours prior to digestion (if applicable) or analysis. The pH of each sample must be documented.

The turbidity of each sample must also be checked by the Laboratory. If the turbidity of the sample is greater than 1 NTU, the sample must be digested prior to analysis. The turbidity of each sample must be documented and those samples digested must be recorded by the Laboratory.

If a sample result exceeds 90% of the linear dynamic range, the sample must be diluted and re-analyzed. The dilution factor must be included in the Laboratory report for each sample that is diluted.

#### 8.2 Analytical Quality Control

The USEPA has established protocols for the analysis of Quality Control (QC) samples with each analytical batch of samples, generally defined as a maximum of twenty samples. All QC results must be assessed and evaluated on an on-going basis and QC acceptance criteria must be used to determine the validity of the data.

For analytical testing, the laboratory includes positive control samples Laboratory Control Sample (LCS) or Analytical Quality Control (AQC)] to evaluate the total analytical system. Negative control samples (Method Blanks) are used to assess the preparation batch for possible contamination during the preparation and processing steps. A blank is considered contaminated with any result at or above the



analyte reporting limit. Specific control samples (Matrix Spikes) are used to indicate the effect of the sample matrix and replicates (matrix spike, LCS replicate) are performed to assess the precision of the results generated.

Specific information regarding acceptance criteria and corrective actions is documented in the Laboratory's SOP for any of the analytical methods listed in the table above.

#### 9. Sample Handling and Custody Requirements

All samples are aqueous and will be collected and labeled by Partner Engineering and Science. Standard USEPA Chain of Custody (COC) procedures will be followed according to the information provided in the District's Sampling Plan (Appendix B). The COC form found in Appendix C or equivalent is to be used for this project.

Samples will be transported by Laboratory or Samplers or appropriate representative to the Laboratory.

Analyte	Sample Volume	Container	Preservation (Note1)	Holding Time
Lead (Pb)	250 mL	unused 250 mL rigid plastic wide-mouth – clean	Reagent Grade Nitric Acid (HNO3) pH < 2	6 months

Note 1. Sample preservation will be conducted either in the field or by the Laboratory upon receipt.

#### 9.1 Sample Archive/Disposal

The samples received by the Laboratory for each school, including any digestates, will be eligible for disposal at a minimum 30 days unless otherwise directed by the District after the final report has been distributed. Samples including any digestates will not be archived unless a written request is provided to the Laboratory.

#### 10. Instrument/Equipment Testing, Inspection, Maintenance & Calibration Requirements

#### 10.1 Instrument/Equipment Testing, Inspection and Maintenance

All laboratory equipment will be tested, calibrated, and maintained in accordance with existing SOPs approved by the laboratory.

There are no field instruments anticipated for this project.



#### 10.2 Instrument/Equipment Calibration and Frequency

The USEPA approved analytical methods for lead listed in the National Primary Drinking Water Contaminant Regulations at 40 CFR 141.23 and Appendix A to Subpart C require that the instrument calibration be performed on a daily basis.

#### 10.3 Inspection/Acceptance of Supplies and Consumables

250 mL sample containers are purchased pre-cleaned. Sample containers are not to be reused. Sample gloves are to be disposable and not reused.

#### 11. Data Management

The Laboratory will immediately notify the Project Manager and Project Officer of the affected school(s) upon receipt of any validated laboratory results that exceed the action level for lead in drinking water that is greater than 15  $\mu$ g/L (as defined as greater than or equal to 15.5  $\mu$ g/L). The approved data will be available on Lablink in real time as soon as supervisory approval is done. For all results, the Laboratory will provide the result in micrograms per liter ( $\mu$ g/L) and to at least two (2) significant figures (i.e.19.6  $\mu$ g/L or 20.4  $\mu$ g/L).

The Laboratory will provide a final electronic copy of the Lead Data Report Package (LDR) for each school that will consist of: 1) PDF cover sheet that identifies the school name and all qualifiers with a description for that qualifier used by the laboratory, 2) laboratory report of the analytical results in PDF format, 3) the chain of custody in PDF format and 4) a spreadsheet of the results. The spreadsheet must include the information outlined in the template provided in Appendix D. Information required to be included in separate columns includes but is not limited to; the field ID (sample location identifier and/or code), the Laboratory sample ID, the Laboratory Name and Laboratory certification number, whether the sample was flushed, the date and time of collection and analysis, the analytical method, the analytical result in  $\mu$ g/L, the reporting limit in  $\mu$ g/L, and whether the sample was diluted or digested and any qualifiers.

The LDR Package will include the analytical results, appropriate qualifiers and reporting limits for analyses of submitted samples as requested by the District. The LDR Package must include explanations of any relevant procedural deviations or anomalies associated with the sample handling and analysis of the project. This report will be completed within the timeframe indicated in the contract. (see Section 5).

### 12. Assessments/Oversight

Formal field audits by QA personnel may be conducted for this project. However, identification of problems related to technical performance will be the responsibility of the staff working on this project.



The Project Officer(s) will assess any problem that arises in the field. If necessary, modifications to technical procedures may be considered. Any changes in technical procedures will be documented in the field logbook, evaluated to determine if there will be any impact to the data and then highlighted in the Final Project Report.

The Laboratory personnel will perform self-audits and institute corrective actions in accordance with their respective written procedures.

#### 13. Data Review, Verification, Validation, and Usability

#### 13.1 Data Review, Verification and Validation

The Project Manager will evaluate the School Field Sampling Summary Reports against the final analytical results to determine if any field observations may have contributed to lower or higher analytical results.

The Project Manager will review the analytical report and determine any limitations on the use of the data (see Section 5.2 Bias of this QAPP) and include these limitations in the Final Project Report.

Data review of all laboratory generated data is performed by the Laboratory Quality Assurance Officer (LQAO) who is not associated with the actual measurement operations for the given analytical batch but knowledgeable in the analytical processes employed. It is the responsibility of the LQAO to ensure that all data generated are correct and of known and documented quality. Any limitations on the use of data (e.g. data qualifiers) will be included in the Final Project Report.

#### 13.2 Reconciliation with User Requirements

As long as the Field Sampling Summary Report, LDR Package and Final Project Report of this QAPP are satisfied, the data will be useable for the purpose intended and no further assessment is required. If any data are determined to be unusable by the Project Manager, re-sampling may be required.

### 14. Reporting, Documents and Records

Original documents (X) will be stored as follows:

		<u>Middle</u>	Middle
		<u>Township</u>	<u>Township</u>
	<u>Individual</u>	<b>School District</b>	<b>School District</b>
	School Project	<u>Project</u>	<u>Program</u>
Document:	<u>Officer</u>	<u>Manager</u>	<u>Manager</u>
QAPP	Сору	Χ	Сору
Field Walk-Through Report	X	Сору	Сору



Field Logbook	X		_
Chains of Custody	Х	Сору	Сору
Flushing Notification/ Flushing Log Tags/Procedure	Х	Сору	Сору
Field Sampling Summary Report	Х	Сору	Сору
Flush Tags	Χ	Сору	Сору
Floor Diagrams	X	Сору	Сору
Plumbing Profile	X	Сору	Сору
Filter Inventory	X	Сору	Сору
Drinking Water Outlet Inventory	X	Сору	Сору
Pre Sampling Water Use Certification	Χ	Сору	Сору
Laboratory Data Report	Χ	Сору	Сору
Final Project Report	Сору	X	Сору



## Appendix A 3Ts for Reducing Lead in Drinking Water in Schools:

Revised Technical Guidance, December 2005; Errata to 3Ts, October 2006

Available online at:

https://www.epa.gov/sites/production/files/2015-09/documents/toolkit leadschools guide 3ts leadschools.pdf

http://www.nj.gov/dep/watersupply/dwc-lead-schools.html



## **Appendix B**

## School District Lead Water Testing Sampling Plan 4/19/2022

Available under separate cover



## Appendix C: Chain of Custody

#### POTABLE WATER SAMPLING FOR LEAD CONCENTRATION SAMPLE COLLECTION FORM

	IFORMA	TION								_	LAB INFORMATIO	N			
Name										L	Name:				
Addre										L	Address:				
Client	Rep:									L	Proj.Mgr:				
		CT INF	ORMATIC	ON							•				
BLDG															
	No/Na														
	Addre		umbers												
(0) Yr.		IE & IN	umbers		Vr 1	st Add		1/2	) Yr. 2nd Add.:		(3) Yr. 1st Mod.		[/4]	Yr. 2nd M	od :
(0) 11.	Built.			1(1)	11.1	St Auu	••	(2	) 11. Ziiu Auu		(3) 11. 15t Mou.		(4)	11. ZIIU IVI	ou
	LING T	EAM:									DATE OF SAM	PLING:			
	E DATA		- ID (ID :					-1\	1				1		<del></del>
5	ampie De		n ID (ID r T	iiust i	match	ı contain			<u> </u>	rink	ing Water Outlet Info	rmation I			
Sample#	Floor	Functional Space Code	N/BY	Ro	oom N	Jumber	Sample/Outlet	B Sa	mpled Outlet Location/	/Cod	ordinates/number	0 Seconds	30 Seconds	Time of collection (24hr)	
Ø				110		diliber	S C	)					1,7	(=)	
All con	tainers	are pre	-cleaned	/ 25	0 ml	plastic	bottle	es pre	served w HNO <sub>3</sub> @	pН	<2 by field or to	be pre	serv	ed by lab_	
CHAIN (	OF CUST	<b>TODY</b>										-			
	ished By					Receive	d By:				Time:	]			
l.												]			
II.															
III.			44.1						16			1156		<u> </u>	0.11
			nt/delive					Fe	ed-ExHand Del	live	ryUS Mail	_UPS		Courier	_Other:
			LABOR				_		Lab:					esults to:	
Otl	ner:		al and fo	NOIIO	ups	sampie	es		Contact			Pho Em	ail:		
FOIIO1	w QAPI	r instri	uctions						Contact:			Fax			



Comments: Provide Laboratory Data Report (LDR) Package and Chain of Custody Quality Assurance Project Plan



## Appendix D: Excel Template for Lead Results

Field ID	Flushed Y/N	Laboratory sample ID	Laboratory Name	Lab Certification ID	Date Sampled	Time Sampled	Analytical Method	Date of Analysis	Time of Analysis	Concentration in ug/L	Reporting Limit (ug/L)	Dilution Factor	Digested (Y/N)	Qualifier
01 AC-HS-1FL-N-1-OFFICE	N	DWS-1234-01	LAB	01234	3/19/2016	9:15	200.8	3/22/2016	22:44	235	0.2	1	Υ	

